3 2044 106 355 886

Library
Arnold Arboretum

of

Harvard University

Catalogus Syſtematicus

PLANTARUM

INDIGENARUM

IN

COMITATU DUBLINENSI

INVENTARUM.

Pars Prima.

AUCTORE GUALTERO WADE, *M.D.*
COLLEGII MEDICORUM REGIS ET REGINÆ IN HIBERNIA E PERMISSIS, REI BOTANICÆ PRÆLECTORE, SOCIETATIS LINNÆANÆ LONDINENSIS, UT ET MEDICÆ DUBLINENSIS SOCIO, &c.

DUBLINI:
APUD GUL. SLEATER, TYPOGRAPHUM SOCIETATIS DUBLINENSIS, IN VICO DICTO DAME-STREET.

M.DCC.XCIV.

Apl. 1909
19461

VIRO PRÆHONORABILI

JOANNI FOSTER,

PROLOCUTORI DOM? COM? PARL?

PERMITTAS me, quæſo, ſpectate vir, libellum huncce amico patriæ noſtræ æque ſtrenuo ac liberali dicare et conſecrare.

Labores tuos haud minus proſperos quam indefeſſos ad agriculturam, artes, et commercium Hiberniæ

 promovenda

promovenda directos, nunquam in memoria non tenebit populus gratus, conſiliis tuis parendo ditatus et felix.

Patrocinium tuum rei botanicæ, utilis adeo ac jucundæ naturalis hiſtoriæ partis, ut ad tenues hoſce conatus erga ejus in hac inſula cultum ſolita benignitate extendas, etiam atque etiam rogo et precor,

devinctiſſimus tuus,

atque humillimus,

GUALTERUS WADE.

PRÆFATIO.

CATALOGUM plantarum inſtruenti opus erat methodum aliquam ſyſtematicam adhibere. Mihi præ aliis arridebat Linnæana, utpote non ſolum facile excellentiſſima, ſed omnibus fere botanicis nunc dierum recepta.

Illuſtris Linnæi *Specie Plantarum*, editionis tertiæ, anno 1764 impreſſæ, ut plurimum utor. Ad alios ſcriptores, paucos, recentiores, et Britannos quidem omnes lectorem refero; quorum tamen ductu e fonte botanico ſatis ſuperque haurire eſt. In eximio iſto Domini *Curtis* opere citando, difficultate quadam peculiari preſſus, omnes plantarum icones collegi, et eas ſecundum ordinem quo in publicum prodiere numeravi: Nota *Ic.* ad hance numerationem ſpectat, *N.* ad iſtam faſciculorum.

Numeri majores Romani, deſcriptionibus plantarum ſubjuncti, tempora earum florendi, more botanico, deſignant; I. Januarium, II. Februarium, III. Martem, &c. Numeri parvi, nominibus genericis præfixi, numerum generum plantarum

rum in hocce catalogo notatorum ſolummodo reſpiciunt. Accentus ex accurato opere Doctoris Withering ut plurimum deprompti ſunt.

Synonyma, Anglicis Hiberniſque exceptis, prætermiſi; cavendo ſcilicet ne ultra modum augeatur materies libelli, peregrinanti potiuſquam ſedentario ſtudenti opem allaturi.

In nominibus plantarum Anglicis recenſendis, varios auctores, et vivum populi ſermonem conſului. Quod vero ad nomina Hibernica, quanquam ea qua potui diligentia collegi, linguæ tamen parum peritus, de quibuſdam animi pendeo, alia penitus ſilentio præterire viſum eſt.

Quoniam huncce genuinum eſſe catalogum decrevi plantarum a memetipſo viſarum e ſolo Eblanenſi ſponte ſurgentium, verbum *Inveni* ubique præ uſitatiori *Habitat* uſurpavi. Adeoque prima hæcce mei incepti pars, quamvis non omnibus numeris abſoluta, nunquam non fidelis habeatur.

Familiæ numeroſæ caricum et plantarum cryptogamicarum ſecundæ parti reſervantur, quæ quantum poteſt ſequetur.

ABBREVIATIONES EXPLICATÆ.

Annal. Agric. Annals of Agriculture, &c. by Arthur Young, Eſq. F. R. S. &c. Bury St. Edmund's, 1784, &c. 8vo.

Engliſh Botany. Engliſh Botany, by James Sowerby, 1790, &c. 8vo.

Fl. Ang. Gul. Hudſoni Flora Anglica: edit. 1. 1768, ed. 2. 1778, Lond. 8vo.

Fl. Lond. Flora Londinenſis, by William Curtis, Lond. fol. 1777, &c.

Fl. Ruſt. Flora Ruſtica, by Thomas Martyn, B. D. and F. R. S. & Frederick P. Nodder, Lond. 1792, &c, 8vo.

Fl. Scot. Flora Scotica, by the Rev. John Lightfoot, 2 volumes, Lond. 1777, 8vo.

Hunt. Ev. Sylv. Silva: or a Diſcourſe of Foreſt Trees, by John Evelyn, Eſq. with notes by A. Hunter, M. D. F. R. S. ed. 2. York, 2 volumes. 4to. 1786.

Lin.

Lin. Sp. Pl. Linnæi Species Plantarum: edit. 3. Vindobonæ, 1764, 8vo.

Lin. Sys. Veg. Caroli Linnæi ſyſtema vegetabilium: curante Jo. Andrea Murray, Gott. 1784, 8vo.

Med. Bot. Doctor William Woodville's Medical Botany, in 3 volumes, 4to, 1790, &c.

Mus. ruſt. Muſeum Ruſticum et commerciale, Lond. 1764, &c. 8vo. 6 volumes.

Still. Miſc. Obſervations on Graſſes by Benjamin Stillingfleet, publiſhed with his miſcellaneous tracts, ed. 2. Lond. 8vo. 1762.

With. Arrang. A Botanical Arrangement of Britiſh Plants, by William Withering, M. D. F. R. S. &c. and Jonathan Stokes, M. D. &c. Birming. 1787, &c. ed. 2. 3 volumes, 8vo.

MONANDRIA MONOGYNIA.

MONANDRIA

MONOGYNIA.

1. *HIPPU'RIS.*

vulgáris. 1. HIPPU'RIS. *Lin. Sp. Pl. ed.* 3. 6. *Fl. Ang. ed.* 2. 2. *Fl. Scot.* 70. *Wither. Arrang. ed.* 2. 2. *Fl. Lond. No.* 48. *Ic.* 288.

Anglis, *mare's tail*, *paddow pipe.*

Hibernis,

Inveni in ſtagnis, et rivulis, prope *Iriſh-town*, *Sandymount*, *Clontarf* juxta *Charter-ſchool*, et *Cardiff's bridge.* VII.

2. *SALICOR'NIA.*

herbácea. 1. SALICOR'NIA patula, articulis apice compreſſis emarginato-bifidis. *Lin. Sp. pl. ed.* 3. 5. *Fl. Ang. ed.* 2. 1. *Fl. Scot.* 69. *Wither. Arrang. ed.* 2. 3.

Anglis, *marſh ſamphire*, *ſea-graſs*, *ſalt-wort*, *jointed glaſs-wort.*

Hibernis,

Inveni in littoribus maritimis apud *Rings-end*, *Iriſhtown*, *Howth*, *Malahide*, *North-wall*, et *Balldoyle.* IX.

MONANDRIA DIGYNIA.

DIGYNIA.

3. *CALLIT'RICHE.*

ver'na. 1. CALLIT'RICHE foliis ſuperioribus, floribus androgynis. *Lin. Sp. Pl. ed.* 3. 6. *Fl. Ang. ed* 2. 439. *C. aquatica var.* β. *Fl. Scot.* 70. *Wither. Arrang. ed.* 2. 4.

Anglis,

Anglis, *water ſtar-wort, water fennel, ſtar-headed water chickweed.*

Hibernis,

Inveni in foſſis, et aquis lutoſis, frequenter. IV.

autum-nális. 2. 2. CALLITRICHE foliis omnibus linearibus apice bifidis, floribus hermaphroditis. *Lin. Sp. pl. ed.* 3. 6. *Fl. Scot.* 70. *Wither. Arrang. ed.* 2. 5. *Fl. Ang. ed.* 2. 440. *C. aquatica var. γ.*

Anglis, *autumnal ſtar-wort.*

Hibernis,

Inveni cum priore. IX.

DIANDRIA MONOGYNIA.

D I A N D R I A.

MONOGYNIA.

4. *LIGUSTRUM.*

vulgáre. 1. LIGUSTRUM. *Lin. Sp. Pl. ed.* 3. 10. *Fl. Ang. ed.* 2. 3. *Fl. Scot.* 72. *Wither. Arrang. ed.* 2. 7. *Fl. Lond. N.* 51. *Ic.* 305.

 Anglis,

Anglis, *privet.*

Hibernis,

Inveni in ſepibus paſſim, circa *Chapel-izod*, *Lucan*, *Booterſtown*, *Black-rock*, *Clontarf*, &c. VI.

---

5. *VERONI'CA.*

officinális. 1. VERONI'CA ſpicis lateralibus pedunculatis, foliis oppoſitis, caule procumbente. *Sp. Pl. ed.* 3. 14. *Fl. Ang. ed.* 2. 4. *Fl. Scot.* 72. *Wither. Arrang. ed.* 2. 9. *Fl. Lond. N.* 33. *Ic.* 196.

Anglis, *male ſpeedwell*, *fluellin.*

Hibernis, **Luſ cre'. Seamar cre'.**

Inveni in ericetis, et inter lapides, ſuper montes et prope eorundum radices *Dublin Mountains* dictos, apud *Grange-hill*, *Killgobbin*, et in paſcuis ſiccioribus circa *Killbarrick.* VI. VII. VIII.

ſerpylli-fólia. 2. VERONI'CA racemo terminali ſubſpicato, foliis ovatis glabris. *Sp. Pl. ed.* 3. 15. *Fl. Ang. ed.* 2. 4. *Fl. Scot.* 73. *Fl. Lond. N.* 5. *Ic.* 27. *Wither. Arrang. ed.* 2. 11.

Anglis,

Anglis, *ſmooth ſpeedwell, Paul's betony.*

Hibernis,

Inveni in paludoſis locis, apud *Santry-wood* copioſe. V.

Beccabun'ga. 3. VERONI'CA racemis lateralibus, foliis ovatis planis, caule repente. *Lin. Sp. Pl ed.* 3. 16. *Fl. Ang. ed.* 2. 5. *Fl. Scot.* 73. *With. Arrang. ed.* 2. 12. *Fl. Lond. N.* 15. *Ic.* 87. *Med. Bot. p.* 20. *Ic.* 7.

Anglis, *brooklime.*

Hibernis, Biolar Muire, Biolar Uiſge, Lochall, Lochall Mothair.

Inveni in foſſis et rivulis frequenter. VII.

Anagal'lis. 4. VERONI'CA racemis lateralibus, foliis lanceolatis ſerratis, caule erecto. *Lin. Sp. Pl. ed.* 3. 10. *Fl. Ang. ed.* 2. 5. *Fl. Scot.* 73. *With. Arrang. ed.* 2. 12. *Fl. Lond. N.* 56. *Ic.* 332.

Anglis, *long leaved brook-lime, water ſpeed-well.*

Hibernis, Fualachtar.

Inveni in foſſis et rivulis paſſim. VII.

Cham'ædrys.

Chamæ'drys. 5. VERONI'CA racemis lateralibus, foliis ovatis rugoſis dentatis ſeſſilibus, caule debili. *Lin. Sp. Pl. ed.* 3. 17. *Fl. Ang. ed.* 2. 6. *Fl. Scot.* 74. *Wither. Arrang. ed.* 2. 13. *Fl. Lond. N.* 4. *Ic.* 24. *Fl. Ruſt. N.* 22. *Ic.* 66.

Anglis, *wild germander, ſpeedwell.*

Hibernis, **An Ulach, Ealcah Anolu-rach.**

Inveni in pratis, ſepibus, et paſcuis paſſim, ut nihil magis vulgare. IV. V.

montána. 6. VERONI'CA racemis lateralibus pauci-floris, calycibus hirſutis, foliis ovatis rugoſis crenatis petiolatis, caule debili. *Lin. Sp. Pl. ed.* 3. 17. *Fl. Lond. N.* 37. *Ic.* 218. *Fl. Ang. ed.* 2. 6. *Fl. Scot.* 74. *Wither. Arrang. ed.* 2. 12.

Anglis, *mountain ſpeedwell, madwort.*

Hibernis,

Inveni in ſylvis, præcipue apud *Luttrel's-town*, juxta murum in viâ ad *Lucan* ducente. VI.

arven'ſis. 7. VERONI'CA floribus ſolitariis, foliis cordatis inciſis *ſeſſilibus. Fl. Ang. ed.* 1. 6. *et ed.* 2. 6. *Lin. Sp. Pl. ed.* 3. 18. *Fl. Scot.* 75. *Wither. Arrang. ed.* 2. 14. *Fl. Lond. N.* 23. *Ic.* 135.

Anglis,

Anglis, *wall ſpeedwell, corn ſpeedwell.*

Hibernis,

Inveni in muris vetuſtis, nonnunquam. IV.

agres'tis. 8. VERONI'CA floribus ſolitariis, foliis cordatis inciſis, *petiolatis. Fl. Ang. ed.* 1. 6. *ed.* 2. 7. *Lin. Sp. Pl. ed.* 3. 18. *Fl Scot.* 75. *With. Arrang. ed.* 2. 14. *Fl, Lond. N.* 7. *Ic.* 37.

Anglis, *germander-ſpeedwell, chickweed.*

Hibernis,

Inveni in cultis, frequenter, verno tempore.

hederi-fólia. 9. VERONI'CA floribus ſolitariis, foliis cordatis planis quinquelobis. *Sp. Pl. ed.* 3. 19. *Fl. Ang. ed.* 2. 7. *Fl. Scot.* 76. *Wither. Arrang. ed.* 2. 15. *Fl. Lond. N.* 19. *Ic.* 109.

Anglis, *ivy-leaved ſpeedwell, ſmall henbit.*

Hibernis,

Inveni in cultis frequenter. IV. V.

6. *PINGUIC'ULA*

6. *PINGUIC'ULA.*

vulgáris. 1. PINGUIC'ULA nectario cylindraceo, longitudine petali. *Sp. Pl. ed.* 3. 25. *Fl. Ang. ed.* 2. 8. *Fl. Scot.* 76. *Wither. Arrang. ed.* 2. 16. *Engliſh Botany* 70.

Anglis, *common butterwort*, *Yorkſhire ſanicle.*

Hibernis, Bodan Meaſgan, uachdar, geroin.

Inveni in paludoſis, juxta ſcholam reverendi Meares, apud *Black-rock*, auſtrali parte; apud *Howth*, auſtrali parte; et in prato uliginoſo apud *Scribleſtown*, pone *Uranoſcopium*, copioſe; ut et in locis variis uliginoſis ad radices montium Dublinenſium. VI.

---

7 *LYC'OPUS*

Europæ'us. 1. LYC'OPUS foliis ſinuato-ſerratis. *Lin. Sp. Pl. ed.* 3. 30. *Fl. Ang. ed.* 2. 9. *Fl. Scot.* 79. *Wither. Arrang. ed.* 2. 20. *Fl. Lond. N.* 34. *Ic.* 199.

Anglis,

Anglis, *water horehound.*

Hibernis, **Feoran Curraigh.**

Inveni ad margines foſſarum in vivario *Phœnix Park* dicto, copioſe. VIII.

---

8. *SAL'VIA.*

verbenáca. 1. SAL'VIA foliis ſerratis læviuſculis, corollis calyce anguſtioribus. *Lin. Sp. Pl. ed.* 3. 35. *Fl Ang. ed.* 2. 10. *Fl. Scot.* 79. *Wither. Arrang. ed.* 2. 22.

Anglis, *wild clary.*

Hibernis,

Inveni prope muros vetuſtos inter *Long Meadows* et *Chapelizod*; in glareoſis inter *Rathmines* et *Miltown* copioſe; ut et in locis variis ruderatis. VI.

---

9. *CIRCÆ'A.*

lutetiána. 1. CIRCÆ'A caule erecto, racemis pluribus, foliis ovatis. *Lin. Sp. Pl ed.* 3. 12. *Fl. Ang. ed.* 2. 10. *Fl. Scot.* 80. *Wither. Arrang. ed.* 2. 23. *Fl. Lond. N.* 34. *Ic.* 200.

Anglis, *common enchanter's night-ſhade.*

Hibernis, **Fuinſeach, Fuinſeſgach.**

Inveni in locis umbroſis ſylvæ *Luttrel's-town* copioſe, præſertim in auſtrali regione. VI.

D I G Y N I A.

10. *ANTHOXANTHUM.*

odorátum. 1. ANTHOXANTHUM ſpica oblonga, floſculis ſubpedunculatis ariſta longioribus. *Lin. Sp. Pl. ed.* 3. 40. *Fl. Ang. ed.* 2. 11. *Fl. Scot.* 81. *Wither. Arrang. ed.* 2. 25. *Fl. Lond. N.* 9. *Ic.* 51. *Fl. Ruſtica. Ic.* 23.

Anglis, *ſweet ſmelling vernal graſs.*

Hibernis,

Inveni in pratis, paſcuis, ſylvis, et arvis, frequenter. V.

TRIANDRIA

TRIANDRIA

MONOGYNIA.

11. *VALERIA'NA.*

rúbra. 1. VALERIA'NA floribus monandris caudatis, foliis lanceolatis, *(amplexicaulibus dentatis,)* integerrimis. *Lin. Sp. Pl. ed.* 3. 44. *Fl. Ang. ed.* 2. 12. *Wither. Arrang. ed.* 2. 35.

Anglis, *red valerian.*

Hibernis,

Inveni in ruderatis inter *Chapelizod* et *Lucan*, et ſuper muros vetuſtos ſaxoſos paſſim. VII.

officinális. 2. VALERIA'NA floribus triandris, foliis omnibus pinnatis. *Lin. Sp. Pl. ed.* 3. 45. *Fl. Ang. ed.* 2. 12. *Fl. Scot.* 84. *Wither. Arrang. ed.* 2. 36. *Med. Bot. p.* 262. *Ic.* 96.

Anglis, *wild officinal valerian.*

Hibernis, **Carthan Curaigh.**

Inveni in ſepibus humidis inter *Cardiff's-bridge* et *Aſh-town*, apud *Howth*, ad ripas fluviorum inter *Long Meadows* et *Lucan*, circa *Blue Bell*, et alibi. VII.

Locus'ta. 3. VALERIA'NA floribus triandris, caule dichotomo, foliis linearibus *Lin. Sp. Pl. ed.* 3. 47. *Fl. Ang. ed.* 2. 13. *Fl. Scot.* 85. *Wither. Arrang. ed.* 2. 37. *Fl. Lond. N.* 54. *Ic.* 324. *Fl. Ruſt.* 24.

Anglis, *corn valerian*, *corn ſallet*, *lamb's-lettuce.*

Hibernis,

Inveni in agris apud *Roebuck*, et juxta pontes *Glaſnevin*, et *Donnybrook.* IV.

---

12. *I' R I S.*

Pſeud-acórus. 8. I'RIS corollis imberbibus, petalis interioribus ſtigmate minoribus, foliis enſiformibus. *Lin. Sp. Pl. ed.* 3. 56. *Fl. Ang. ed.* 2. 14. *Fl. Scot.* 86. *Wither. Arrang. ed.* 2. 39. *Fl. Lond. N.* 33. *Ic.* 198. *Med. Bot. p.* 114. *Ic.* 400.

Anglis,

Anglis, *flower de luce*, *water-flag*.

Hibernis, Feleaſtar, Feleaſtrum.

Inveni in locis paluſtribus copioſe in *Phænix Park*, et alibi. VI.

---

13. *SCHOE'NUS.*

nigricans. 1. SCHOE'NUS culmo tereti nudo capitulo ovato, involucri diphylli valvula altera ſubulata longa. *Lin. Sp. Pl. ed.* 3. 64. *Fl. Ang. ed.* 2. 15. *Fl. Scot.* 86. *Wither. Arrang. ed.* 2. 42.

Anglis, *round black-headed bog ruſh.*

Hibernis, Sibhne, Siſín, Seimhin.

Inveni in locis paluſtribus, ſolo ſpongioſo, ad radices *montium Dublinenſium*, præſertim juxta *Stag's-town.* VI.

---

14. *SCIR'PUS.*

palus'tris. 1. SCIR'PUS culmo tereti nudo, ſpica ſubovali terminali. *Lin. Sp. Pl. ed.* 3. 70. *Fl. Ang. ed.* 2. 17. *Fl. Scot.* 87. *Wither. Arrang. ed.* 2. 46. *Eng. Bot. N.* 34. *Ic.* 131.

Anglis,

Anglis, *club ruſh, aglet-headed ruſh.*

Hibernis, Luachair.

Inveni in locis paluſtribus frequenter, præcipue juxta pontes *Finglaſs*, *Glanſkeagh*, illumque *Cardiff's bridge* dictum. VI.

cæſpito'ſus 2. SCIR'PUS culmo ſtriato nudo, ſpica bivalvi terminali longitudine calycis, radicibus ſquamula interſtinctis. *Lin. Sp. Pl. ed.* 3. 71. *Fl. Ang. ed.* 2. 18. *Fl. Scot.* 87. *Wither. Arrang. ed.* 2. 47.

Anglis, *dwarf club ruſh, deer's hair.*

Hibernis, Cruagh luachair.

Inveni in pratis et ericetis udis, et locis paluſtribus paſſim, præcipue circa *Stag's town*, *Clondalkin*, et *Kilmaſhouge*. VI. VII.

lacus'tris. 3. SCIR'PUS culmo tereti nudo, ſpicis ovatis pluribus pedunculatis terminalibus. *Lin. Sp. Pl. ed.* 3. 72. *Fl. Ang. ed.* 2. 19. *Fl. Scot.* 88. *Wither. Arrang. ed.* 2. 48.

Anglis, *bulruſh.*

Hibernis, Fuigiun, bog ſheimhin.

Inveni

Inveni in ſtagnis majoribus, et flumini-bus frequenter, præſertim inter *Car-diff's bridge* et *Aſh-town* copioſe. VII.

marit'imus. 4. SCIR'PUS culmo triquetro, panicula conglobata foliacea, ſpicularum ſqua-mis trifidis: intermedia ſubulata. *Lin. Sp. Pl. ed.* 3. 51. *Fl. Ang. ed.* 2. 21. *Fl. Scot.* 89. *Wither. Arrang. ed.* 2. 50. *Fl. Lond. N.* 48. *Ic.* 285.

Anglis, *round-rooted baſtard cyprus.*

Hibernis, Brobh.

Inveni in paludibus juxta mare, inter *Sandymount* et *Merrion* copioſe, et alibi. VIII.

---

15. *ERIOPH'ORUM.*

polyſta'chion. 1. ERIOPH'ORUM culmis teretibus, fo-liis planis, ſpicis pedunculatis. *Lin. Sp. Pl. ed.* 3. 76. *Fl. Ang. ed.* 2. 21. *Fl. Scot.* 89. *Wither. Arrang. ed.* 2. 53. *Fl. Lond. N.* 37. *Ic.* 119.

Anglis, *common cotton graſs, moor graſs, moſs crops, bog down.*

Hibernis,

Hibernis, **Ceanabhan mona, ſíoda mona, ceanach na mona, ſgathoga ſíona.**

Inveni in locis paludoſis et cænoſis frequenter, præſertim ad radices *montium Dublinenſium* copioſe. VII.

D I G Y N I A.

16. *P H A L' A R I S.*

arundinácea. 1. PHAL'ARIS panicula oblonga ventricoſa. *Lin. Sp. Pl. ed.* 3. 80. *Fl. Ang. ed.* 2. 23. *Fl. Scot.* 90. *With. Arrang. ed.* 2. 67.

Anglis, *reed Canary graſs.*

Hibernis,

Inveni ad fluviorum ripas paſſim. VII.

---

17. *P H L E 'U M.*

praten'ſe. 1. PHLE'UM ſpica cylindrica longiſſima, culmo recto. *Lin. Sp. Pl. ed.* 3. 87. *Fl. Ang. ed.* 2.25. *Fl. Scot.* 91. *Wither. Arrang. ed.* 2. 63. *Mus. Ruſt.* VII. *Annal. Agric. V.* 12. 446. *Fl. Ruſt. N.* 2. *Ic.* 5.

Anglis,

Anglis, *Timothy graſs, herd graſs, meadow cat's tail graſs.*

Hibernis,

Inveni in pratis et paſcuis, ad ſemitas et inter ſepes frequenter. VII.

---

18. *ALOPECU'RUS.*

praten'ſis. 1. ALOPECU'RUS culmo ſpicato erecto, glumis villoſis. *Lin. Sp. Pl. ed.* 3. 88. *Fl. Ang. ed.* 2. 27. *Fl. Scot.* 91. *Muſ. Ruſt. Vol.* 4. *t.* 2. *f.* 9. *Wither. Arrang. ed.* 2. 59. *Annal. Agric. Vol.* 12. 415. *Vol.* 16. 129. *Fl. Lond. N.* 50. *Ic.* 300. *Fl. Ruſt. N.* 2. *Ic.* 6.

Anglis, *meadow fox-tail graſs.*

Hibernis,

Inveni in pratis humidis ubique. V.

geniculátus. 2. ALOPECU'RUS culmo ſpicato infracto. *Lin. Sp. Pl. ed.* 3. 89. *Fl. Ang. ed.* 2. 27. *Fl. Scot.* 92. *With. Arrang. ed.* 2. 60. *Fl. Lond. N.* 57. *Ic.* 340.

D Anglis,

Anglis, *ſpiked float graſs, ſpiked water graſs, float fox-tail graſs.*

Hibernis,

Inveni in ſtagnis paſſim, iſtis præſertim muro boreali, viæ circulari, canalique magno vicinis. VI.

---

19. *AGROS'TIS.*

canina. 1. AGROS'TIS calycibus elongatis, petalorum ariſta dorſali recurva, culmis proſtratis ſubramoſis. *Lin. Sp. Pl. ed.* 3. 92. *Fl. Ang. ed.* 2. 30. *Fl. Scot.* 92. *With. Arrang. ed.* 2. 70.

Anglis, *brown bent graſs.*

Hibernis,

Inveni in pratis, paſcuis, et ericetis cæſpitoſis, atque montoſis ubique, præſertim ad radices *montium Dublinenſium.* VII.

capillàris. 2. AGROS'TIS panicula capillari patente, calycibus ſubulatis æqualibus hiſpidiuſculis coloratis, floſculis muticis. *Lin.*

Lin. Sp. Pl. ed. 3. 93. *Fl. Ang. ed.* 2. 31. *A. polymorpha : var.* α. *Fl. Scot.* 93. *Wither. Arrang. ed.* 2. 73. *Annal. Agric. V.* 17. 38.

Anglis, *fine bent graſs.*

Hibernis,

Inveni cum priore, et ad ſepes frequenter. VII.

ſtoloniſera. 3. AGROSTIS paniculæ ramulis divaricatis muticis, culmo repente, calycibus æqualibus. *Lin. Sp. Pl. ed.* 3. 93. *Fl. Ang. ed.* 2. 31. *Fl. Scot.* 93. *Wither. Arrang. ed.* 2. 72.

Anglis, *creeping bent graſs.*

Hibernis,

Inveni in locis humidis, vadoſis, et arenoſis ſuper *montes Dublinenſes*, juxta *Bullock*, et alibi. VII.

20. *A'IRA.*

cærúlea. 1. A'IRA panicula coarctata, floribus pedunculatis muticis convoluto-ſubulatis, foliis planis. *Lin. Sp. Pl. ed.* 3. 95. *Fl. Ang. ed.* 2. 33. *Mel'ica cærúlea : Fl. Scot.* 96. *Wither. Arrang. ed.* 2. 82. *Fl. Lond. N.* 60. *Ic.* 355.

Anglis, *purple hair graſs*, *purple melic graſs*.

Hibernis,

Inveni in pratis paludoſis agrorum *Scribles-town*, et alibi. VI.

aquat'ica. 2. A'IRA panicula patente, floribus muticis lævibus obtuſis calyce longioribus, foliis planis. *Lin. Sp. Pl. ed.* 3. 95. *Fl. Ang. ed.* 2. 33. *Fl. Scot.* 94. *Wither. Arrang. ed.* 2. 76. *Fl. Lond. N.* 10. *Ic.* 60.

Anglis, *water hair graſs*.

Hibernis,

Inveni in aquoſis; in foſſis paſſim. VI.

cæſpitóſa.

cæſpitóſa. 3. A'IRA foliis planis, panicula patente, petalis baſi villoſis ariſtatiſque: ariſta recta brevi. *Lin. Sp. Pl. ed.* 3. 96. *Fl. Ang. ed.* 2. 34. *Fl. Scot.* 94. *Wither. Arrang. ed.* 2. 77.

Anglis, *turfy hair graſs.*

Hibernis,

Inveni in pratis et paſcuis humidis ad radices *montium Dublinenſium*; præſertim circa *Hill of the Grange*, *Stag's-town*, *King's town*, et *Lugmore*. VII.

---

21. *M E L' I C A.*

nutáns. 1. MEL'ICA petalis imberbibus, panicula ſecunda nutante ſimplici. *Lin. Sp. Pl. ed.* 3. 98. *Fl. Ang. ed.* 2. 37. *gluma uniflora. Fl. Scot.* 95. *M. uniflora. With. Arrang. ed.* 2. 81. *Fl. Lond. N.* 51. *Ic.* 303. *Fl. Ruſt. N.* 22. *Ic.* 64.

Anglis, *wood melic graſs.*

Hibernis,

Inveni in ſylva *Luttrel's-town*, in aggeribus ſepium umbroſis occidentem verſus. VII.

22. *B R I' Z A.*

22. *B R I' Z A.*

média. 1. BRI'ZA ſpiculis ovatis calyce floſculis breviore. *Lin. Sp. pl. ed.* 3. 103. *Fl. Ang. ed.* 2. 38. *Fl. Scot.* 99. *Wither. Arrang. ed.* 2. 92. *Fl. Ruſt. N.* 13. *Ic.* 39.

Anglis, *cow-quakes, lady's hair, quaking graſs, wag wanton, trembling graſs.*

Hibernis,

Inveni in pratis et paſcuis ubique. VII.

---

23. *P O' A.*

praten'ſis. 1. PO'A panicula diffuſa, ſpiculis quinquefloris glabris, culmo erecto tereti. *Lin. Sp. Pl. ed.* 3. 99. *Fl. Ang. ed.* 2. 39. *Fl. Scot.* 97. *Wither. Arrang. ed.* 2. 87. *Fl. Lond. N.* 14. *Ic.* 82.

Anglis, *great meadow graſs, ſmooth-ſtalked meadow graſs.*

Hibernis,

Inveni in pratis et paſcuis ubique. VI.

triviális.

triviális. 2. PO'A panicula diffuſa, ſpiculis ſubtrifloris baſi pubeſcentibus, culmo erecto tereti. *Lin. Sp. Pl. ed.* 3. 99. *Fl. Ang. ed.* 2. 39. *Fl. Scot.* 97. *Wither. Arrang. ed.* 2. 85. *Fl. Lond. N.* 15. *Ic.* 90. *Annal. Agricul. V.* 5. 115. *V.* 6. 54.

Anglis, *common meadow graſs, rough-ſtalked meadow graſs, bird graſs, fowl graſs.*

Hibernis,

Inveni cum priore. VI.

compreſ'sa. 3. PO'A panicula coarctata ſecunda, culmo obliquo compreſſo. *Lin. Sp. Pl. ed.* 3. 101. *Fl. Ang. ed.* 2. 41. *Fl. Scot.* 97. *Wither. Arrang. ed.* 2. 89.

Anglis, *flat-ſtalked meadow graſs, creeping meadow graſs.*

Hibernis,

Inveni ſuper muros vetuſtos, et in locis ſicciſſimis nonnunquam. VI.

an'nua. 4. PO'A panicula diffuſa, angulis rectis, ſpiculis obtuſis, culmo obliquo compreſſo. *Lin. Sp. pl. ed.* 3. 99. *Fl. Ang. ed.*

ed. 2. 42. *Fl. Scot.* 97. *Wither. Arrang. ed.* 2. 88 *Fl. Lond. N.* 2. *Ic.* 8. *Muſ. Ruſt. V.* 4. 2. 8. *Annal. Agricul. V.* 6. 52.

Anglis, *annual meadow graſs, Suffolk graſs, common dwarf poa.*

Hibernis,

Inveni ubique in paſcuis, ad ſemitas, et agrorum limites. I. XII.

maritima. 5. PO'A panicula coarctata ſecunda ramoſa, ramis binatis, ſpiculis oblongis, floſculis obtuſis, culmo obliquo tereti. *Fl. Ang. ed.* 2. 42. *Fl. Scot.* 98. *Wither. Arrang. ed.* 2. 88.

Anglis, *ſea meadow graſs.*

Hibernis,

Inveni in littoribus maritimis arenoſis inter *Sandymount* et *Merrion*, et alibi. VII.

rig'ida. 6. PO'A panicula lanceolata, ſubramoſa ſecunda, ramulis alternis ſecundis. *Lin. Sp. Pl. ed.* 3. 101. *Fl. Ang. ed.* 2. 42. *Fl. Lond. N.* 24. *Ic.* 139. *Wither. Arrang. ed.* 2. 89.

Anglis,

Anglis, *hard meadow graſs.*

Hibernis,

Inveni ſuper muros vetuſtos frequenter. VII.

---

24. *D A C T Y L I S.*

glomeráta. 1. DACTYLIS panicula ſecunda glomerata. *Lin. Sp. Pl. ed.* 3. 104. *Fl. Ang. ed* 2. 43. *Fl. Scot.* 99. *Wither. Arrang. ed.* 2. 94. *Fl. Ruſt. N.* 5. *Ic.* 14. *Mus. Ruſt. V.* 5. 1. 5.

Anglis, *rough cock's-foot graſs, orchard graſs.*

Hibernis,

Inveni ubique fere. VI.

---

25. *F E S T U C A.*

ovína. 1. FESTUCA panicula ſecunda coarctata ſubariſtata, glumis acuminatis, culmo tetragono nudiuſculo, foliis ſetaceis.

E *Lin.*

Lin. Sp. Pl. ed. 3. 108. *Fl. Ang. ed.* 2. 44. *Fl. Scot.* 101. *Wither. Arrang. ed.* 2. 97. *Mus. Ruſt.* 4. 2. 4. *Still. Miſc. t.* 8.

Anglis, *ſheep's feſcue graſs.*

Hibernis,

Inveni in paſcuis ſiccioribus arenoſis paſſim. VII.

duriuſcula. 2. FESTU'CA panicula ſecunda, oblonga, ſpiculis ſexfloris oblongis lævibus, foliis ſetaceis. *Lin. Sp. Pl. ed.* 3. 108. *Fl. Ang. ed* 2. 45. *Fl. Scot.* 101. *Wither. Arrang. ed.* 2. 98.

Anglis, *hard feſcue graſs.*

Hibernis,

Inveni cum priore frequenter, præcipue circa ædes *warren houſe* dictas. VI.

rúbra. 3. FESTU'CA panicula ſecunda ſcabra, ſpiculis ſexfloris ariſtatis, floſculo ultimo mutico, culmo ſemitereti. *Lin. Sp. Pl ed.* 3. 109. *Fl. Ang. ed.* 2. 45. *Fl. Scot.* 102. *With. Arrang. ed.* 2. 97.

Anglis,

Anglis, *purple feſcue graſs.*

Hibernis,

Inveni cum priore. VI.

flúitans. 4. FESTU'CA panicula ramoſa erecta ſpiculis ſubſeſſilibus teretibus muticis. *Lin. Sp. Pl. ed.* 3. 111. *Fl. Ang. ed.* 2. 46 *Fl. Scot.* 103. *Wither Arrang. ed* 2 100. *Fl. Lond. N.* 6. *Ic.* 36. *Mus. Ruſt. V.* 4. 1. 6.

Anglis, *common flote feſcue graſs, flote graſs.*

Hibernis,

Inveni in rivulis et foſſis aquoſis frequenter. V. VI.

praten'ſis. 5. FESTU'CA panicula ſecunda, erecta, ſpiculis linearibus muticis, foliis planis. *Fl. Ang. ed.* 2. 47. *Wither. Arrang. ed.* 2. 101. *Fl Lond N.* 66. *Ic.* 393. *Annal. Agric. V.* 20. 167.

Anglis, *meadow feſcue graſs.*

Hibernis,

Inveni in pratis et paſcuis humidis paſſim. VI.

elátior. 6. FESTU'CA panicula ſecunda ramoſa erecta, ſpiculis ſubariſtatis; exterioribus teretibus, *Lin. Sp. Pl. ed.* 3. 111. *Fl. Ang. ed.* 2. 47. *Fl. Scot.* 102. *Wither. Arrang. ed.* 2. 100. *Fl. Lond. N.* 66. *Ic.* 392.

Anglis, *tall feſcue graſs.*

Hibernis,

Inveni cum priore et ad ſepium latera. VI.

---

26. *B R O' M U S.*

mol'lis. 1. BRO'MUS panicula erectiuſcula, ſpicis ovatis ariſtis rectis, foliis molliſſime villoſis. *Lin. Sp. Pl. ed.* 3. 112. *Fl. Ang. ed.* 2. 48. *B. polymorpha. var.* α. *Fl. Scot.* 103. *Wither. Arrang. ed.* 2. 105. *Fl. Lond. N.* 3. *Ic.* 17.

Anglis, *field brome graſs, ſoft brome or broom graſs.*

Hibernis,

Hibernis,

Inveni in pratis, paſcuis, et arvis ubique. VI.

ſter'ilis. 2. BRO'MUS panicula patula, ſpiculis oblongis diſtichis, glumis ſubulato-ariſtatis. *Lin. Sp. Pl. ed.* 3. 113. *Fl. Ang. ed.* 2. 50. *Fl. Scot.* 104. *Wither. Arrang. ed.* 2. 108. *Fl. Lond. N.* 4. *Ic.* 21.

Anglis, *barren brome graſs*

Hibernis,

Inveni ad ſepes, et in agrorum marginibus frequenter. VI.

gigantéus. 3. BRO'MUS panicula nutante, ſpiculis quadrifloris ariſtis brevibus. *Lin. Sp. Pl. ed.* 3. 114. *Fl. Ang. ed.* 2. 51. *Fl. Scot.* 104. *Wither. Arrang. ed.* 2. 110. *Fl. Lond. N.* 58. *Ic.* 348.

Anglis, *tall brome graſs.*

Hibernis,

Inveni in ſepibus frequenter, præſertim inter *Glaſnevin* et *Finglaſs bridge.* VII.

27. *A V E' N A.*

27. *A V E' N A.*

flaveſcens. 1. AVE'NA panicula laxa, calycibus trifloris brevibus; floſculis omnibus ariſtatis. *Lin. Sp Pl ed* 3 118. *Fl. Ang. ed.* 2. 53 *Fl. Scot* 106 *With. Arrang. ed.* 2. 114. *Fl. Lond. N.* 35. *Ic.* 206.

Anglis, *yellow oat graſs.*

Hibernis,

Inveni in paſcuis et pratis ſiccis ubique fere. VI.

elátior. 2. AVE'NA paniculata, calycibus trifloris, floſculo hermaphrodito ſubmutico, maſculo ariſtato. *Lin. Sp. Pl. ed.* 3. 116. *Fl. Ang. ed.* 2. 53. *Fl Scot.* 105. *Wither. Arrang. ed.* 2. 112. *Fl. Lond. N.* 32. *Ic.* 192. *Fl. Ruſt. N.* 3. *Ic.* 7.

Anglis, *tall oat graſs.*

Hibernis,

Inveni cum priore, et ad ſepes frequenter. VI.

28. *A R U N' D O.*

28. *A R U N' D O.*

phragmítes. 1. ARUN'DO calycibus quinquefloris, panicula laxa. *Lin Sp Pl ed.* 3. 120. *Fl. Ang. ed.* 2. 53 *Fl. Scot.* 106. *Wither. Arrang. ed.* 2. 116.

Anglis, *common reed graſs.*

Hibernis, **Biorrach Lachan, cruiſ-giornah.**

Inveni in fluviis et in aquis reſedibus, ad fluviorum ripas et in foſſis, frequenter. VI.

arenária. 2. ARUN'DO calycibus unifloris, foliis involutis mucronato-pungentibus *Lin. Sp Pl ed* 3. 121. *Fl. Ang. ed.* 2. 54. *Fl. Scot.* 107. *Wither. Arrang. ed.* 2. 118. *Fl. Ruſt. N.* 11. *Ic.* 32.

Anglis, *ſea reed graſs, ſea mat-weed, marram, helme.*

Hibernis, **Muiriunach, Maithine', Muirneach, Meahain.**

Inveni

Inveni in arenoſis tumulis et aggeribus ad maris littus, abundanter circa *Baldoyle*, præſertim apud *the Burrow of Kilmarnock.* V. VI.

---

29. *L O' L I U M.*

peren'ne. 1. LO'LIUM ſpica mutica, ſpiculis compreſis multifloris. *Lin. Sp. Pl. ed.* 3. 122. *Fl. Ang. ed.* 2. 55. *Fl. Scot.* 107. *Wither. Arrang. ed.* 2. 120. *Fl. Ruſt. N.* 2. *Ic.* 4. *Annal. Agric. V.* 6. 49.

Anglis, *perennial darnel graſs, ray graſs, rye graſs, crap, red darnel graſs.*

Hibernis, **Breallan, Raidhleadh.**

Inveni ubique. VI.

---

30. *H O R' D E U M.*

murinum. 1. HOR'DEUM floſculis lateralibus maſculis ariſtatis, involucris intermediis ciliatis. *Lin. Sp. Pl. ed.* 3. 126. *Fl.*

Ang.

Ang. ed. 2. 56. *Fl. Scot.* 108. *With. Arrang. ed.* 2. 126. *Fl. Lond. N.* 55. *Ic.* 327. *Fl. Ruſt. N* 15 *Ic.* 43.

Anglis, *wall barley, way bennet, wild rye, rye graſs.*

Hibernis,

Inveni ſuper muros, et ad macerias ſemitaſque ubique fere. VII.

---

31. *TRIT'ICUM.*

répens. 1. TRIT'ICUM calycibus quadrifloris ſubulatis acuminatis foliis planis. *Lin. Sp. Pl. ed.* 3. 128. *Fl. Ang. ed* 2. 57. *Fl. Scot.* 109. *Wither. Arrang. ed.* 2. 129.

Anglis *common wheat graſs, dog's graſs, ſquitch graſs, couch graſs, quick graſs.*

Hibernis, Bruimſean, Fiothran Braim-ſhear.

Inveni ubique. VII.

jun'ceum. 2. TRIT'ICUM calycibus truncatis quinquefloris, foliis involutis. *Lin. Sp. Pl. ed.* 3. 128. *Fl. Ang. ed.* 2. 58. *Fl. Scot.* 109. *Wither. Arrang. ed.* 2. 128.

Anglis, *ſea wheat graſs.*

Hibernis,

Inveni in littoribus maritimis arenoſis nonnunquam, præſertim inter *Sandymount* et *Merrion.* VII.

---

32. *CYNOSU'RUS.*

criſtátus. 1. CYNOSU'RUS bracteis pinnatifidis. *Lin. Sp. Pl. ed.* 3. 105. *Fl. Ang. ed.* 2. 59. *Fl. Scot.* 100. *With. Arrang. ed.* 2. 95.

Anglis, *creſted dog's-tail graſs.*

Hibernis,

Inveni in paſcuis ſiccis, et pratis ubique fere. VI.

TRIGYNIA.

TRIANDRIA.

TRIGYNIA.

33. *MONTIA.*

fontána. 1. MON'TIA. *Lin. Sp. Pl. ed.* 3. 129. *Fl Ang. ed* 2. 60. *Fl. Scot.* 110. *Wither. Arrang. ed.* 2. 131. *Fl. Lond. N* 32. *Ic.* 188.

Anglis, *ſmall water chickweed or purſlane, blinks.*

Hibernis,

Inveni ad ſcaturigines, et in locis limoſis humidis apud *Howth* et alibi. IV.

TETRANDRIA.

MONOGYNIA.

34. DIP'SACUS.

fullónum. 1. DIP'SACUS foliis ſeſſilibus ſerratis.
ſylveſtris. *Lin. Sp. Pl. ed.* 3. 140. *Fl. Ang. ed.* 2. 61. *Fl. Scot.* 113. *Wither. Arrang. ed.* 2. 137. *Fl. Lond. N.* 34. *Ic.* 203.

Anglis, *teaſel, wild teaſel.*

Hibernis, Leadan.

Inveni in incultis circa lapicidinam appellatam *Black qnarries* via ad *Raheny* ducente, et alibi ad vias oraſque foſſarum. VIII.

35. SCABIO'SA.

ſuccíſa. 1. SCABIO'SA corollulis quadrifidis æqualibus, caule ſimplici, ramis approximatis, foliis lanceolato-ovatis integerrimis.

mis. *Lin. Sp. Pl. ed.* 3. 142. *Fl Ang. ed.* 2. 62. *Fl Scot.* 114. *With. Arrang. ed.* 2. 139. *Fl Lond. N.* 32. *Ic.* 187.

Anglis, *devil's-bit ſcabious.*

Hibernis, **Urachalach, Greim a Diabhail.**

Inveni in pratis et paſcuis udis abunde juxta *Santry wood*, circa *Kilgobbin*, et alibi. VIII.

arven'ſis. 2. SCABIO'SA corollulis quadrifidis radiantibus, caule hiſpido, foliis pinnatifidis: lobis diſtantibus *Lin. Sp. Pl. ed.* 3. 143 *Fl Ang ed.* 2. 62. *Fl. Scot.* 114. *With. Arrang. ed.* 2. 140. *Fl. Lond. N.* 48. *Ic.* 286.

Anglis, *field or corn ſcabious.*

Hibernis, **Caba Deſain.**

Inveni in paſcuis frequenter, nec minus inter ſegetes; equidem, fere ubique. VII.

36. *PLANTA'GO.*

36. *PLANTA'GO.*

májor. 1. PLANTA'GO foliis ovatis glabris, ſcapo tereti, ſpica floſculis imbricatis. *Lin. Sp. Pl. ed.* 3. 163. *Fl. Ang. ed.* 2. 63. *Fl. Scot.* 117. *Wither. Arrang. ed.* 2. 142. *Fl. Lond. N.* 16. *Ic.* 95. *Med. Bot. p.* 39. *Ic.* 14.

Anglis, *great beſom plantain, way bread.*

Hibernis, Cruach Phadruig.

Inveni ad vias ubique. VI.

média. 2. PLANTA'GO foliis ovato-lanceolatis pubeſcentibus, ſcapo tereti, ſpica cylindrica. *Lin. Sp. Pl. ed.* 3. 163. *Fl. Ang. ed.* 2. 64. *Fl. Scot.* 117. *Wither. Arrang. ed.* 2. 143. *Fl. Lond. N.* 43. *Ic.* 258.

Anglis, *hoary plantain, lamb's-tongue.*

Hibernis,

Inveni in glareoſis, et ad vias paſſim. VI.

lanceoláta. 3. PLANTA'GO foliis lanceolatis, ſpica ſubovata nuda, ſcapo angulato. *Lin. Sp. Pl. ed.* 3. 164. *Fl. Ang. ed.* 2. 64.

64. *Fl. Scot.* 118. *Wither. Arrang. ed.* 2. 143. *Fl. Lond. N.* 15. *Ic.* 85. *Fl. Ruſt. N.* 23. *Ic.* 67.

Anglis, *rib-wort plantain, rib graſs.*

Hibernis, Slan Lus.

Inveni in pratis, paſcuis, et ad vias ubique. VI.

marit'ima. 4. PLANTA'GO foliis ſemicylindraceis integerrimis baſi lanatis, ſcapo tereti. *Lin. Sp. Pl. ed.* 3. 165. *Fl. Ang. ed.* 2. 64. *Fl. Scot.* 118. *Wither. Arrang. ed.* 2. 144. *Plantago ſcapo ſpicato, foliis linearibus ſubtus convexis. Lin. Sp. Pl. ed.* 3. 166. *Fl. Ang. ed.* 2. 64. *var.* β.

Anglis, *ſea narrow-leaved plantain.*

Hibernis,

Inveni inter rupes, et in paluſtribus maritimis copioſe apud *Killeny bay*, et alibi. VIII.

corónopus. 5. PLANTA'GO foliis linearibus *pinnato*-dentatis, ſcapo tereti. *Fl. Ang. ed.* 1. 52. *ed.* 2. 64. *Lin. Sp. Pl. ed.* 3. 166.

166. *Fl. Scot.* 118. *Wither. Arrang. ed.* 2. 145

Anglis, *buck's-horn plantain, ſtar of the earth.*

Hibernis,

Inveni in locis arenoſis abunde apud *North wall* et *South wall.* VI.

---

37. *R U 'B I A.*

peregri'na. 1. RU'BIA foliis quaternis. *Lin. Sp. pl. ed* 3. 158. *Fl. Ang. ed.* 1. 54. *ed.* 2. 65. *With. Arrang. ed.* 2. 148.

Anglis, *wild madder.*

Hibernis,

Inveni in ericetis, et locis montoſis ſaxoſis, ſed raro, juxta fodinas plumbeas *Dalkey*, verſus ſinum *Killeny* dictum. VII.

38. *S H E R A R' D I A.*

38. *SHERAR'DIA.*

arven'ſis. 1. SHERAR'DIA foliis omnibus verticillatis, floribus terminalibus. *Lin. Sp. Pl. ed.* 3. 149. *Fl Ang ed* 2 66. *Fl. Scot* 114. *Wither. Arrang. ed.* 2. 159. *Fl. Lond. N.* 53. *Ic.* 315.

Anglis, *little field madder.*

Hibernis,

Inveni in arvis præſertim requietis in *Inchicore road, Knockmaroon hill* et circa *Warren-houſe* juxta *Howth.* VI.

---

39. *ASPER'ULA.*

odoráta. 1. ASPER'ULA foliis octonis lanceolatis, florum faſciculis pedunculatis. *Lin. Sp. Pl. ed.* 3. 150. *Fl. Ang. ed.* 2. 66. *Fl. Scot.* 115. *Wither. Arrang. ed.* 2. 158. *Fl. Lond. N.* 43. *Ic.* 253.

Anglis, *woodroof, woodrow, woodrowell, woodruffe.*

Hibernis,

Inveni in ſylvis *Luttrel's-town*, et *Santry*, et in clivis umbroſis inter *Rathmines* et portam orientalem *Rathfarnham park* comitis *Ely*, copioſe. V.

---

40. *G A L' I U M.*

palus'tre. 1. GAL'IUM foliis quaternis obovatis inæqualibus, caulibus diffuſis. *Lin. Sp. Pl. ed.* 3. 153. *Fl. Ang. ed.* 2. 67. *Fl. Scot.* 115. *Wither. Arrang. ed.* 2. 149.

Anglis, *white lady's bed ſtraw.*

Hibernis,

Inveni in locis humidis, et ad rivulos, apud *Long Meadows*, *Phænix Park*, *Circular-road*, et alibi. VI.

montánum. 2. GAL'IUM foliis ſenis obovatis mucronatis glabris, caule proſtrato, pedunculis trichotomis. *Fl. Ang. ed.* 1. 56. *ed.* 2. 67. *Wither. Arrang. ed.* 2. 151. *G. procum'bens.*

Anglis, *mountain lady's bed-ſtraw.*

Hibernis,

Hibernis,

Inveni in ericetis circa *Howth*, et *Dublin mountains* copioſe. VI.

uliginóſum. 3. GAL'IUM foliis ſenis lanceolatis retrorſum ſerrato-aculeatis mucronatis rigidis, corollis fructu majoribus. *Lin. Sp. Pl. ed.* 3. 153. *Fl. Ang. ed.* 2. 68. *Fl. Scot.* 115. *Wither. Arrang. ed.* 2. 151.

Anglis, *marſh lady's bed-ſtraw.*

Hibernis,

Inveni in pratis humidis, et ad ſepes circa *Templeoge*; et *Terrenure.* VII.

Mollúgo. 4. GAL'IUM foliis octonis ovato-linearibus ſubſerratis patentiſſimis mucronatis, caule flaccido, ramis patentibus. *Lin. Sp. Pl. ed.* 3. 155. *Fl. Ang. ed.* 2. 68. *Fl. Scot.* 116. *With. Arrang. ed.* 2. 155.

Anglis, *great lady's bed-ſtraw, great baſtard madder, wild madder.*

Hibernis,

Inveni in dumetis, et ad ſepes, frequenter. VII.

verum. 5. GALIUM foliis octonis linearibus ſulcatis, ramis floriferis brevibus. *Lin. Sp. Pl. ed.* 3. 155. *Fl. Ang. ed.* 2. 69. *Fl. Scot.* 116. *Wither. Arrang. ed.* 2. 155. *Fl. Lond. N.* 63. *Ic.* 376. *Fl. Ruſt. N.* 18. *Ic.* 54.

Anglis, *yellow lady's bed-ſtraw, cheeſe renning, petty maguet.*

Hibernis, **Balath Enis, Cuchullon, Madra or Mada Fraeigh.**

Inveni in paſcuis ſiccioribus, et colliculis ad agrorum margines ubique. VI.

Aparine. 6. GALIUM foliis octonis lanceolatis carinatis ſcabris retrorſum aculeatis, geniculis villoſis, fructu hiſpido. *Lin. Sp. Pl. ed.* 3. 157. *Fl. Ang. ed.* 2. 70. *Fl. Scot.* 117. *Wither. Arrang. ed.* 2. 157. *Fl. Lond. N.* 17. *Ic.* 101.

Anglis, *gooſe graſs, cleavers, clivers, catchweed.*

Hibernis, **Airmeirigh, Garabh Luſs, Luſs Garabh.**

Inveni in ruderatis, et ad ſepes frequenter. VI.

41. *ALCHE-*

41. *ALCHEMIL'LA.*

vulgáris. 1. ALCHEMIL'LA foliis lobatis. *Lin. Sp. Pl. ed.* 3. 178. *Fl. Ang. ed.* 2. 71. *Fl. Scot.* 120. *Wither. Arrang. ed.* 2. 162.

Anglis, *common lady's mantle.*

Hibernis, **Leathach buidhe, Crub Leoin, Dearna Mhuire, Failing Mhuire.**

Inveni in paſcuis montoſis ſuper collem *Knockmaron*, apud *Scrible's-town* cum pinguicula vulgari, et alibi. V.

TETRANDRIA.

TETRAGYNIA.

42. *SAGI'NA.*

procum'bens. 1. SAGI'NA ramis procumbentibus petalis breviſſimis. *Lin. Sp. Pl. ed.* 3. 158. *Fl. Ang. ed.* 2. 7. *Fl. Scot.* 125. *With. Arrang. ed.* 2. 169. *Fl. Lond. N.* 27. *Ic.* 157.

Anglis, *procumbent pearlwort, chickweed, breakſtone.*

Hibernis,

Inveni in pratis arenoſis ſterilioribus, circa *Howth, Dalkey*, et alibi. VII.

43. *POTAMOGE'TON.*

lúcens. 1. POTAMOGE'TON foliis lanceolatis planis in petiolis deſinentibus. *Lin. Sp. Pl. ed.* 3. 183. *Fl. Ang. ed.* 2. 74. *Fl.*

Fl. Scot. 122. *Wither. Arrang. ed.* 2. 173.

Anglis, *long leaved ſhining pondweed.*

Hibernis,

Inveni in lacubus apud *Phænix Park*, et alibi. VII.

nátans. 2. POTAMOGE'TON foliis oblongo-ovatis petiolatis natantibus. *Lin. Sp. Pl. ed.* 3. 182. *Fl. Ang. ed* 2. 74. *Fl. Scot.* 121. *With. Arrang. ed.* 2. 171.

Anglis, *broad leaved pondweed.*

Hibernis, Duileaſgnahabhan, Liach Roda, Liach Briada.

Inveni in ſtagnis, piſcinis, et fluviis tranquillioribus fere ubique. VI.

cris'pum. 3. POTAMOGE'TON foliis lanceolatis alternis undulatis ſerratis. *Lin. Sp. Pl. ed.* 3. 183. *Fl. Ang. ed.* 2. 75. *Fl. Scot.* 122. *Wither. Arrang. ed.* 2. 174. *Fl. Lond. N.* 49. *Ic.* 291.

Anglis, *curled pondweed, greater water caltrops.*

Hibernis,

Hibernis,

Inveni in lacubus *Phænix Park*, et alibi. VI.

---

44. *I 'L E X.*

Aquifólium. 1. I'LEX foliis ovatis acutis ſpinoſis. *Lin. Sp. Pl. ed.* 3. 181. *Fl. Ang. ed.* 2. 444. *Fl. Scot.* 121. *Wither. Arrang. ed.* 2. 168 *Hunter's Ev. Sylv. ed.* 2. *V.* 1. 262.

Anglis, *common holly.*

Hibernis, Cuílín.

Inveni in ſylvis, ſepibus, et ericetis ubique fere. VI.

PENTANDRIA.

MONOGYNIA.

45. *MYOSOTIS.*

ſcorpioides. 1. MYOSOTIS ſeminibus nudis, foliorum apicibus calloſis. *Lin. Sp. Pl. ed.* 3. 188. *Fl. Ang. ed.* 2. 78. *Fl. Scot.* 132. *Wither. Arrang. ed.* 2. 188. *Fl. Lond. N.* 28. *Ic.* 163. *M. Scorpioides paluſtris.*

Anglis, *mouſe-ear ſcorpion graſs.*

Hibernis, **Lus Mide', Lus Mila, Cotharach.**

Inveni hujuſce plantæ varietates omnes paſſim: in arvis, et hortis, præſertim ſterilioribus, et requietis; ſuper muros; in paſcuis ſiccioribus et arenoſis; ad rivulos, et in foſſis paluſtribus. V.

46. *LITHOSPER'MUM.*

officinále. 1. LITHOSPER'MUM ſeminibus lævibus, corollis vix calycem ſuperantibus, foliis lanceolatis. *Lin. Sp. Pl. ed.* 3. 189. *Fl. Ang. ed.* 2. 79. *Fl. Scot.* 132. *Wither. Arrang. ed.* 2. 189. *Eng. Bot. N.* 35. *Ic.* 134.

Anglis, *gromill, gromwell, graymill.*

Hibernis,

Inveni in agrorum marginibus ſicciori-bus, vel glareoſis ripis, et ad vias pub-licas, prope *Old Abbey Howth, Fing-laſs-bridge* juxta lapicidinam parvam, et alibi frequenter. VI.

---

47. *ANCHU'SA.*

ſempervírens. 1. ANCHU'SA pedunculis diphyllis ca-pitatis. *Lin. Sp. Pl. ed.* 3. 192 *Fl. Ang. ed.* 2. 80 *Fl. Scot.* 133. *With. Arrang. ed.* 2. 191. *Engliſh Botany, Ic.* 45.

Anglis,

Anglis, *evergreen alkanet.*

Hibernis,

Inveni in ruderatis juxta *Finglaſs.* VI.

---

48. *CYNOGLOSS'UM.*

officinále. 1. CYNOGLOSS'UM ſtaminibus corolla brevioribus, foliis lato-lanceolatis tomentoſis ſeſſilibus. *Lin. Sp. Pl. ed.* 3. 192. *Fl. Ang. ed.* 2 80. *Fl. Scot.* 133. *Wither. Arrang. ed.* 2. 192. *Fl. Lond. N.* 43 *Ic.* 256.

Anglis, *hound's tongue.*

Hibernis, Teanga Con.

Inveni in locis ruderatis, et ad vias abunde circa *Kilbarrick*, in via ad *Howth* ducente, prope *Warren Houſe*, in *Phænix Park*, *Merrion*, et alibi frequenter. VI.

49. *SYM'PHYTUM.*

officinále. 1. SYM'PHYTUM foliis ovato-lanceolatis decurrentibus. *Lin. Sp. Pl. ed.* 3. 125. *Fl. Ang. ed.* 2. 81. *Fl. Scot.* 134. *Wither. Arrang. ed.* 2. 195. *Fl. Lond. N.* 38. *Ic.* 227.

Anglis, *common comfrey.*

Hibernis, **Luſna Canabh Briſde.**

Inveni juxta murum Domini *Buckley* ſecus viam publicam *Aſh-town.* VI.

---

50. *BORA'GO.*

officinális. 1. BORA'GO foliis omnibus alternis, calycibus patentibus. *Lin. Sp. Pl. ed.* 3. 197. *Fl. Ang. ed.* 2. 82. *Wither. Arrang. ed.* 2. 197. *Engliſh Botany, Ic.* 36.

Anglis, *common borage.*

Hibernis, **Barraiſte.**

Inveni in ruderatis frequenter, juxta *Old Abbey Howth,* et alibi. VI.

51. *LYCOP'SIS.*

51. *LYCOP'SIS.*

arven'ſis. 1. LYCOP'SIS foliis lanceolatis hiſpidis, calycibus floreſcentibus erectis. *Lin. Sp. Pl. ed.* 3. 199. *Fl. Ang. ed.* 2. 82. *Fl. Scot.* 135. *Wither. Arrang. ed.* 2. 198. *Fl. Lond. N.* 57. *Ic.* 337.

Anglis, *ſmall wild bugloſs.*

Hibernis, **Boglus, Bog-glas.**

Inveni in arvis requietis, inter ſegetes, et ad vias paſſim. VI.

---

52. *EC'HIUM.*

vulgáre. 1. EC'HIUM caule tuberculato hiſpido, foliis caulinis lanceolatis hiſpidis, floribus ſpicatis lateralibus. *Sp. Pl. ed.* 3. 200. *Ec'hium Anglicum* caule ſimplici erecto, foliis lanceolato-linearibus hiſpidis, floribus ſpicatis lateralibus, ſtaminibus corolla longioribus. *Fl. Ang. ed.* 1. 70. *ed.* 2. 83. *var.* β.

Anglis,

Anglis, *common viper's bugloſs.*

Hibernis,

Inveni in arvis ſterilioribus, et ad vias; ſed raro. VII.

---

53. *P R I' M U L A.*

véris. 1. PRI'MULA foliis dentatis rugoſis. *Lin. Sp. Pl. ed.* 3. 204. *Fl. Scot* 136. *Scapo ſubunifloro &c. Fl. Ang P. vulgaris. ed.* 2. 83. *Wither Arrang. ed.* 2. 202, 204. *Engliſh Botany N.* 2. *Ic.* 4. *P. acaulis. Fl. Lond. N.* 65. *Ic.* 390.

Anglis, *common primroſe, oxſlip.*

Hibernis, Seichearalan, Seichgheirgin, Baine' bo bleacht, Baine bo buidhe, Buidheaca'n bo bleacht.

Inveni in ſylvis, ſepibus, et dumetis, verno tempore frequenter.

véris.

véris offici-na'lis. 2. PRI'MULA. *Lin. Sp. Pl. ed.* 3. 204. *Fl. Ang. ed.* 2. 84. *Fl. Scot.* 136. *var.* β. *Wither. Arrang. ed.* 2. 203. *P. officinalis. Engliſh Botany, N.* 2. *Ic.* 5.

Anglis, *common cowſlip, pagils, paigles.*

Hibernis,

Inveni in paſcuis et pratis inter *Booter's-town* et *Black-rock*, circa *Stillorgan*, et *Aſhtown* copioſe, et alibi. IV.

---

54. *MENYAN'THES.*

trifoliáta. 1. MENYAN'THES foliis ternatis. *Lin. Sp. Pl. ed.* 3. 208. *Fl. Ang. ed* 2. 85. *Fl. Scot.* 137. *Wither. Arrang. ed.* 2. 206. *Fl. Lond. N.* 40. *Ic.* 240. *Med. Bot. p.* 5. *Ic.* 2.

Anglis, *marſh trefoil, buck-bean, water trefoil, marſh cleaver.*

Hibernis, Bonain Capuil, Pacharan, Capuil, Ponra Curraigh.

Inveni

Inveni in paluſtribus apud *Howth*, ad radices montium Dublinenſium, et in foſſis variis paludoſis. VI.

---

55. *LYSIMA'CHIA.*

ne'morum. 1. LYSIMA'CHIA foliis ovatis acutis, floribus ſolitariis, caule procumbente. *Lin. Sp. pl. ed.* 3. 211. *Fl. Ang. ed.* 2. 86. *Fl. Scot.* 138. *Wither. Arrang. ed.* 2. 209. *Fl. Lond. N.* 56. *Ic.* 336.

Anglis, *yellow wood-looſeſtriſe, or pimpernel.*

Hibernis, Seamar muire, Lus Cholui Chille.

Inveni ad radices montium Dublinenſium in rivulis umbroſis; in ſylvis *Phænix Park, Luttrel's-town, Santry*, et alibi. VI.

nummulária. 2. LYSIMA'CHIA foliis ſubcordatis, floribus ſolitariis, caule repente. *Lin. Sp. Pl. ed.* 3. 211. *Fl. Ang. ed.* 2. 87.

17. *Fl. Scot.* 138. *With. Arrang. ed.* 2. 209. *Fl. Lond. N.* 25. *Ic.* 150.

Anglis, *creeping looſeſtrife or moneywort, herb two-pence.*

Hibernis,

Inveni juxta ſcrobes et fluenta apud *Kilmaſhoge.* VI.

tenel'la. 3. LYSIMA'CHIA foliis acutiuſculis, pedunculis folio longioribus, caule repente. *Lin Sp. Pl ed.* 3. 211. *Fl. Ang. ed* 2. 87. *Anagal'lis tenel'la. Wither. Arrang. ed.* 2. 211. *Fl. Scot.* 139. *Fl. Lond. N.* 32. *Ic.* 190.

Anglis, *purple-flowered looſeſtrife or money wort.*

Hibernis,

Inveni in locis paluſtribus turfoſis apud *Howth*, meridiem verſus; ſuper montes Dublinenſes, et prope eorundem radices copioſe; in *Portmarnock burrow* juxta *Baldoyle* copioſiſſime. VII.

56. *ANAGAL'LIS.*

arven'ſis. 1. ANAGAL'LIS foliis indiviſis, caule procumbente. *Lin. Sp. Pl. ed.* 3. 211. *Fl. Ang. ed.* 2. 87. *Fl. Scot.* 139. *Wither. Arrang. ed.* 2. 210. *Fl. Lond. N.* 1. *Ic.* 4.

Anglis, *male pimpernel.*

Hibernis, **Falcaire ſiodhain, Ruinn ruiſe, Falcaire ſuar.**

Inveni (*var.* α.) in hortis, arvis, et locis arenoſis frequenter. V.

---

57. *CONVOL'VULUS.*

arven'ſis. 1. CONVOL'VULUS foliis ſagittatis utrinque acutis, pedunculis unifloris. *Lin. Sp. Pl. ed.* 3. 218. *Fl Ang. ed.* 2. 88 *Fl. Scot.* 140. *Wither. Arrang. ed.* 2. 213. *Fl. Lond. N.* 20. *Ic.* 117.

Anglis,

Anglis, *ſmall bindweed.*

Hibernis,

Inveni in arvis, et ad ſemitas juxta *Old Abbey*, *Howth*; inter *Long Meadows* et *Chapelizod*, et alibi. V.

ſépium. 2. CONVOL'VULUS foliis ſagittatis poſtice truncatis, pedunculis tetragonis unifloris. *Lin. Sp. Pl. ed.* 3. 218. *Fl. Ang. ed.* 2. 88. *Fl. Scot.* 140. *Wither. Arrang. ed.* 2. 213. *Fl. Lond. N.* 6. *Ic.* 34.

Anglis, *great bindweed.*

Hibernis,

Inveni in ſepibus fere omnibus abunde, ſed præcipue apud *Rathmines*, et *Circular Road.* VII.

ſoldanel'la. 3. CONVOL'VULUS foliis reniformibus, pedunculis unifloris. *Lin. Sp. Pl. ed.* 3. 159. *Fl. Ang. ed* 2. 89. *Fl. Scot.* 140. *Wither. Arrang. ed.* 2. 214.

Anglis, *ſea bindweed, Scotch ſcurvy-graſs.*

Hibernis,

Inveni in arenoſis maris littoribus apud *Killeny Bay.* VII.

---

58. *VERBAS'CUM.*

thap'ſus. 1. VERBAS'CUM foliis decurrentibus utrinque tomentoſis, caule ſimplici. *Lin. Sp. Pl. ed.* 3. 252. *Fl. Ang. ed.* 2. 89. *Fl. Scot.* 143. *Wither. Arrang. ed.* 2. 223. *Med. Bot. p.* 342 *Ic* 125.

Anglis, *great white mullein, high taper, cow's lungwort, hag's taper, lady's foxglove.*

Hibernis, **Cuineal-muire.**

Inveni in aggeribus foſſarum juxta pontem *Tubbercunagh,* in via altiore ad *Luttrel's-town* ducente. VIII.

59. *VIN'CA.*

59. *V I N' C A.*

mi'nor. 1. VIN'CA caulibus procumbentibus, foliis lanceolato-ovatis, floribus pedunculatis. *Lin. Sp. Pl. ed* 3. 304. *Fl. Ang. ed* 1. 91. *Fl. Scot.* 147. *With. Arrang. ed.* 2. 248. *Fl. Lond. N.* 29. *Ic.* 169.

Anglis, *leſs periwinckle.*

Hibernis,

Inveni in aggeribus foſſarum apud *Picker's-town* prope *Foreſt.* III.

---

60. *H Y O S C Y' A M U S.*

ni'ger. 1. HYOSCY'AMUS foliis amplexicaulibus ſinuatis, floribus ſeſſilibus. *Lin. Sp. Pl. ed.* 3. 257. *Fl. Ang. ed.* 2. 92. *Fl. Scot.* 144. *Wither. Arrang. ed.* 2. 131. *Med. Bot. p.* 143. *Ic.* 52.

Anglis, *common henbane.*

Hibernis,

Hibernis, Gaſſan, Caoch na ccearc.

Inveni in incultis, ruderatis, et ad vias apud *Kilmainham* juxta novum carcerem ; circa *Sandymount*, *Iriſh-town*, *Clontarf*, *World's-end-Lane*, *Rathmines*, *Howth*, et alibi. VI.

---

61. *SOLA'NUM.*

dulcámára. 1. SOLA'NUM caule inermi fruteſcente flexuoſo, foliis ſuperioribus haſtatis, racemis cymoſis. *Lin. Sp. Pl. ed.* 3. 264. *Fl. Ang. ed.* 2. 93. *Fl. Scot.* 145. *With. Arrang. ed* 2. 235. *Fl. Lond. N.* 1. *Ic.* 2. *Med. Bot. p.* 97. *Ic.* 33.

Anglis, *woody nightſhade*, *bitter-ſweet.*

Hibernis, Slat gorom, Mithaghuiſge, Drumire Gorm, Miogbuidhe, Fuath Ghorm.

Inveni in ſepibus abunde, et ubique fere. VI.

62. *SAMO'LUS.*

62. *SAMO'LUS.*

valeran'di. 1. SAMO'LUS. *Lin. Sp. Pl. ed.* 3. 243. *Fl. Ang. ed.* 2. 94. *Fl. Scot.* 142. *Wither. Arrang. ed.* 2. 221. *Fl. Lond. N.* 45. *Ic.* 267.

Anglis, *round-leaved water pimpernel.*

Hibernis,

Inveni in littoribus glareoſis humidis prope lavacra in *Howth*, in pratis humidis juxta *Bullock*, *Dunleary*, *Sandymount*, et alibi. VII.

---

63. *LONICE'RA.*

pericly'menum. 1. LONICE'RA capitulis ovatis imbricatis terminalibus, foliis omnibus diſtinctis. *Lin. Sp. Pl. ed.* 3. 247. *Fl. Ang. ed.* 2. 94. *Fl. Scot.* 143. *Fl. Lond. N.* 1. *Ic.* 6. *With. Arrang. ed.* 2. 222.

Anglis, *common honey-ſuckle, woodbine.*

Hibernis,

Hibernis, **Featħog ſa cħrann, Caſ ſa cħrann, Featħlead.**

Inveni in ericetis petroſis copioſe apud *Howth*, et ad radices montium Dublinenſium, ut et in ſylvis et ſepibus paſſim. VI.

---

64. *CAMPAN'ULA.*

rotundifólia. 1. CAMPAN'ULA foliis radicalibus reniformibus, caulinis linearibus. *Lin. Sp. Pl. ed.* 3. 232. *Fl. Ang. ed.* 2. 95. *Fl. Scot.* 141. *Fl. Lond. N.* 38. *Ic.* 223. *With. Arrang. ed.* 2. 216.

Anglis, *round-leaved bell flower.*

Hibernis,

Inveni in agrorum marginibus, aggeribus foſſarum, et paſcuis ſterilioribus circa *Warren Houſe* prope *Howth.* VIII.

65. *H E D' E R A.*

hélix. 1. HED'ERA foliis ovatis lobatisque. *Lin. Sp. Pl. ed.* 3. 292. *Fl. Ang. ed.* 2. 100. *Fl. Scot.* 146. *Fl. Lond. N.* 8. *Ic.* 44. *Wither. Arrang. ed.* 2. 245.

Anglis, *common ivy.*

Hibernis, **Eadhan, Eadhadnan.**

Inveni ſuper muros antiquos; in ſepibus et ſylvis, apud *Phænix Park*, *Luttrel's-town*, *Santry*, &c. arbores paſſim vetuſtiores amplectentem, perque terram repentem. XI.

---

66. *G L A U' X.*

marit'ima. 1. GLAU'X. *Lin. Sp. Pl. ed.* 3. 301. *Fl. Ang. ed.* 2. 101. *Fl. Scot.* 147. *Wither. Arrang. ed.* 2. 246. *Engliſh Botany. N.* 5. *Ic.* 13.

Anglis, *ſea milkwort, black ſaltwort.*

Hibernis,

Inveni in ſalſis paluſtribus mari conterminis, apud *North Wall*, *Iriſh-town*, *Ring's-end*, et *Brick-fields* ultra *Sheds-of-Clontarf*; et ſuper rupes humidas in littoribus *Blackrock*, et *Dunleary*. VI.

PENTANDRIA.

DIGYNIA.

67. *GENTIA'NA.*

centaúrium. 1. GENTIA'NA corollis quinquefidis infundibuliformibus, caule dichotomo. *Lin. Sp. Pl. ed* 3. 332. *Fl. Ang. ed.* 2. 102. *Fl. Scot.* 152. *Fl. Lond. N.* 42. *Ic.* 247. *Chirónia Centaúrium. Wither. Arrang. ed.* 2. 237. *Chirónia Centaúrium. Med. Bot. p.* 435. *Ic.* 157.

Anglis, *leſs centaury.*

Hibernis,

Hibernis, Dreimire Muire.

Inveni in paſcuis ſiccioribus et ſteriliori-
bus abunde circa *Kilbarrick*, in via ad *Howth* ducente, ſuper montes Dublinenſes, et alibi copioſe. VII.

campes'tris. 2. GENTIA'NA corollis quadrifidis fauce barbatis. *Lin. Sp. Pl. ed* 3 334. *Fl. Ang. ed.* 2. 103. *Fl. Scot.* 152. *Wither. Arrang. ed.* 2. 262.

Anglis, *field gentian.*

Hibernis,

Inveni in paſcuis juxta *Warren-houſe* via ad *Howth* ducente. VIII.

amarel'la. 3. GENTIA'NA corollis quiquefidis hypocrateriformibus fauce barbatis *Lin. Sp. Pl. ed.* 3. 334 *Fl. Ang. ed.* 2. 103. *Fl. Scot.* 152. *Wither. Arrang. ed.* 2. 262.

Anglis, *fell-wort, autumnal gentian.*

Hibernis,

Inveni in ſubmontanis paſcuis apud *Barnikeula* juxta *Kilgobbin.* VIII.

68. *CHENOPO'DIUM.*

bonus-Henricus. 1. CHENOPO'DIUM foliis triangulari-ſagittatis integerrimis, ſpicis compoſitis aphyllis axillaribus. *Lin. Sp. Pl. ed.* 3. 318. *Fl. Ang. ed.* 2. 104. *Fl. Scot.* 147. *Fl Lond. N.* 31. *Ic.* 185. *Wither. Arrang. ed.* 2. 251.

Anglis, *common Engliſh mercury, all-good, good Henry, good King Henry, wild ſpinach.*

Hibernis, Praiſeach Brathar.

Inveni in locis ruderatis ad ſemitas juxta *Glaſnevin-bridge, Carrickmines-bridge, Artane, Dalkey,* et alibi. VI.

ur'bicum. 2. CHENOPO'DIUM foliis triangularibus ſubdentatis, racemis confertis ſtrictiſſimis, caule approximatis longiſſimis. *Lin. Sp. Pl. ed.* 3. 318. *Fl. Ang. ed.* 2. 104. *Fl. Scot.* 148. *With. Arrang. ed.* 2. 152.

Anglis, *upright gooſefoot, ſowbane.*

Hibernis,

Inveni

Inveni in ſimetis, et ad margines foſſarum per vias publicas paſſim. VII.

rúbrum. 3. CHENOPO'DIUM foliis cordato-triangularibus obtuſiuſculis dentatis, racemis erectis compoſitis ſubfolioſis, caule brevioribus. *Lin. Sp. Pl. ed.* 3. 318. *Fl. Ang. ed.* 2. 105. *Fl. Scot.* 148. *Wither. Arrang. ed.* 2. 252.

Anglis, *red gooſefoot.*

Hibernis,

Inveni in ſimetis paſſim. VIII.

murále. 4. CHENOPO'DIUM foliis ovatis acutis, dentatis, racemis ramoſis nudis. *Lin. Sp. Pl. ed.* 3. 318. *Fl. Ang. ed.* 2. 105. *Fl. Scot.* 148. *Fl. Lond. N.* 61. *Ic.* 362. *With. Arrang. ed.* 2. 253.

Anglis, *wall gooſefoot.*

Hibernis,

Inveni in ruderatis et ſimetis cum priore. VIII.

al'bum. 5. CHENOPO'DIUM foliis rhomboideo-triangulis eroſis poſtice integris, ſummis

mis oblongis, racemis erectis. *Lin. Sp. Pl. ed.* 3. 319. *Fl. Ang. ed.* 2. 106. *Fl. Scot.* 148. *Fl. Lond. N.* 16. *Ic.* 96. *Wither. Arrang. ed.* 2. 253.

Anglis, *common wild gooſefoot, orache.*

Hibernis,

Inveni in fimetis et ruderatis, etiamque in hortis. IX.

ſerótinum. 6. CHENOPO'DIUM foliis deltoideis ſinuato-dentatis rugoſis glabris uniformibus, racemis terminalibus. *Lin. Sp. Pl. ed.* 3. 319 *Fl. Ang. ed.* 2. 106. *Fl. Lond. N.* 18. *Ic.* 103. *C. viride.*

Anglis, *fig-leaved gooſefoot.*

Hibernis,

Inveni cum priore frequenter. IX.

polyſper'mum. 7. CHENOPO'DIUM foliis ovatis integerrimis, caule decumbente, cymis aphyllis axillaribus. *Lin. Sp. Pl. ed.* 3. 321. *Fl. Ang. ed.* 2. 107. *Fl. Scot.* 150. *Fl. Lond. N.* 20. *Ic.* 115. *With. Arrang. ed.* 2. 256.

Anglis,

Anglis, *round-leaved gooſefoot*, *upright blite*, *allſeed*.

Hibernis,

Inveni in fimetis, hortis, et arvis pinguioribus, ut et in paludibus maritimis juxta *North Wall*. IX.

maritimum. 8. CHENOPO'DIUM foliis ſubulatis ſemicylindricis. *Lin. Sp. Pl. ed.* 3. 321. *Fl. Ang. ed.* 2. 107. *Fl. Scot.* 150. *Wither. Arrang. ed.* 2. 256.

Anglis, *ſea gooſefoot*, *ſmall white glaſswort*, *ſmall glaſſwort*.

Hibernis,

Inveni in littoribus maritimis, et ſalſis paluſtribus, apud *Ring*'s-*end*, *Iriſh-town*, *Sandymount*, *Clontarf*, *Howth*, et *North Wall*. IX.

---

69. *SAL'SOLA.*

Káli. 1. SAL'SOLA herbacea decumbens, foliis ſubulatis ſpinoſis ſcabris, calycibus marginatis axillaribus. *Lin. Sp. Pl. ed.* 2. 322.

322. *Fl. Ang. ed.* 2. 107. *Fl. Scot.* 151. *Wither. Arrang. ed.* 2. 257. *Med. Bot. p.* 386. *Ic.* 143.

Anglis, *prickly ſaltwort, prickly glaſs-wort.*

Hibernis,

Inveni in arenoſis maris littoribus, apud *Iriſh-town, Howth, Clontarf, North Wall*, &c. IX.

---

70. *B E' T A.*

marit'ima. 1. BE'TA caulibus decumbentibus, floribus geminis. *Lin. Sp. Pl. ed.* 3. 322. *Fl. Ang. ed.* 2. 108. *Fl. Scot.* 150. *Wither. Arrang. ed.* 2. 257.

Anglis, *ſea beet.*

Hibernis, an luibh Biatas.

Inveni cum priore frequenter. VIII.

71. *U L' M U S.*

71. *UL'MUS.*

campes'tris. 1. UL'MUS foliis duplicato-ſerratis, baſi inæqualibus. *Lin. Sp. Pl. ed.* 3. 225. *Fl. Ang. ed.* 2. 109. *var.* δ. *Fl. Scot.* 151. *With. Arrang. ed.* 2. 258. *Med. Bot. p.* 540. *Ic.* 197.

Anglis, *common elm.*

Hibernis, Ailm no Crannailme, ail-me'og Leamh or Leamhan.

Inveni in ſylvis et ſepibus apud *Phœnix Park* et alibi. IV.

---

72. *ERYNG'IUM.*

marit'imum. 1. ERYNG'IUM foliis radicalibus ſubrotundis plicatis ſpinoſis, capitulis pedunculatis. *Lin. Sp. Pl. ed.* 3. 337. *Fl. Ang. ed.* 2. 109. *Fl. Scot.* 153. *Wither. Arrang. ed.* 2. 264. *Med. Bot p.* 281. *Ic* 102.

Anglis, *ſea eryngo, ſea holly.*

Hibernis, Cuil cann tragha.

Inveni in littoribus maris arenoſis inter *Clontarf* et *Howth*, *Iriſh town* et *Black-Rock*, et *Killeny Bay* copioſe. VIII.

---

73. *HYDROCOTYLE.*

vulgáris. 1. HYDROCOTYLE foliis peltatis, umbellis quinquefloris. *Lin. Sp Pl ed.* 3. 338. *Fl. Ang. ed.* 2. 110. *l Scot.* 153. *Fl. Lond. N.* 63. *Ic.* 375 *Wither. Arrang. ed.* 2. 265.

Anglis, *marſh pennywort*, *white rot.*

Hibernis, Lus na pinginc'.

Inveni in paluſtribus frequenter, præcipue in vivario *Portmarnock* juxta *Balldoyle*, ſuper montes Dublinenſes et prope eorundem radices. V.

74. *S A N I-*

74. *SANIC'ULA.*

Europæ'a. 1. SANIC'ULA foliis radicalibus ſimplicibus, floſculis omnibus ſeſſilibus. *Lin. Sp. Pl. ed.* 3 339. *Fl. Ang. ed.* 2. 110. *Fl. Scot.* 154 *Wither Arrang. ed.* 2. 266. *Engliſh Botany, N.* 29. *Ic.* 98.

Anglis, *common ſanicle.*

Hibernis, **Feagam, Buine, Rema, Reaga maighe.**

Inveni in ſylvis *Luttrel's-town*, et *Santry*, abunde; in ſepibus ad ſemitas juxta *Dunſink*, et *Capock* copioſe, et alibi. VI.

---

75. *TORDYL'IUM.*

anthris'cus. 1. TORDYL'IUM umbellis confertis, foliolis ovato-lanceolatis pinnatifidis. *Lin. Sp Pl. ed.* 3. 346. *Caúcalis anthris'cus. Fl Ang. ed.* 2. 114. *Fl. Scot.* 155 *Fl Lond. N* 63. *Ic.* 378. *With. Arrang. ed.* 2. 272.

 Anglis,

Anglis, *hedge parſley.*

Hibernis,

Inveni in dumetis, ſylvis cæduis, et inter ſepes paſſim. VII.

nodo'ſum. 2. TORDYL'IUM umbellis ſimplicibus ſeſſilibus, ſeminibus exterioribus hiſpidis. *Lin. Sp. Pl. ed.* 3. 346. *Fl. Scot.* 154. *Caúcalis nodóſa Fl. Ang. ed.* 2. 114. *Wither. Arrang. ed.* 2. 273.

Anglis, *knotted parſley.*

Hibernis,

Inveni in aggeribus terrenis juxta *Kilgobbin*, et ſecus viam publicam prope *Milltown.* VII.

---

76. *D A U C U S.*

caróta. 1. DAU'CUS ſeminibus hiſpidis, petiolis ſubtus nervoſis *Lin. Sp. Pl. ed.* 3. 348. *Fl. Scot.* 156. *Wither. Arrang. ed.* 2. 274 *Caúcalis Caróta. Fl. Ang. ed.* 2. 114. *Med. Bot. p.* 443. *Ic.* 161.

Anglis,

Anglis, *wild carrot, bird's neſt.*

Hibernis, **Miodhlucan, Mugoman, mioibogan.**

Inveni in pratis et paſcuis ubique fere, et ad vias. VI.

---

77. *CO'NIUM.*

maculátum. 1. CO'NIUM ſeminibus ſtriatis. *Lin. Sp. Pl. ed.* 3. 349. *Fl. Ang. ed.* 2. 115. *Fl. Scot.* 157. *Fl. Lond. N.* 7. *Ic.* 74. *Wither. Arrang. ed.* 2. 277. *Med. Bot. p.* 62. *Ic.* 22.

Anglis, *common hemlock.*

Hibernis, **Min-mhear.**

Inveni circa pagos, in ſepibus, ruderatis, et cultis. VI.

78. *CRITH'MUM*

78. *CRITH'MUM.*

maritimum. 1. CRITH'MUM foliolis lanceolatis carnoſis *Lin. Sp. Pl. ed.* 3. 354 *Fl. Ang. ed.* 2. 117. *Fl. Scot.* 158. *Wither. Arrang. ed.* 2. 286.

Anglis, *ſamphire.*

Hibernis, Geirgin, Grioloigin, Grenuig.

Inveni in clivis maritimis juxta *Light-Houſe Howth*, in *Ireland's Eye*, et prope plumbi fodinas *Dalkey*. VIII.

---

79. *HERACLE'UM.*

ſphondylium. 1. HERACLE'UM foliolis pinnatifidis. *Lin. Sp. pl. ed* 3. 358. *Fl. Ang ed.* 2. 117. *Fl. Scot.* 158. *Wither. Arrang. ed.* 2. 287.

Anglis, *common cow parſnep, madnep, hogweed.*

Hibernis,

Hibernis,

Inveni in paſcuis, ad agrorum margines, in pratis, et ad rivulos. VII.

---

80. *A N G E L' I C A.*

ſylves'tris. 1. ANGEL'ICA foliis æqualibus ovato-lanceolatis ſerratis *Lin. Sp. Pl. ed.* 3. 361. *Fl. Ang. ed.* 2 118. *Fl. Scot.* 160. *Wither. Arrang. ed.* 2. 290.

Anglis, *wild Angelica.*

Hibernis, Galluran, Gleoran, Bonun leana, Cuinnog mighe.

Inveni in aquoſis, et ad rivulorum ripas paſſim. VIII.

81. *S I' U M.*

81. *SI'UM.*

anguſtifo'-lium. 1. SI'UM foliis pinnatis, umbellis axillaribus pedunculatis, involucro univerſali pinnatifido. *Lin Sp Pl. ed.* 3. 1672. *Fl. Ang. ed.* 1. 103. *ed.* 2. 119. *Fl. Scot.* 160. *Wither. Arrang. ed.* 2. 292. *Eng. Bot. N.* 36. *Ic.* 139.

Anglis, *narrow-leaved water parſnep.*

Hibernis,

Inveni in aquoſis paſſim. VII.

nodiflórum. 2. SI'UM foliis pinnatis, umbellis axillaribus ſeſſilibus. *Lin. Sp. Pl ed* 3. 361. *Fl. Ang. ed* 2. 119. *Fl. Scot.* 161. *Wither. Arrang ed.* 2. 292. *Med. Bot. p.* 494 *Ic.* 182.

Anglis, *creeping water parſnep.*

Hibernis, Fualachtar.

Inveni cum priore in rivulis, et ad fluviorum ripas fere ubique. VII.

82. *OENAN'THE.*

82. *OENAN'THE.*

pimpinel-loídes. 1. OENAN'THE foliis radicalibus cuneatis fiſſis, caulinis integris linearibus longiſſimis canaliculatis. *Lin. Sp. Pl. ed.* 3. 367. *Fl. Ang. ed.* 2. 121. *Wither. Arrang. ed.* 2. 297.

Anglis, *parſley water-dropwort.*

Hibernis,

Inveni in foſſis et paluſtribus copioſe, circa *Sandymount* et *Merrion.* VII.

crocáta. 2. OENAN'THE foliis omnibus multifidis obtuſis ſubæqualibus. *Lin. Sp. Pl. ed.* 3. 365. *Fl. Ang. ed.* 2. 121. *Fl. Scot.* 162. *With. Arrang. ed.* 2. 297.

Anglis, *hemlock water-dropwort, dead tongue.*

Hibernis, Tathu, Tathu ban.

Inveni in aquoſis, præſertim ſuper fluviorum ripas *Cardiff's Bridge, Aſh-town*, et *Scrible's-town* vicinas, abundanter VII.

83. *B U' N I U M.*

bulbocas'-tanum. 1. BU'NIUM. *Lin. Sp. Pl. ed.* 3. 349. *Fl. Ang. ed.* 2. 122. *Fl. Scot.* 156. *Fl. Lond. N.* 46. *Ic.* 275. *Wither. Arrang. ed.* 2. 275. et 276. *B. flexuóſum.*

Anglis, *earth kipper, pig-nut, hawk-nut, jur-nut, earth cheſtnut.*

Hibernis, Cunian, Coirearan, Coirearain mhuc.

Inveni in ſylvis, pratis, et paſcuis frequenter. V.

---

84. *Æ T H U' S A.*

cynápium. 1. ÆTHU'SA. *Lin. Sp. Pl. ed.* 3. 367. *Fl. Ang. ed* 2. 123. *Fl. Scot.* 165. *Fl. Lond. N.* 6. *Ic.* 33. *With. Arrang. ed* 2. 300.

Anglis, *fool's parſley, leſs hemlock.*

Hibernis,

Hibernis,

Inveni in hortis oleraceis, arvis pinguioribus, aliiſque locis cultis paſſim. VIII.

---

85. *SCAN'DIX.*

pec'ten 1. *Veneris.* SCAN'DIX ſeminibus lævibus, roſtro longiſſimo. *Lin. Sp Pl. ed* 3. 368. *Fl Ang. ed* 2. 123. *Fl. Scot.* 166. *Wither. Arrang. ed.* 2. 304. *Fl. Lond. N.* 59. *Ic.* 353. *Fl. Ruſtica* 38.

Anglis, *ſhepherd's needle*, *Venus's comb*, *corn cicely*, *crake needle.*

Hibernis,

Inveni in ruderatis, et ad vias inter *Chapelizod* et *Luttrel's-town*, circa *Raheny County* quoque, et *Balldoyle*, in arvis copioſe. V.

odoráta. 2. SCAN'DIX ſeminibus ſulcatis angulatis. *Lin. Sp. Pl. ed.* 3. 368. *Fl Ang. ed.* 2. 124. *Fl. Scot.* 166. *Wither. Arrang. ed.* 2. 303.

Anglis, *ſweet cicely, great ſweet cicely, ſweet myrrh, ſweet chervil, ſweet fern.*

Hibernis,

Inveni in ſepibus, et pomariis nonnunquam. VI.

anthris'cus. 3. SCAN'DIX ſeminibus ovatis hiſpidis, corollis uniformibus, caule lævi. *Lin. Sp. Pl. ed.* 3. 368. *Fl. Ang. ed.* 2. 124. *Fl. Scot.* 166. *Wither. Arrang. ed.* 2. 305. *Fl. Lond. N.* 3. *Ic.* 18. *Fl. Ruſt. N.* 25. *Ic.* 75.

Anglis, *rough cicely, rough chervil, ſmall hemlock chervil with rough ſeeds.*

Hibernis,

Inveni juxta murum apud *Mount Proſpect* via ad *Milltown* ducente, copioſe. V.

86. *CHÆROPHYL.*

86. *CHÆROPHYL'LUM.*

ſylves'tre. 1. CHÆROPHYL'LUM caule lævi ſtriato, geniculis tumidiuſculis. *Lin. Sp. Pl. ed.* 3. 369. *Fl. Ang. ed* 2. 124. *Fl. Scot.* 167. *Wither. Arrang. ed.* 2. 306. *Fl. Lond. N.* 46. *Ic.* 274.

Anglis, *wild chervil, wild cicely, cow weed, cow parſley.*

Hibernis,

Inveni ad ſepes ubique. V.

---

87. *PASTINA'CA.*

ſativa. 1. PASTINA'CA foliis ſimpliciter pinnatis. *Lin. Sp. Pl. ed.* 3. 376. *Fl. Ang. ed.* 2. 125. *P. Sylveſtris. With. Arrang. ed.* 2. 309.

Anglis, *common parſnep.*

Hibernis, Meacan Righ, Cuirldin ba'n.

Inveni

Inveni in agrorum marginibus, ſolo calcareo, copioſe, circa lapicidinam prope *Finglaſs Bridge.* VI.

---

88. *SMYR'NIUM.*

oluſatrum. 1. SMYR'NIUM foliis caulinis ternatis petiolatis ſerratis. *Lin. Sp. Pl. ed.* 3. 376. *Fl. Ang. ed.* 2. 126. *Fl. Scot.* 168. *With. Arrang. ed.* 2. 310.

Anglis, *Alexanders.*

Hibernis, Luſaranan gran duh.

Inveni in aquoſis, præſertim ſuper ripas foſſarum, et ad vias frequenter. V.

---

89. *ANE'THUM.*

fænic'ulum. 1. ANE'THUM fructibus ovatis. *Lin. Sp. Pl. ed.* 3. 377. *Fl. Ang. ed.* 2. 126. *Wither. Arrang. ed.* 2. 311.

Anglis, *common fennel, finckle, dill.*

Hibernis,

Hibernis, Fineal cubhra.

Inveni in agerribus maritimis circa *Old Church* apud *Killeny*, et *Old Abbey* apud *Howth*; in clivis calcareis juxta *Rathfarnham Bridge* copioſe, in ruderatis et ad vias prope *Chapelizod*, *Clonſkeagh*, et alibi. VII.

---

90. *PIMPINEL'LA.*

ſaxif'raga. 1. PIMPINEL'LA folliis pinnatis, foliolis radicalibus ſubrotundis, ſummis linearibus. *Lin. Sp. Pl. ed.* 3. 378. *Fl. Ang ed.* 2. 127. *Fl. Scot.* 169. *With. Arrang. ed* 2. 313. *Med. Bot. p.* 488. *Ic.* 178.

Anglis, *ſmall burnet ſaxifrage, leſs pimpinel.*

Hibernis,

Inveni in pratis, lociſque aridis, et inter ſepes paſſim. VIII.

91. *A'PIUM.*

91. *A'PIUM.*

gravéolens. 1. A'PIUM foliis caulinis cuneiformibus, umbellis ſeſſilibus *Lin. Sp. Pl. ed.* 3. 379. *Fl. Scot.* 169. *Fl. Aug. ed.* 2. 129. *Wither. Arrang. ed.* 2. 316.

Anglis, *ſmallage.*

Hibernis,

Inveni in paludoſis, et foſſis majoribus, præſertim ad mare *Ring's-end*, *Iriſh-town*, *North* et *South Walls*, copioſe. VI.

PENTANDRIA.

TRIGYNIA.

92. *VIBUR'NUM.*

opúlus. 1. VIBUR'NUM foliis lobatis petiolis glandulosis. *Lin. Sp. Pl. ed.* 3. 384. *Fl. Ang. ed.* 2. 130. *Fl. Scot.* 170. *With. Arrang. ed.* 2. 318.

Anglis,

Marsh

Anglis, *water viburnum*, *or elder*, *guelder roſe.*

Hibernis,

Inveni in ſepibus humidis, ſolo maxime inculto et argilloſo circa *Cardiff's-Bridge*, et alibi. VI.

---

93. *SAMBU'CUS.*

nigra. 1. SAMBU'CUS cymis quinquepartitis, caule arboreo. *Lin. Sp. Pl. ed.* 3. 385. *Fl. Ang. ed.* 2. 130. *Fl. Scot.* 171. *Wither. Arrang. ed.* 2. 320. *Med. Bot. p.* 219. *Ic.* 78.

Anglis, *common elder.*

Hibernis, **Trom Crann Trommain, Troman.**

Inveni prope macerias, et ſepes, inque dumetis et incultis, præſertim humectis et umbroſis paſſim. VI.

94. *ALSI'NE.*

média. 1. ALSI'NE petalis bipartitis, foliis ovato-cordatis. *Lin. Sp. Pl. ed.* 3. 389. *Fl. Ang. ed.* 2. 131. *Fl. Scot.* 172. *With. Arrang. ed.* 2. 323. *Fl. Lond. N.* 12. *Ic.* 68.

Anglis, *common chickweed.*

Hibernis, Fliuch, Flioch.

Inveni in uliginoſis ad ſepes et vias, inque hortis inter olera frequenter. II. XI.

PENTANDRIA.

TETRAGYNIA.

---

95. *PARNAS'SIA.*

palus'tris. 1. PARNAS'SIA. *Lin. Sp. Pl. ed.* 3. 391. *Fl. Ang. ed* 2. 131. *Fl. Scot.* 192. *Wither. Arrang. ed.* 2. 325. *Engliſh Botany Ic.* 82.

Anglis,

Anglis, *graſs of Parnaſſus.*

Hibernis,

Inveni in paluſtribus apud *Howth, Clugh* ad radices montium Dublinenſium, circa *Kilgobbin* copioſe, et ultra *Sheds of Clontarf.* VIII.

PENTANDRIA.

PENTAGYNIA.

96. *STATICE.*

armeria. 1. STATICE ſcapo ſimplici capitato, foliis linearibus. *Lin. Sp. Pl. ed.* 3. 394. *Fl. Ang. ed.* 2 132. *Fl. Scot.* 173. *Wither. Arrang. ed* 2. 326.

Anglis, *thrift, ſea gilly-flower, ſea cuſhion.*

Hibernis,

Inveni in fiſſuris rupium in littoribus, et pratis maritimis, prope *Black-Rock*, *Dunleary*, *Bullock*, et *Dalkey* copioſe. VII.

limónium. 2. STAT'ICE ſcapo paniculato tereti, foliis lævibus enerviis. *Lin. Sp. Pl. ed.* 3. 394. *Fl. Ang. ed.* 2. 132. *With. Arrang. ed.* 2. 327. *Engliſh Botany N.* 29. *Ic.* 102.

Anglis, *ſea thrift, or lavender.*

Hibernis,

Inveni cum priore copioſe. VII.

---

97. *L I' N U M.*

uſitatiſ'ſimum. 1. LI'NUM calycibus capſuliſque mucronatis, petalis crenatis, foliis lanceolatis, caule ſubſolitario. *Lin Sp Pl. ed.* 3 397. *Fl Ang. ed.* 2. 133 *Fl. Scot* 173 *Wither. Arrang. ed.* 2. 328. *Fl Lond N* 55. *Ic.* 330 *Med. Bot. p.* 303. *Ic.* 111.

Anglis,

Anglis, *common flax.*

Hibernis, **Lin.**

Inveni in arenoſis inter *Sandymount* et *Merrion*, ſupra collem *Knockmaron* et alibi. VII.

cathar'ti-cum. 2. LI'NUM foliis oppoſitis ovato-lanceotis, caule dichotomo, corollis acutis. *Lin. Sp. Pl. ed.* 3. 401. *Fl. Ang. ed.* 2. 134. *Fl. Scot.* 174. *Fl. Lond. N.* 26. *Ic.* 151. *Wither. Arrang. ed.* 2. 330.

Anglis, *purging flax, mill-mountain, dwarf wild flax; fairy flax.*

Hibernis, **Ceolagh, Mioſach, Lion ha mban Sighe.**

Inveni in pratis et paſcuis ſiccioribus, præſertim montanis apud *Howth,Knockmaron-hill* ultra *Chapelizod*, *Phœnix Park*, et alibi copioſe. VI.

HEXA-

PENTANDRIA.

HEXAGYNIA.

---

98. *DRO'SERA.*

rotundifólia. 1. DRO'SERA foliis orbiculatis, ſcapis radicatis. *Lin. Sp Pl. ed* 3. 402. *Fl. Ang. ed.* 2. 135. *Fl. Scot.* 175. *Wither. Arrang. ed.* 2. 331.

Anglis, *round-leaved ſun dew, roſa ſolis, red rot, youth-wort, moor-graſs.*

Hibernis, **Duracdin Mona, Geal-druigh.**

Inveni in paludoſis, et inter muſcos aquaticos, apud *Howth*, *Stag's-town*, circa *Kilgobbin*, et alibi ſuper montes Dublinenſes, et prope eorundem radices. VII.

longifólia. 2. DRO'SERA ſcapis radicatis, foliis oblongis. *Lin. Sp. Pl.ed.* 3. 403. *Fl. Ang. ed.* 2. 135. *Fl. Scot.* 175. *Wither. Arrang. ed.* 2. 332.

Anglis,

Anglis, *long-leaved ſun dew.*

Hibernis,

Inveni in paludoſis cum priore. VII.

HEXANDRIA.

MONOGYNIA.

99. *AL'LIUM.*

vineále. 1. AL'LIUM caule teretifolia bulbifero ſtaminibus tricuſpidatis. *Lin. Sp. Pl. ed.* 3. 428. *Fl. Ang. ed.* 2. 139. *Fl. Scot.* 179. *Wither. Arrang. ed.* 2. 343.

Anglis, *crow garlick.*

Hibernis, Gairleog Muire.

Inveni in arvis juxta uranoſcopium *Scrible's-town* copioſe, inter *Drumcondra* et *Santry*, ad ſemitam campeſtrem inter *Rathmines* et *Milltown*, et alibi. VII.

100. *NAR-*

100. *NARCIS'SUS.*

poet'icus. 1. NARCIS'SUS ſpatha uniflora, nectario rotato breviſſimo ſcarioſo crenulato. *Lin. Sp. Pl. ed* 3. 414. *Fl. Ang. ed.* 2. 141. *Wither. Arrang. ed.* 2. 341.

Anglis, *pale narciſſus, or daffodil.*

Hibernis,

Inveni in paſcuis ſaxoſis circa obeliſcum apud *Killeny* copioſe, et in pratis humidis prope *Newtown Park*, et *Cabinteely.* V.

pſeudo-narciſ'ſus. 2. NARCIS'SUS ſpatha uniflora, nectario campanulato erecto criſpo æquante petala ovata. *Lin. Sp. Pl. ed.* 3. 414. *Fl. Ang. ed.* 2. 141. *Wither. Arrang. ed.* 2. 342. *Engliſh Bot. N.* 6. *Ic.* 17.

Anglis, *common narciſſus, or daffodil.*

Hibernis,

Inveni in paſcuis apud *Simmon's Court* inter *Ball's-bridge* et *Merrion*, *Ballygall* prope *Glaſſnevin*, juxta *Drumcondra*, et alibi. III.

101. *HYACIN'-*

101. *HYACIN'THUS.*

nonſcrip'tus. 1. HYACIN'THUS corollis campanulatis ſexpartitis apice revolutis. *Lin. Sp. Pl. ed* 3 453. *Fl Ang. ed* 2. 141. *Fl. Scot* 182. *With. Arrang. ed.* 2. 356. *Fl. Lond. N.* 24 *Ic.* 142.

Anglis, *common hyacinth, harebells.*

Hibernis, Butha Muck Luſ na, Ccinle, acarach.

Inveni in paſcuis ſaxoſis, dumoſis, et paludoſis, ſcholam juxta Reverendi Meares vicinam *Black-Rock.* IV.

---

102. *ANTHER'ICUM.*

oſſif'ragum. 1. ANTHER'ICUM foliis enſiformibus, filamentis lanatis. *Lin. Sp. Pl. ed.* 3. 446. *Fl Scot* 181. *Narthécium oſſif'ragum. Fl. Ang. ed.* 2. 145 *With. Arrang. ed.* 2. 351.

O Anglis,

Anglis, *Lancaſhire, or baſtard aſphodel.*

Hibernis,

Inveni in paluſtribus putridis, cæſpitoſis, et aquoſis, in regione auſtrali *Howth*, copioſe, apud *Stag's-town*, circa *Kilgobbin*, ſuper montes Dublinenſes, et ad eorum radices frequenter. VII.

---

103. *I U N' C U S.*

conglomerátus. 1. IUN'CUS culmo nudo ſtricto, capitulo laterali. *Lin. Sp. Pl. ed.* 3. 464. *Fl. Ang. ed.* 2. 148. *Fl. Scot.* 183. *With. Arrang. ed.* 2. 359.

Anglis, *common round headed-ruſh.*

Hibernis, Brogh Braighe.

Inveni in paſcuis ericetis, ſylvis, et locis humidioribus paſſim. VII.

effúſus. 2. IUN'CUS culmo nudo ſtricto, panicula laterali. *Lin. Sp. Pl. ed.* 3. 464. *Fl. Ang. ed.* 2. 148. *Fl. Scot.* 183. *Wither. Arrang. ed.* 2. 359.

Anglis,

Anglis, *ſoft ruſh, ſeaves.*

Hibernis, 𝔅𝔯𝔬𝔤𝔥 𝔅𝔯𝔞𝔦𝔤𝔥𝔢.

Inveni cum priore,et in vadoſis, aut juxta aquas. VII

inflex'us. 3. IUN'CUS culmo nudo, apice membranaceo incurvo, panicula laterali. *Lin. Sp. Pl. ed.* 3. 464. *Fl. Scot.* 183. *With. Arrang. ed.* 2. 359.

Anglis, *hard ruſh.*

Hibernis,

Inveni in paſcuis, et ad vias publicas, præſertim ſolo humidiore frequenter. VII.

trif'idus. 4. IUN'CUS culmo nudo, foliis floribuſque tribus terminalibus. *Lin. Sp. Pl. ed.* 3. 465. *Fl. Ang. ed.* 2. 149. *Fl. Scot.* 183. *Wither. Arrang. ed.* 2. 360.

Anglis, *trifid ruſh.*

Hibernis,

Inveni in paluſtribus prope *Bullock*, et ſuper monte *Kilmaſhouge.* VII.

articulátus. 5. IUN'CUS foliis nodoſo-articulatis, petalis obtuſis. *Lin. Sp. Pl. ed.* 3. 465. *Fl. Ang. ed.* 2. 149 *Fl. Scot.* 184. *Wither. Arrang. ed.* 2. 361.

Anglis, *jointed ruſh.*

Hibernis,

Inveni in pratis humidis juxta *Bullock* copioſe, et alibi. VIII.

bufónius. 6. IUN'CUS culmo dichotomo, foliis angulatis, floribus ſolitariis ſeſſilibus. *Lin. Sp. Pl. ed.* 3. 466 *Fl Ang. ed.* 2. 150. *Fl. Scot.* 185. *Wither. Arrang. ed.* 2. 362.

Anglis, *toad ruſh, toad graſs.*

Hibernis,

Inveni cum priore abundanter. VII.

biglúmis. 7. IUN'CUS folio ſubulato, gluma biflora terminali. *Lin. Sp Pl ed.* 3. 467. *Wither. Arrang. ed.* 2. 363.

Anglis, *two-flowered ruſh.*

Hibernis,

Inveni in locis paludoſis juxta *Kilgobbin,* ſed parciſſime. VII.

pilóſus.

pilóſus. 8. IUN'CUS foliis planis piloſis, corymbo ramoſo. *Lin Sp. Pl. ed.* 3. 468. *Fl. Ang. ed.* 2. 151. *Fl. Scot.* 186. *With. Arrang. ed.* 2. 363. *Fl. Lond. N.* 59. *Ic.* 351. et *N.* 59. *Ic.* 352. *I. ſylvaticus.*

Anglis, *hairy wood ruſh.*

Hibernis,

Inveni in ſylvis *Luttrel's-town*, et *Santry*, in umbroſis ſuper monte *Kilgobbin*, et alibi. VI.

campeſtris. 9. IUN'CUS foliis planis piloſis, ſpicis ſeſſilibus pedunculatiſque. *Lin. Sp. Pl. ed.* 3. 468. *Fl. Ang. ed.* 2. 152. *Fl. Scot.* 186. *Fl. Lond. N.* 26. *Ic.* 143.

Anglis, *field ruſh.*

Hibernis,

Inveni in pratis et paſcuis aridis, inque paludoſis copioſe circa *Stillorgan*, et alibi. IV.

HEXANDRIA.

TRIGYNIA.

104. *TRIGLO'CHIN.*

paluſ'tre. 1. TRIGLO'CHIN capſulis trilocularibus ſublineáribus. *Lin. Sp. Pl. ed.* 3. 482. *Fl. Ang. ed.* 2 152. *Fl. Scot.* 191. *Wither. Arrang. ed.* 2. 378.

Anglis, *arrow-headed graſs.*

Hibernis,

Inveni in pratis et paſcuis paludoſis circa *Aſh-town*, *Scrible's-town*, *Dunſink*, *Stag's-town*, et alibi. VI.

---

105. *RUMEX.*

criſ'pus. 1. RU'MEX floribus hermaphroditis, valvulis integerrimis, foliis lanceolatis undulatis acutis *Lin. Sp. Pl. ed.* 3. 476. *Fl.*

Fl. Ang. ed. 2. 153. *Fl. Scot.* 188. *Wither. Arran ed.* 2. 370. *Fl. Lond. N.* 18. *Ic.* 105.

Anglis, *curled dock.*

Hibernis,

Inveni in pratis, paſcuis, locis humidioribus, et ad vias. VI.

obtuſifólius. 2. RU'MEX floribus hermaphroditis, valvulis dentatis graniferis, foliis cordato-oblongis obtuſiuſculis, crenulatis. *Lin. Sp. Pl. ed.* 3. 478. *Fl. Ang ed.* 2. 155. *Fl. Scot.* 189. *Wither. Arrang. ed.* 2. 372. *Fl. Lond. N.* 29. *Ic.* 174.

Anglis, *broad-leaved dock.*

Hibernis,

Inveni in locis humidis, et ruderatis cum *R. criſpo*, nec illo minus frequentem. VI.

acútus. 3. RU'MEX floribus hermaphroditis, valvulis dentatis graniferis, foliis cordato-oblongis acuminatis. *Lin. Sp. Pl. ed.* 3. 478. *Fl. Ang. ed.* 2. 155. *Fl. Scot.* 188. *Wither. Arrang. ed.* 2. 371. *Fl. Lond. N.* 31. *Ic.* 182.

Anglis,

Anglis, *ſharp-pointed dock.*

Hibernis, **Capog ſhraide.**

Inveni in incultis, et aquoſis cum priore paſſim. VI.

acetóſa. 4. RU'MEX floribus dioicis, foliis oblongis ſaggittatis. *Lin. Sp. Pl. ed.* 3. 481. *Fl. Ang. ed.* 2. 156. *Fl. Scot.* 191. *Wither. Arrang. ed.* 2. 375. *Engliſh Botany N.* 34. *Ic.* 127. *Med. Bot. p.* 193. *Ic.* 69.

Anglis, *common ſorrel.*

Hibernis, **Samha do Sealgan.**

Inveni in pratis et paſcuis paſſim. V.

acetoſel'la. 5. RU'MEX floribus dioicis foliis lanceolato-haſtatis. *Lin. Sp. Pl. ed.* 3. 481. *Fl. Ang. ed.* 2. 156. *Fl. Scot.* 191. *Wither. Arrang. ed.* 2. 376. *Fl. Lond. N.* 52. *Ic.* 309.

Anglis, *ſheep's ſorrel.*

Hibernis, **Samha Cairach.**

Inveni in pratis, paſcuis arenoſis, et ſiccioribus paſſim. VII.

POLYGYNIA.

HEXANDRIA.

POLYGYNIA.

106. *ALIS'MA.*

plantágo. 1. ALIS'MA foliis ovatis acutis, fructibus obtuſe trigonis. *Lin. Sp. Pl. ed.* 3. 468. *Fl Ang ed* 2. 158. *Fl. Scot.* 193. *With Arrang. ed* 2. 381. *Fl. Lond. N.* 54. *Ic.* 323.

Anglis, *greater water-plantain.*

Hibernis, Cor Chopog.

Inveni in ſtagnis et paluſtribus abundanter fere ubique; præſertim apud *Phœnix Park, Ball's-bridge, Merrion* et *Black-rock roads.* VII.

ranunculoídes. 2. ALIS'MA foliis lineari-lanceolatis, fructibus globoſo-ſquarroſis *Lin Sp Pl. ed* 3 487. *Fl Ang. ed.* 2. 158. *Fl. Scot.* 193. *Wither. Arrang. ed.* 2. 382.

 Anglis,

Anglis, *leſs water-plantain.*

Hibernis,

Inveni in paluſtribus prope *Bullock.* VIII.

OCTANDRIA.

MONOGYNIA.

107. *EPILO'BIUM.*

hirſútum. 1. EPILO'BIUM foliis oppoſitis lanceolatis ſerratis decurenti-amplexicaulibus. *Lin. Sp. Pl. ed.* 3. 494. *Fl. Ang. ed.* 2. 161. et 162. *E. ramoſum. Fl. Scot.* 197. *Wither. Arrang. ed.* 2. 388. *Fl. Lond. N.* 20. *Ic.* 120. et *var* β. *Linnæi. N.* 21. *Ic.* 123. *E. villoſum.*

Anglis, *great hairy willow herb, codlings and cream.*

Hibernis,

Inveni juxta ſcrobium, foſſarum, fluviorum, rivulorumque margines paſſim. VII.

montánum.

montánum. 2. EPILO'BIUM foliis oppoſitis ovatis dentatis. *Lin. Sp. Pl. ed.* 3. 494. *Fl. Ang. ed.* 2. 162. *Fl. Scot.* 198. *Wither. Arrang. ed.* 2. 390. *Fl. Lond. N.* 23. *Ic.* 197.

Anglis, *ſmooth-leaved willow herb, mountain epilobium.*

Hibernis,

Inveni in ſylvis, ſepibus umbroſis, et ad ripas foſſarum paſſim, ſolo glareoſo; ſed præſertim ſuper montes Dublinenſes et prope eorundem radices. VII.

tetragónum. 3. EPILO'BIUM foliis lanceolatis denticulatis imis oppoſitis, caule tetragono. *Lin. Sp. Pl. ed.* 3. 494. *Fl. Ang. ed.* 2. 162. *Fl. Scot.* 198. *Wither. Arrang. ed.* 2. 390. *Fl. Lond. N.* 22. *Ic.* 132.

Anglis, *ſquare epilobium, narrow-leaved willow herb.*

Hibernis,

Inveni in paluſtribus et locis humidioribus paſſim. VII.

paluſ'tre. 4. EPILO'BIUM foliis oppoſitis lanceolatis integerrimis, petalis emarginatis, caule erecto. *Lin. Sp. Pl. ed.* 3. 495. *Fl. Ang. ed.* 2. 163. *Fl. Scot.* 199. *Wither. Arrang. ed.* 2. 391.

Anglis, *marſh epilobium or willow herb.*

Hibernis,

Inveni in uliginoſis apud *King's-town*, et *Clugh* ad radices montium Dublinenſium. VII.

---

108. *VACCIN'IUM.*

myrtil'lus. 1. VACCIN'IUM pedunculis unifloris, foliis ſerratis ovatis deciduis, caule angulato *Lin. Sp. Pl. ed* 3. 498. *Fl. Scot.* 200 *Fl. Ang. ed.* 2. 163. *Wither. Arrang. ed.* 2. 393.

Anglis, *black worts, black whortle-berries, hurtle-berries, bilberries, wind-berries, blea-berries.*

Hibernis, Fraochog, Fraochan, crann Fraochain.

Inveni in ericetis apud *Howth*, et ſuper montes Dublinenſes. VII.

109. *ERI'CA.*

109. *E R I' C A.*

vulgáris. 1. ERI'CA antheris bicornibus incluſis, corollis inæqualibus campanulatis mediocribus, foliis oppoſitis ſagittatis. *Lin. Sp. Pl. ed.* 3. 501. *Fl. Ang. ed.* 2. 165. *Fl. Scot.* 203. *Wither. Arrang. ed.* 2. 396. *Fl. Lond. N.* 50. *Ic.* 297.

Anglis, *common heath, ling, grig, hather.*

Hibernis, Fraoch.

Inveni in ericetis apud *Howth*, et ſuper montes Dublinenſes. VII.

cinérea. 2. ERI'CA antheris bicornis incluſis, corollis ovatis racemoſis, foliis ternis glabris linearibus. *Lin. Sp. Pl. ed.* 3. 501. *Fl. Ang. ed.* 2. 165. *Fl. Scot.* 204. *Wither. Arrang. ed.* 2. 399. *Fl. Lond N.* 13. *Ic.* 77.

Anglis, *fine-leaved heath.*

Hibernis,

Inveni cum priore. VII.

tet'ralix.

tet'ralix. 3. ERI'CA antheris bicornibus incluſis, corollis ſubgloboſis confertis folio longioribus, foliis quaternis ciliatis patentibus. *Lin. Sp. Pl. ed* 3. 502. *Fl. Ang. ed.* 2. 166. *Fl. Scot.* 205. *Wither. Arrang. ed.* 2. 398. *Fl. Lond. N.* 12. *Ic.* 67.

Anglis, *croſs-leaved heath.*

Hibernis,

Inveni cum priore. VII.

---

110. *CHLO'RA*

perfoliáta. 1. CHLO'RA foliis perfoliatis. *Sys. Nat. ed.* 12. *Vol.* 2. 267. *Sys. Veget. ed.* 13. 299. *Fl. Ang. ed.* 2. 168. et *ed.* 1. 146. *Blackſtonia. perfoliata. Fl. Scot.* 200. *Wither. Arrang. ed.* 2. 392. *Engliſh Botany N.* 20. *Ic.* 60. *Gentiana perfoliata. Lin. Sp. Pl. ed.* 3. 335.

Anglis, *yellow centaury, perfoliate yellow-wort.*

Hibernis, Deagha buidhe, Dreimre buidhe.

Inveni

Inveni in montoſis et ſiccioribus pratis, ſuper *Knockmaroon-hill* ultra *Chapelizod*, et inter *Clontarf* et *Howth* copioſe; in clivoſis arenoſis maritimis apud *Killeny Bay* abundanter, et alibi. VIII.

OCTANDRIA.

TRIGYNIA.

111. *POLYG'ONUM.*

amphib'ium. 1. POLYG'ONUM floribus pentandris ſemidigynis, ſtaminibus corolla longioribus *Lin. Sp. Pl. ed.* 3. 517. *Fl. Ang. ed.* 2. 169. *Fl. Scot.* 207. *Wither. Arrang. ed.* 2. 407. *Fl. Lond. N* 40 *Ic.* 238.

Anglis, *amphibious knot-graſs or perſicaria.*

Hibernis,

Inveni in aquis tum ſtagnantibus, cum fluentibus ut in piſcinis; imo etiam in terris incultis non minus quam cultis paſſim. VII.

perſicária.

perſicária. 2. POLYG'ONUM floribus hexandris digynis, ſpicis ovato-oblongis, foliis lanceolatis, ſtipulis ciliatis. *Lin. Sp. Pl. ed.* 3. 518. *var.* α. β. et γ. *Fl. Ang. ed.* 2. 169. *Fl. Scot.* 207. *Wither. Arrang. ed.* 2. 410. *Fl. Lond. N.* 5. *Ic.* 30. *N.* 11. *Ic.* 66. *P. minus.*

Anglis, *dead or ſpotted knot-graſs, perſicaria, or arſmart.*

Hibernis, Glunneagh mo'r, Glunach dhearg.

Inveni in agris, hortis, foſſis, et ad vias ubique fere. VII.

hydrop'iper 3. POLYG'ONUM floribus hexandris ſemidigynis, foliis lanceolatis, ſtipulis ſubmuticis. *Lin. Sp. Pl. ed.* 3. 517. *Fl. Ang. ed.* 2. 170. *Fl. Scot.* 207. *Wither. Arrang. ed.* 2. 408. *Fl. Lond. N.* 11. *Ic.* 63.

Anglis, *water knot-graſs, pepper, or arſmart, lakeweed.*

Hibernis, Glunach Dhearg.

Inveni in aquoſis, ad rivulos et foſſas, atque in ruderatis. VII.

aviculáre.

aviculáre. 4. POLYG'ONUM floribus octandris trigynis axillaribus, foliis lanceolatis, caule procumbente. *Lin Sp. Pl ed.* 3. 519. *Fl. Ang. ed.* 2. 171. *Fl. Scot.* 208. *Wither Arrang. ed.* 2. 413. *Fl. Lond. N.* 10. *Ic.* 57.

Anglis, *common knot-graſs.*

Hibernis, Glunach bheag.

Inveni in incultis, præſertim glareoſis, æque ac in locis cultis ubique. VI.

convol'vulus. 5. POLYG'ONUM foliis cordatis, caule volubili, floribus planiuſculis. *Lin. Sp. Pl. ed.* 3 522. *Fl. Ang. ed.* 2. 171. *Fl. Scot.* 208. *Wither. Arrang. ed.* 2. 415 *Fl. Lond. N.* 44. *Ic.* 262.

Anglis, *climbing knot-graſs, black bindweed.*

Hibernis,

Inveni ad vias juxta noſocomium Dominæ *Stephens*; inter ſegetes, in arvis, et ſepibus frequenter. VII.

DECANDRIA.

DIGYNIA.

112. *CHRYSOSPLE'NIUM.*

oppoſitifólium. 1. CHRYSOSPLE'NIUM foliis oppoſitis. *Lin. Sp. Pl. ed.* 3. 569. *Fl. Ang. ed.* 2. 178. *Fl. Scot.* 220. *Wither. Arrang. ed.* 2. 485.

Anglis, *oppoſite-leaved goldenſaxifrage.*

Hibernis, Clabhras, Lus na laogh.

Inveni ad rivulos, in locis humidis, umbroſis, et in paluſtribus prope *Luttrel's-town*, ſuper *Mill-pound* juxta *Old Abbey Howth*, et in ſylvis *Santry* et *Luttrel's-town* copioſiſſime. IV.

113. *S A X I F'-*

113. *SAXIF'RAGA.*

tridactyli'tes. 1. SAXIF'RAGA foliis caulinis cuneiformibus trifidis alternis, caule erecto ramoſo. *Lin. Sp. Pl. ed.* 3. 578. *Fl. Ang. ed.* 2. 182. *Fl Scot.* 224. *Wither. Arrang. ed.* 2. 434. *Fl. Lond. N.* 22. *Ic.* 127.

Anglis, *rue-leaved ſaxifrage, or whitlow-graſs.*

Hibernis,

Inveni ſuper tecta et muros antiquos, præſertim lutamenta juxta *Lucan-turnpike*, in *Long-lane* inter *Camden-ſtreet* et *New-ſtreet* prope *New-ſtreet*, et circa *Sandy-mount*. V.

---

114. *SAPONA'RIA.*

officinális. 1. SAPONA'RIA calycibus cylindricis foliis ovato-lanceolatis. *Lin. Sp. Pl. ed* 3. 584. *Fl. Lond. N.* 17. *Ic.* 100. *Fl. Ang. ed.* 2. 183. *Wither. Arrang. ed.* 2. 438.

Anglis, *common ſoap-wort, bruiſe-wort.*

Hibernis,

Inveni in foſſarum aggeribus arenoſis inter *Beggar's Buſh* et *Ball's-bridge*, in viis quoque ſiccis et ruderoſis *Dodder* vicinis abunde. VII.

DECANDRIA.

TRIGYNIA.

115. *CUCU'BALUS.*

béhen. 1. CUCU'BALUS calycibus ſubgloboſis glabris reticulato-venoſis, capſulis trilocularibus, corollis ſubnudis. *Lin. Sp. Pl. ed.* 3. 591. *Fl. Ang. ed.* 2. 186. *Fl. Scot.* 226. *Wither. Arrang. ed.* 2. 445.

Anglis, *ſpatling poppy, white bottle, bladder campion, white corn campion.*

Hibernis,

Inveni

Inveni in arvis ſiccioribus frequenter, et inter rupes et petras circiter *Bullock* copioſe, ut et *Kilmaſhouge*, *Blue-bell*, et alibi. VI.

---

116. *STELLA'RIA.*

holóſtea. 1. STELLA'RIA foliis lanceolatis ſerrulatis, petalis bifidis *Lin. Sp. Pl. ed.* 3. 603. *Fl Ang. ed.* 2. 190. *Fl. Scot.* 229 *Wither. Arrang. ed.* 2. 455. *Fl. Lond. N.* 14. *Ic.* 80.

Anglis, *greater ſtitch-wort.*

Hibernis, Tur Sacain.

Inveni in ſylvis, dumetis, et ſepibus paſſim; præſertim in clivis umbroſis inter *Rathmines* et portam orientalem comitis *Ely*, prope flumen *Dodder*, abundanter, et alibi. IV.

gramin'ea. 2. STELLA'RIA foliis linearibus integerrimis, floribus paniculatis *Lin. Sp. Pl. ed.* 3. 604. *Fl. Ang. ed.* 2. 190. *Fl. Scot.* 229. *Wither. Arrang. ed.* 2. 456. *Fl. Lond. N.* 62. *Ic.* 370. *S. uliginóſa.*

Anglis,

Anglis, *leſs ſtitch-wort.*

Hibernis, Tur Sacainin.

Inveni in pratis, ſepibus, et vepretis paſſim, præſertim ſolo arenoſo, et inter ulicem Europæam interdum. VII.

---

117. *A R E N A R' I A.*

peploides. 1. ARENAR'IA foliis ovatis acutis carnoſis. *Lin. Sp. Pl. ed.* 3. 605. *Fl. Ang. ed.* 2. 191. *Fl. Scot.* 229. *Wither. Arrang. ed.* 2. 458.

Anglis, *ſea ſand-wort.*

Hibernis,

Inveni in littoribus maris arenoſis frequenter apud *Howth*, *Killeny Bay*, *Iriſhtown* et *Clontarf*, in arvis arenoſis *North Wall* propinquis, copioſe, et alibi. VI.

ſerpyllifólia. 2. ARENA'RIA foliis ſubovatis acutis ſeſſilibus, corollis calyce brevioribus. *Lin.*

Lin. Sp. Pl. ed. 3. 606. *Fl. Ang. ed.* 2. 191. *Fl. Scot.* 230. *Wither. Arrang. ed.* 2. 459. *Fl. Lond. N.* 45. *Ic.* 265.

Anglis, *leaſt chickweed, thyme-leaved ſand-wort.*

Hibernis,

Inveni in muros arenoſos frequenter. V.

rúbra. 3. ARENA'RIA foliis filiformibus, ſtipulis membranaceis vaginantibus. *Lin. Sp. Pl. ed.* 3. 606. *Fl. Ang. ed* 2. 192. *Fl. Scot.* 230. *With. Arrang. ed.* 2. 459.

Anglis, *purple ſand-wort, ſea ſpurry.*

Hibernis,

Inveni in littoribus maris arenoſis abundanter cum arenaria peploide. VI.

PENTAGYNIA.

DECANDRIA.

PENTAGYNIA.

118. *COTYLE'DON.*

umbili'cus. 1. COTYLE'DON foliis cucullato-peltatis ſerrato-dentatis alternis, caule ramoſo, floribus erectis. *Lin. Sp. Pl. ed.* 3. 615 *var.* β. *Fl. Scot.* 233. *C. foliis peltatis crenatis, caule ſubſimplici, floribus pendulis, bracteis integris. Fl. Ang. ed.* 2. 194. *Wither. Arrang. ed.* 2. 463.
Veneris.

Anglis, *common navel-wort, wall penny-wort, kidney-wort.*

Hibernis, Carnan Caiſil, Lamhan Cait Leacan.

Inveni inter ſaxa et parietes ruinoſos circa montes Dublinenſes, *Howth, Killeny, Dalkey, Bullock, Scalp,* et alibi abundanter. VI.

119. *SE'DUM.*

119. *SE'DUM.*

reflex'um. 1. SE'DUM foliis ſubulatis ſparſis baſi ſolutis, inferioribus recurvatis *Lin. Sp. Pl. ed.* 3. 618. *Fl Ang ed* 2. 195. *Fl. Scot.* 234. *With. Arrang. ed.* 2. 466.

Anglis, *yellow ſtone-crop, prick madam.*

Hibernis,

Inveni ſuper veteres muros circa *Chapel-izod* copioſe. VII.

acre. 2. SE'DUM foliis ſubovatis adnato-ſeſſilibus gibbis erectiuſculis alternis, cyma trifida. *Lin. Sp. Pl. ed.* 3. 619. *Fl. Ang. ed.* 2. 196. *Fl. Scot.* 235. *Wither. Arrang. ed.* 2. 467. *Fl. Lond. N.* 4. *Ic.* 19.

Anglis, *ſtone-crop, wall pepper.*

Hibernis, Grafan na Cclock.

Inveni ſuper veteres muros, rupes, tectaque domuum paſſim; etiamque in littoribus maritimis copioſe. VI.

Ang'licum. 3. SE'DUM foliis ſubovatis adnato-ſeſſilibus gibbis alternis, cyma ramoſa bifida. *Fl. Ang ed.* 2. 196. *Wither. Arrang. ed.* 2. 468. *Fl. Scot* 235. *S. rubens. Lin. Sp. Pl. ed.* 3. 620. *S. annuum ? Eng. Botany N.* 41. *Ic.* 171.

Anglis, *Engliſh ſtone-crop.*

Hibernis,

Inveni in ſaxoſis, arenoſis, et ſterilioribus pratis, circa plumbi fodinas *Dalkey* copioſe; ſuper montes *Howth,* et *Dublin,* et alibi. VII

---

120. *O X' A L I S.*

acetoſel'la. 1. OX'ALIS ſcapo unifloro, foliis ternatis, radice ſquamoſa articulata. *Lin. Sp. Pl. ed.* 3. 620. *Fl. Ang ed.* 2. 198. *Fl. Scot.* 237. *With. Arrang. ed.* 2. 469. *Fl. Lond. N.* 19. *Ic.* 110. *Med. Bot. p.* 56. *Ic.* 20.

Anglis, *common wood-ſorrel, cuckow-bread, ſour trefoil, cuckow-meat, cuckow-ſorrel, ſtub-wort.*

Hibernis,

Hibernis, Seamſog, Samha Fear-na.

Inveni in ſylvis, et ad arborum radices *Luttrel's-town*, *Santry*, *Phœnix-Park*, et alibi; et in ericetis umbroſis paſſim. IV.

---

121. *AGROSTEM'MA.*

githágo. 1. AGROSTEM'MA hirſuta calycibus corollam æquantibus, petalis integris nudis. *Lin. Sp. Pl ed.* 3. 624. *Fl. Ang. ed.* 2. 198. *Fl. Scot.* 238. *Wither. Arrang. ed.* 2. 471. *Fl. Lond. N.* 35. *Ic.* 210.

Anglis, *cockle.*

Hibernis, Cogal.

Inveni inter ſegetes prope lavacrum *Howth*, circa *Warren Houſe* in itinere ad *Howth*, et alibi. VI.

122. *L Y C H' N I S.*

flos cúculi. 1. LYCH'NIS petalis quadrifidis, fructu ſubrotundo. *Lin. Sp. Pl. ed.* 3. 625. *Fl. Ang. ed.* 2. 199. *Fl. Scot.* 239. *Wither. Arrang. ed.* 2. 473. *Fl. Lond. N.* 2. *Ic.* 12.

Anglis, *meadow pinks*, *wild Williams*, *lychnis cuckow-flower*, *ragged Robbin*, *crow-flower*.

Hibernis,

Inveni in paluſtribus circa lavacrum *Howth*; in pratis, et paſcuis humidis, juxta *King's-town*, *Stag's-town*, *Wood-town*, *Killmaſhouge*, et alibi ad radices et latera montium Dublinenſium; in *Scrible's-town* agris; et prope *Blue-bell*, locis uliginoſis copioſe. VI.

dioica. 2. LYCH'NIS floribus dioicis. *Lin. Sp. Pl. ed.* 3. 626. *Fl. Ang. ed.* 2. 199. *Fl. Scot.* 240. *Wither. Arrang. ed.* 2. 474. *Fl. Lond. N.* 14. *Ic.* 79.

Anglis, *wild campion*.

Hibernis,

Hibernis, **Coirearan Coilleach.**

Inveni in arvis arenoſis, et ſiccioribus circa *Warren-Houſe* via ad *Howth* ducente copioſe, et ubique in vicinitate *Baldoyle.* VI.

---

123. *CERASTIUM.*

vulgátum. 1. CERASTIUM foliis ovatis, petalis calyce æqualibus, caulibus diffuſis. *Lin. Sp. Pl. ed.* 3. 627. *Fl. Ang. ed.* 2. 200. *Fl. Scot.* 240. *With. Arrang. ed.* 2. 476. *Fl. Lond. N.* 22. *Ic.* 131.

Anglis, *common mouſe-ear chickweed.*

Hibernis,

Inveni in pratis, paſcuis, ruderatis, et ad vias ubique. V.

arven'ſe. 2. CERASTIUM foliis lineari-lanceolatis obtuſis, corollis calyce majoribus. *Lin. Sp. Pl. ed.* 3. 628. *Fl. Ang. ed.* 2. 201. *Fl. Scot.* 241. *Wither. Arrang. ed.* 2. 478. *Fl. Lond. N.* 62. *Ic.* 368. *Engliſh Botany N.* 28. *Ic.* 93.

Anglis,

Anglis, *corn mouſe-ear chickweed.*

Hibernis,

Inveni in arvis arenoſis, et ad vias inter *Clontarf* et *Howth* abunde. IV.

---

124. *SPER'GULA.*

arven'ſis. 1. SPER'GULA foliis verticillatis *(fructibus pendulis Hudſon.)* floribus decandris. *Lin. Sp. Pl. ed.* 3. 630. *Fl. Ang. ed.* 2. 202. *Fl. Scot.* 243. *With. Arrang. ed.* 2. 481. *Fl. Lond. N.* 52. *Ic.* 310.

Anglis, *corn ſpurrey.*

Hibernis, **Corran lin, Cluan lin, cabrais.**

Inveni in arvis arenoſis, et inter ſegetes apud *Warren-Houſe* non longe ab *Howtb*, ſuper monte *Kilmaſhouge*, *Knockmarron*, et alibi. VI.

nodóſa. 2. SPER'GULA foliis oppoſitis ſubulatis levibus, caulibus ſimplicibus. *Lin.*

Lin. Sp. Pl. ed. 3. 630. *Fl. Ang. ed.* 2 203. *Fl. Scot.* 244. *Wither Arrang. ed.* 2. 483. *Fl. Lond. N.* 44. *Ic.* 259.

Anglis, *knotted ſpurrey, Engliſh marſh ſaxifrage.*

Hibernis,

Inveni in arenoſis juxta rivulos *Sandymount*, et *Templeouge*, et rivos *Rathſarnam*; in paluſtribus circa *Killgobbin*, prope rivulos *Phœnix-Park*, et alibi. VI.

DODECANDRIA.

MONOGYNIA.

125. *LYTHRUM.*

ſalicária. 1. LYTHRUM foliis oppoſitis cordato-lanceolatis, floribus ſpicatis dodecandris. *Lin. Sp. Pl. ed.* 3. 640. *Fl. Lond. N.* 31. *Ic.* 186. *Fl. Ang. ed.* 2. 205. *Fl. Scot.* 247. *Wither. Arrang. ed.* 2. 489.

Anglis,

Anglis, *purple ſpiked willow-herb, or looſeſtriſe.*

Hibernis, Brealan leana.

Inveni in paluſtribus, et ad fluviorum ripas frequenter. VI.

DODECANDRIA.

DIGYNIA.

126. *AGRIMO'NIA.*

eupatória. 1. AGRIMO'NIA foliis caulinis pinnatis impari-petiolatis, fructibus hiſpidis. *Lin. Sp. Pl. ed.* 3. 643 *Fl. Ang. ed.* 2. 206. *Fl. Scot.* 247. *Wither. Arrang. ed.* 2. 491. *Fl. Lond. N.* 53. *Ic.* 316. *Fl. Ruſtica N.* 13. *Ic.* 37.

Anglis, *common agrimony.*

Hibernis, Marabh dhroighean.

Inveni in locis nemoroſis, et in paſcuis ad ſepes paſſim. VII.

TRIGYNIA.

DODECANDRIA.

TRIGYNIA.

127. *RESE'DA.*

lutéola. 1. RESE'DA foliis lanceolatis integris baſi utrinque unidentatis, calycibus quadrifidis. *Lin. Sp. Pl. ed.* 3. 643. *Fl. Ang. ed* 2. 207. *Fl. Scot.* 248. *With. Arrang. ed.* 2. 492. *Fl Ruſtica N.* 14. *Ic.* 40.

Anglis, *wild woad, dyer's weed, yellow weed.*

Hibernis, Buidhe mor.

Inveni ſuper muros, et in locis ruderatis, etiam in pratis et arvis requietis frequenter. IV.

lutea. 2 RESE'DA foliis omnibus trifidis, inferioribus pinnatis. *Lin. Sp. Pl. ed.* 3. 645. *Fl. Ang. ed.* 2. 207. *Fl. Scot.* 249. *Wither. Arrang. ed.* 2. 493.

Anglis, *baſe rocket.*

Hibernis,

Inveni in arvis arenoſis apud *Sandy-mount.* VI.

---

128. *E U P H O R' B I A.*

péplus. 1. EUPHOR'BIA umbella trifida dichotoma, involucellis ovatis, foliis integerrimis obovatis petiolatis. *Lin Sp. Pl. ed.* 3. 653. *Fl. Ang. ed.* 2. 208. *Fl. Scot.* 249. *Wither. Arrang. ed.* 2. 495. *Fl. Lond. N.* 6. *Ic.* 32.

Anglis, *petty ſpurge.*

Hibernis, Gear neímh.

Inveni in hortis oleraceis, et arvis pinguioribus, inque agris neglectis frequenter. IV.

helioſcópia, 2. EUPHOR'BIA umbella quinquefida, trifida dichotoma, involucellis obovatis, foliis cuneiformibus ſerratis. *Lin. Sp. Pl. ed.* 3. 658. *Fl. Ang. ed.* 2. 209. *Fl. Scot.* 250. *With. Arrang. ed.* 2. 497. *Fl. Lond. N.* 12. *Ic.* 71.

Anglis,

Anglis, *ſun ſpurge, wart-wort, churn-ſtaff, cat's milk, fairy's milk.*

Hibernis,

Inveni cum priore copioſe. VI.

exig'ua. 3. EUPHOR'BIA umbella trifida, dichotoma, involucellis lanceolatis, foliis linearibus. *Lin Sp Pl ed* 3. 654. *Fl. Ang. ed.* 2. 208. *Fl. Scot.* 250. *With. Arrang. ed.* 2. 495. *Fl. Lond. N.* 41. *Ic.* 243.

Anglis, *dwarf ſpurge.*

Hibernis,

Inveni in arvis montoſis ſiccioribus, præſertim ſuper *Knockmaroon-hill*, inter *Chapelizod* et *Luttrel's-town*; in arenoſis *Raheny-ſtrand*, et alibi. VI.

parálias. 4. EUPHOR'BIA umbella ſubquinquefida bifida, involucellis cordato-reniformibus foliis ſurſum imbricatis. *Lin. Sp. Pl. ed.* 3. 657. *Fl. Ang. ed.* 2. 209. *Wither. Arrang. ed.* 2. 496.

Anglis, *ſea ſpurge.*

Hibernis,

Inveni in littore arenoſo apud *Killeny-bay* copioſe. VII.

DODECANDRIA.

DODECAGYNIA.

---

129. *SEMPERVI'VUM.*

tectórum. 1. SEMPERVI'VUM foliis ciliatis, propaginibus patentibus. *Lin. Sp. Pl. ed.* 3. 664. *Fl. Ang. ed.* 2. 211. *Fl. Scot.* 251. *Wither. Arrang. ed.* 2. 502. *Fl. Lond. N.* 27. *Ic.* 162.

Anglis, *common houſe-leek.*

Hibernis, Feinne Gabhla, Finne Tinne, Toirpin.

Inveni fere ubique ſuper ſtraminea caſarum tecta, ſed præſertim apud *Raheny* abundanter. VII.

ICOSANDRIA.

ICOSANDRIA.

MONOGYNIA.

130. *PRU'NUS.*

ſpinóſa. 1. PRU'NUS pedunculis ſolitariis, foliis lanceolatis glabris, ramis ſpinoſis. *Lin. Sp. Pl. ed.* 3. 681. *Fl. Ang. ed.* 2. 212. *Fl. Scot.* 254. *Wither. Arrang. ed.* 2. 509. *Med. Bot. p.* 233. *Ic.* 84.

Anglis, *black-thorn*, *ſloe tree*, *ſcrogs.*

Hibernis, Airneog, drainc'og, Kran airneadh, no draighean.

Inveni in ſylvis *Phœnix Park*, *Luttrel's-town*, et in ſepibus paſſim. IV.

DIGYNIA.

ICOSANDRIA.

DIGYNIA.

131. *CRATÆ'GUS.*

oxyacántha. 1. CRATÆ'GUS foliis obtuſis ſubtrifidis ſerratis. *Lin. Sp. Pl. ed.* 3. 683. *Fl. Scot.* 255. *Hunt. Ev. Sylv. ed alt. Vol.* 1. 178. *Cum floribus monogynis. Fl. Ang. ed.* 2. 214. *C. monogy'na. Wither. Arrang. ed.* 2. 511.

Anglis, *white-thorn*, *haw-thorn*, *may.*

Hibernis, Sgeagh, Uath, Sgeach, Sgeach Gheal.

Inveni in ſylvis et ſepibus ubique. V.

ICOSANDRIA.

PENTAGYNIA.

132. *PY'RUS.*

málus. 1. PY'RUS foliis ſerratis umbellis ſeſſilibus. *Lin. Sp. Pl. ed.* 3. 686. *Fl. Ang ed.* 2. 216. *Fl. Scot.* 258. *Wither. Arrang. ed.* 2. 517.

Anglis, *crab tree, wilding.*

Hibernis, Gairteog, Abhalc Fiad-hain.

Inveni in ſylvis et ſepibus paſſim. V.

133. *SPIRÆ'A.*

ulmária. 1. SPIRÆ'A foliis pinnatis impari majore lobato, floribus cymoſis. *Lin. Sp. Pl ed.* 3. 702. *Fl Ang. ed.* 2. 217. *Fl. Scot.* 259. *Wither. Arrang. ed.* 2. 519. *Fl. Lond. N.* 58. *Ic.* 343.

Anglis,

Anglis, *meadow-ſweet*, *queen of the meadows*.

Hibernis, **Airgiod Luachra.**

Inveni in pratis humidis, et ad rivulorum ripas frequenter. VI.

ICOSANDRIA.

POLYGYNIA.

134. *ROSA.*

ſpinoſiſſima. 1. ROSA germinibus globoſis glabris, pedunculis hiſpidis, caule petioliſque aculeatiſſimis. *Lin. Sp. Pl. ed.* 3 705. *Fl. Ang. ed.* 2. 218. *Fl. Scot.* 260. *Wither. Arrang. ed.* 2. 524.

Anglis, *burnet roſe*, *pimpernel roſe.*

Hibernis,

Inveni in ſabuloſis inter *Sheds-of-Clontarf* et *Howth* copioſe, et alibi. V.

arvenſis.

arvenſis. 2. RO'SA germinibus globoſis, pedunculisque glabris, caule petioliſque aculeatis, floribus ſubcymoſis. *Sys. Veget. ed.* 13. 394. *Fl. Ang. ed* 1. 192. *ed.* 2. 219 *Fl. Scot.* 261. *Wither. Arrang. ed.* 2. 521.

Anglis, *white-flowered dog roſe.*

Hibernis,

Inveni in ſepibus frequenter. VI.

canina. 3. RO'SA germinibus ovatis, pedunculisque glabris, caule petioliſque aculeatis. *Lin. Sp. Pl. ed.* 3. 704. *Fl. Ang. ed.* 2. 219. *Fl. Scot.* 262. *Wither. Arrang. ed.* 2. 523. *Fl. Lond. N.* 51. *Ic.* 301. *Med. Botany p.* 377. *Ic.* 139.

Anglis, *dog roſe, hep tree, wild briar.*

Hibernis, **Fora dhrios, ſgeach mhadra.**

Inveni in ſepibus paſſim. VI.

135. *R U' B U S.*

fruticóſus. 1. RU'BUS foliis quinato-digitatis ternatiſque, caule petioliſque aculeatis. *Lin. Sp Pl. ed.* 3. 707. *Fl. Ang. ed.* 2. 220. *Fl. Scot.* 264. *Wither. Arrang. ed.* 2. 527.

Anglis, *common bramble, blackberry buſh, bumble-kites.*

Hibernis, **Dreſeog, Drios, Sgcach talmhan.**

Inveni in ſepibus et dumetis ubique. VII.

---

136. *F R A G A' R I A.*

veſ'ca. 1. FRAGA'RIA flagellis reptantibus. *Lin. Sp. Pl. ed.* 3. 708. *Fl. Ang. ed.* 2. 221. *Fl. Scot.* 267. *Wither. Arrang. ed.* 2. 529.

Anglis, *common ſtrawberry.*

Hibernis, **Suth talmhan.**

Inveni in ſylvis, dumetis, et ad ſepes frequenter. IV.

ſter'ilis.

ſter'ilis. 2. FRAGA'RIA caule decumbente, ramis floriferis laxis. *Sys. Veget. ed.* 13. 396. *Lin. Sp. Pl. ed.* 3. 709. *caule repente. Fl. Ang. ed.* 2. 222. *Fl. Scot.* 268. *Wither. Arrang ed.* 2. 530. *Fl. Lond. N.* 29. *Ic.* 170.

Anglis, *barren ſtrawberry.*

Hibernis, **Suth talmhan.**

Inveni in paſcuis et ericetis ſterilioribus paſſim; ad foſſarum aggeres copioſe circa *Killeſter*, *Raheny*, et alibi. III.

---

137. *POTENTIL'LA.*

anſerina. 1. POTENTIL'LA foliis pinnatis ſerratis, caule repente. *Lin. Sp. Pl. ed.* 3. 710. *pedunculis unifloris. Sys. Veget. ed.* 13. 396. *Fl. Ang. ed.* 2. 222. *Fl. Scot.* 268. *Wither. Arrang. ed. ed.* 2. 532. *Fl. Lond. N.* 34. *Ic.* 204.

Anglis, *ſilver-weed, wild tanſey, gooſe-graſs, gooſetanſey.*

Hibernis, Brioſclan.

Inveni ubique. VI.

rep'tans. 2. POTENTIL'LA foliis digitatis, caule repente, pedunculis unifloris. *Lin. Sp. Pl. ed.* 3. 714. *Fl. Ang. ed.* 2. 224. *Fl. Scot.* 271. *Wither. Arrang. ed.* 2. 534, 536. *Tormentil'la rep'tans. Fl. Lond. N.* 5. *Ic.* 29. *Med. Bot. p.* 160. *Ic.* 59.

Anglis, *common cinquefoil, five leaved-graſs.*

Hibernis, Cuigheag, Cuighnear Muirre, Meangach.

Inveni in paſcuis ſterilioribus frequenter, et ad ſemitas. VI.

138. *TORMENTIL'LA.*

erec'ta. 1. TORMENTIL'LA caule erectiuſculo, foliis ſeſſilibus. *Lin. Sp. Pl. ed.* 3. 716. *Fl. Ang. ed.* 2. 225. *Fl. Scot.* 272. *Wither. Arrang. ed.* 2. 536. et 535. *Potentil'la Tormentil'la. Fl. Lond. N.* 58. *Ic.* 344. *T. officinalis. Med. Bot. p.* 27. *Ic.* 9.

Anglis, *common tormentil, ſeptfoil.*

Hibernis, Neanaidin, Benedin, Leamhnacht.

Inveni in paſcuis ubique fere, præſertim montoſis, et in ericetis. VI.

---

139. *G E' U M.*

urbánum. 1. GE'UM floribus erectis, fructu globoſo villoſo: ariſtis uncinatis nudis, foliis lyratis. *Lin. Sp. Pl. ed.* 3. 716. *Fl. Ang. ed.* 2. 226. *Fl. Scot.* 273, *Wither. Arrang. ed.* 2. 537. *Fl. Lond. N.* 19. *Ic.* 113.

Anglis,

Anglis, *common avens, herb bennet.*

Hibernis, Machall.

Inveni in dumetis, et ad ſepes frequenter V.

rivále. 2. GE'UM floribus nutantibus, fructu oblongo, ariſtis plumoſis tortis. *Lin. Sp. Pl. ed.* 3. 717. *Fl. Ang. ed.* 2. 226. *Fl. Scot.* 274. *Wither. Arrang. ed.* 2. 538, *Engliſh Botany N.* 30. *Ic.* 106.

Anglis, *water avens.*

Hibernis,

Inveni in locis ſubhumidis ſylvæ *Santry*, occidentem verſus. V.

POLYANDRIA.

POLYANDRIA.

MONOGYNIA.

140. *CHELIDO'NIUM.*

glau'cium. 1. CHELIDO'NIUM pedunculis uniflo-ris, foliis amplexicaulibus ſinuatis, caule glabro. *Lin. Sp. Pl. ed.* 3. 724. *Fl. Ang. ed.* 2. 229. *Fl. Scot.* 279. *Wither. Arrang. ed.* 2. 548. *Engliſh Bot. N.* 3. *Ic.* 8.

Anglis, *ſea celandine, yellow horned poppy.*

Hibernis,

Inveni in littoribus arenoſis apud *Killeny-Bay*, inter *Sheds-of-Clontarf* et *Howth*, inter *Sandy-Mount* et *Merrion*, et alibi. VI.

141. *PAPA'VER.*

141. PAPA'VER.

rhoe'as. 1. PAPA'VER capſulis glabris globoſis, caule piloſo multifloro, foliis pinnatifidis inciſis. *Lin. Sp. Pl. ed* 3. 726. *Fl. Ang. ed.* 2. 230. *Fl. Scot.* 279. *Wither. Arrang. ed.* 2. 551. *Fl. Lond. N.* 36. *Ic.* 216. *Med. Bot. p.* 512. *Ic.* 186.

Anglis, *red poppy*, *corn roſe*, *cop-roſe*, *headwark.*

Hibernis, Blaith na mbodagh, Cauleach Dhearg, Paipin.

Inveni inter ſegetes, ad agrorum margines &c. fere ubique. V.

ſomnif'erum. 2. PAPA'VER calycibus capſuliſque glabris, foliis amplexicaulibus inciſis. *Lin. Sp. Pl. ed.* 3. 726. *Fl. Ang. ed.* 2. 231. *Wither. Arrang. ed.* 2. 553. *Med. Bot. p.* 503. *Ic.* 185.

Anglis, *white poppy.*

Hibernis, Collaidin, Poipin.

Inveni in ſterilioribus circa *Warren-houſe* juxta *Howth*, apud *Blue-bell*, et in locis incultis et neglectis paſſim. VI.

142. NYMPHÆ'A.

142. *NYMPHÆ'A.*

lutea. 1. NYMPHÆ'A foliis cordatis integerrimis, calyce pentaphyllo majore. *Lin. Sp Pl. ed* 3. 729 *Fl. Ang. ed.* 2. 234. *Fl Scot.* 282 *Wither. Arrang. ed.* 2. 554. *Engliſh Botany N.* 39. *Ic.* 159.

Anglis, *yellow water-lily.*

Hibernis, **Cabhan Abhan, Duilleog bhaite, Liach Loghar.**

Inveni in ſtagnis majoribus profundis, prope pontem *Glaſnevin*, auſtrali parte. VII.

POLYANDRIA.

PENTAGYNIA.

143. *AQUILE'GIA.*

vulgáris. 1. AQUILE'GIA nectariis incurvis. *Lin. Sp. Pl. ed.* 3. 752. *Fl. Ang.ed.* 2. 235. *Fl. Scot.* 284. *Wither. Arrang. ed.* 2. 562.

Anglis, *columbines.*

Hibernis, **Cruba Leſin.**

Inveni in paſcuis, et ad ſepes, copioſe circa *Cappoge*, et *Dunſink*, et ſuper apice et ad latera collis *Knockmaroon* inter *Chapelizod* et *Luttrel's-town.* V.

POLYGYNIA.

POLYANDRIA.

POLYGYNIA.

144. *ANEMO'NE.*

nemoróſa. 1. ANEMO'NE ſeminibus acutis, foliolis inciſis, caule unifloro *Lin Sp Pl. ed.* 3 762. *Fl. Ang. ed* 2 236. *Fl. Scot.* 284. *Wither. Arrang ed.* 2. 566. *Fl Lond. N.* 13. *Ic.* 75.

Anglis, *wood anemone.*

Hibernis, Nead Cailleach.

Inveni in dumetis juxta ſcholam reverendi *Mears* apud *Black rock*, auſtrali parte; et in ſylvis paſſim. IV.

145. *ADO'NIS.*

autumnális. 1. ADO'NIS floribus octopetalis, fructibus ſubcylindricis. *Lin Sp. Pl. ed.* 3. 771. *Fl. Ang. ed.* 2. 239.

 Wither.

Wither. Arrang. ed. 2. 570. *Fl. Lond. N.* 23. *Ic.* 133.

Anglis, *corn flos-adonis, pheaſant's eye, red mathies, red Morocco.*

Hibernis,

Inveni inter ſegetes nonnunquam. VII.

---

146. *RANUN'CULUS.*

flam'mula. 1. RANUN'CULUS foliis ovato-lanceolatis petiolatis, caule declinato. *Lin. Sp. Pl. ed.* 3. 772. *Fl. Ang. ed.* 2. 239. *Fl. Scot.* 288. *Wither. Arrang. ed.* 2. 571. *Fl. Lond. N.* 66. *Ic.* 396.

Anglis, *leſs ſpearwort.*

Hibernis, **Laſſair Leana, Lonaigh.**

Inveni in pratis uliginoſis, et vadis ad rivulos fere ubique. VII.

lin'gua. 2. RANUN'CULUS foliis lanceolatis, caule erecto. *Lin. Sp. Pl. ed.* 3. 773. *Fl.*

Fl. Ang. ed. 2. 240. *Fl. Scot.* 287. *With. Arrang. ed.* 2. 572. *Engliſh Botany N.* 29. *Ic.* 100.

Anglis, *greater ſpearwort.*

Hibernis,

Inveni in pratis uliginoſis *Scrible's-town*, et alibi cum priore nonnunquam. VI.

ficária. 3. RANUN'CULUS foliis cordatis angulatis petiolatis. *Lin. Sp. Pl. ed.* 3. 774. *Fl. Scot.* 289. *Fl. Lond. N.* 13. *Ic.* 76. *Flora Ruſtica N.* 7. *Ic.* 21. *Ficária Ver'na. Fl. Ang. ed.* 2. 244. *Wither. Arrang. ed.* 2. 579.

Anglis, *common pilewort, leſs celandine.*

Hibernis, Grain Aigain.

Inveni in ſylvis, pratis, et ad ſepes paſſim; præſertim apud *Phænix-Park, Rathmines, Killeſter, Finglaſs-Bridge,* et alibi. III.

répens.

répens. 4. RANUN'CULUS calycibus patulis, pedunculis ſulcatis, ſarmentis repentibus, foliis compoſitis. *Lin Sp. Pl. ed.* 3. 779. *Fl Ang ed* 2. 240. *Fl. Scot.* 292. *With Arrang. ed* 2. 575. *Fl. Lond. N* 39. *Ic.* 229 *Fl. Ruſtica N* 10 *Ic.* 29.

Anglis, *creeping crowfoot or butter-cups.*

Hibernis, Fearban, Bairgin.

Inveni in pratis, paſcuis, foſſis, hortis, et ruderatis, locis humidioribus. V.

bulbóſus. 5. RANUN'CULUS calycibus retroflexis, pedunculis ſulcatis, caule erecto, foliis compoſitis. *Lin. Sp. Pl. ed.* 3. 778. *Fl. Ang ed.* 2 241. *Fl. Scot.* 292. *Wither. Arrang. ed.* 2. 574. *Fl. Lond N.* 7. *Ic.* 38. *Flora Ruſtica N.* 10. *Ic.* 28.

Anglis, *bulbous crowfoot, butter-flower, butter-cups or gold-cup.*

Hibernis, Tuile talmhan.

Inveni in paſcuis ſiccioribus frequenter, etiamque in hortis, pratis, et ad vias. V.

ácris.

ácris. 6. RANUN'CULUS calycibus patulis, pedunculis teretibus, foliis tripartito-multifidis ſummis linearibus. *Lin. Sp. Pl. ed.* 3. 779. *Fl. Ang. ed.* 2. 241. *Fl. Scot.* 293. *With. Arrang. ed.* 2. 576. *Fl. Lond. N.* 4. *Ic.* 20. *Flora Ruſtica N.* 10. *Ic.* 30.

Anglis, *upright crowfoot, butter-flower or butter-cups.*

Hibernis,

Inveni in pratis et paſcuis frequenter. V.

ſcelerátus. 7. RANUN'CULUS foliis inferioribus palmatis, ſummis digitatis, fructibus oblongis *Lin Sp. Pl. ed.* 3. 776. *Fl Ang. ed* 2. 241. *Fl. Scot* 291. *With. Arrang ed.* 2. 573. *Fl. Lond. N.* 17. *Ic* 99.

Anglis, *celery-leaved crowfoot.*

Hibernis, Toracħas biadħain.

Inveni in aquoſis, inque aquis ipſis ubique. V.

auricomus.

auricomus 8. RANUN'CULUS foliis radicalibus reniformibus crenatis incifis, caulinis digitatis linearibus, caule multifloro. *Lin. Sp. Pl. ed.* 3. 775. *Fl. Ang. ed.* 2. 242. *Fl. Scot.* 290. *Wither. Arrang. ed.* 2. 573. *Fl. Lond. N.* 16. *Ic.* 91.

Anglis, *wood crowfoot, goldilocks.*

Hibernis,

Inveni in ſylvis *Luttrel's-town, Santry, Rathfarnham, Phœnix-Park* et alibi, locis umbroſis. IV.

hederáceus. 9. RANUN'CULUS foliis ſubrotundis trilobis integerrimis, caule repente. *Lin. Sp. Pl. ed.* 3. 781. *Fl. Ang. ed.* 2. 243. *Fl. Scot.* 294. *Wither. Arrang. ed.* 2. 577. *Fl. Lond. N.* 42. *Ic.* 251.

Anglis, *ivy-leaved crowfoot.*

Hibernis,

Inveni in vadis limoſis, et ad ſcaturigines apud *Howth*, et alibi copioſe. IV.

aquátilis.

aquatilis. 10. RANUN'CULUS foliis ſubmerſis capillaceis, emerſis ſubpeltatis. *Lin. Sp. Pl. ed.* 3. 781. *Fl. Ang. ed.* 2. 243. *Fl. Scot.* 295. *Wither. Arrang. ed.* 2. 577. *Engliſh Botany N.* 29. *Ic.* 101.

Anglis, *various-leaved water crowfoot.*

Hibernis, **Meal Uiſge, Lionan Abhan, Fleann Uiſge, Leananach Snaithe baite'.**

Inveni in foſſis aqueis, lente rivulis decurrentibus, fluviis, et ſtagnis variis copioſe, ubique. IV.

---

147. *C A L' T H A.*

paluſ'tris. 1. CAL'THA. *Lin. Sp. Pl. ed.* 3. 784. *Fl. Ang. ed.* 2. 245. *Fl. Scot.* 298. *Wither. Arrang. ed.* 2. 583. *Fl. Lond. N.* 8. *Ic.* 47.

Anglis, *marſh marigold, meadow bouts.*

Hibernis, **Plubairſin, Bearnan, Bealtaine, Luſ buih Bealtaine.**

Inveni in locis aquoſis, et ad fluviorum ripas, apud *Long Meadows*, &c. in pratis et paſcuis montoſis humidis apud *Howth*, prope *Wood-town* et *Stag's-town* ad radices montium Dublinenſium, et alibi copioſe. III.

D I D Y N A M I A.

G Y M N O S P E R M I A.

148. *TEU'CRIUM.*

chamæ'drys. 1. TEU'CRIUM foliis cuneiformi-ovatis inciſo-crenatis petiolatis, floribus ternis, caulibus procumbentibus ſub-piloſis. *Sp. Pl. ed.* 3. 790. *Fl. Ang. ed.* 2. 247. *Wither. Arrang. ed.* 2. 592.

Anglis, *common germander.*

Hibernis,

Hibernis,

Inveni in marginibus agrorum ſatis ab ædibus remotum apud *Green-hills* via ad *Tallaght* ducente. VII.

ſcorodónia. 2. TEU'CRIUM foliis cordatis ſerratis petiolatis, racemis lateralibus ſecundis, caule erecto. *Lin. Sp. Pl. ed.* 3. 789. *Fl. Ang. ed.* 2. 248. *Fl. Scot.* 303. *With. Arrang. ed.* 2. 591. *Fl. Lond. N.* 50. *Ic.* 299.

Anglis, *wood germander*, *wood ſage.*

Hibernis,

Inveni in ericetis, et inter rupes abunde, apud *Howth*, et ad latera et radices montium Dublinenſium ubique. VII.

---

149. *A' J U G A.*

rep'tans. 1. A'JUGA glabra, ſtolonibus reptantibus. *Lin. Sp. Pl. ed.* 3. 785. *Fl. Ang. ed.* 2. 248. *Fl. Scot.* 302. *Wither. Arrang. ed.* 2. 589. *Fl. Lond. N.* 14. *Ic.* 81.

Anglis, *common bugle.*

Hibernis, **Glaſſar heile.**

Inveni in ſylva *Luttrel's-town* abunde, et ad foſſarum latera inter *Finglas* et *Cappogh*, et alibi. V.

---

150. *VERBE'NA.*

officinális. 1. VERBE'NA ſpicis filiformibus paniculatis, foliis multifido-lanceolatis, caule ſolitario. *Lin. Sp. Pl. ed.* 3. 29. *Fl. Ang. ed.* 2. 249. *Wither. Arrang. ed.* 2. 595. *Fl. Lond. N.* 5. *Ic.* 28.

Anglis, *common vervain, ſimpler's joy.*

Hibernis, **Cruba Leoin.**

Inveni ſecundum vias publicas prope *Luttrel's-town*, et ad radices collis *Knockmaroon*, apud *Dalkey* juxta muros templi antiqui, prope *Swords*, in paſtubus communibus prope *Bray*, juxta pontem *Finglas* occidentem verſus, et alibi. VII.

151. *MEN'THA.*

151. *MEN'THA.*

aquat'ica. 1. MEN'THA ſpicis capitatis, foliis ovatis ſerratis petiolatis, ſtaminibus corolla longioribus. *Lin. Sp. Pl. ed.* 3. 805 *Fl. Ang. ed.* 2. 252. *Fl. Scot.* 305. *Wither. Arrang. ed.* 2. 598.

Anglis, *water mint.*

Hibernis, Cartloinn.

Inveni paſſim ſecundum rivos et in locis humidioribus, præſertim apud *Phænix-Park* abundanter. VII.

---

152. *GLECO'MA.*

hederácea. 1. GLECO'MA foliis reniformibus crenatis. *Lin. Sp. Pl. ed.* 3. 807. *Fl. Ang. ed.* 2. 254. *Fl. Scot.* 307. *With. Arrang. ed.* 2. 603. *Fl. Lond. N.* 24. *Ic.* 141. *Fl. Ruſtica N.* 21. *Ic.* 61. *Med. Bot. p.* 84. *Ic.* 28.

Anglis,

Anglis, *common ground ivy, cat's foot, ale-hoof, tun-hoof.*

Hibernis, **Athair Lus.**

Inveni in ſylva *Luttrel's-sown* copioſiſſime, et ad ſepes et macerias alibi frequenter. IV.

---

153. *L A' M I U M.*

al'bum. 1. LA'MIUM foliis cordatis acuminatis ſerratis petiolatis, verticillis vigintifloris. *Lin. Sp. Pl. ed.* 3. 809. *Fl. Ang. ed.* 2. 255. *Fl. Scot.* 308. *Wither. Arrang. ed.* 2. 604. *Fl. Lond. N.* 20. *Ic.* 119. *Fl. Ruſtica N.* 9. *Ic.* 26.

Anglis, *white archangel, white dead nettle.*

Hibernis, **Neantog Gharabh, Neantog chaech.**

Inveni in arvis requietis, ad ſepes et macerias, inque locis ruderatis et hortorum areis. IV.

purpúreum.

purpureum. 2. LA'MIUM foliis cordatis obtuſis petiolatis. *Lin. Sp. Pl. ed.* 3. 809. *Fl Ang. ed.* 2. 255 *Fl. Scot.* 309. *Wither. Arrang. ed.* 2. 605 *Fl. Lond. N.* 8. *Ic.* 45. *Fl. Ruſtica N.* 9 *Ic.* 25.

Anglis, *red archangel, red dead nettle, dee-nettle.*

Hibernis, **Neantog Dharabh.**

Inveni cum priore frequenter. III.

amplexicaúle. 3. LA'MIUM foliis floralibus ſeſſilibus amplexicaulibus obtuſis. *Lin. Sp. Pl ed.* 3. 809. *Fl. Ang. ed.* 2. 255. *Fl. Scot.* 309. *Wither. Arrang. ed.* 2. 606. *Fl. Lond. N.* 19. *Ic.* 114.

Anglis, *perfoliate archangel, great henbit.*

Hibernis, **Neantog Chaech.**

Inveni cum priore, ſed rarius. V.

154. *GALEOP'SIS.*

154. *GALEOP'SIS.*

lad'anum. 1. GALEOP'SIS internodiis caulinis æqualibus, verticillis omnibus remotis. *Lin. Sp. Pl. ed.* 3. 810. *Fl. Ang. ed.* 2. 256. *Wither. Arrang. ed.* 2. 607.

Anglis, *red dead nettle or nettle hemp.*

Hibernis,

Inveni inter ſegetes apud *Malahide* juxta littus abundanter, et alibi; ad viam publicam in aggeribus ſepium et agrorum marginibus inter *Chapelizod* et *Luttrel's-town*, et alibi copioſe. VIII.

tet'rahit. 2. GALEOP'SIS internodiis caulinis ſuperne incraſſatis, verticillis ſummis contiguis. *Lin. Sp. Pl. ed.* 3. 810. *Fl. Ang. ed.* 2. 257. *Fl. Scot.* 310. *With. Arrang. ed.* 2. 608.

Anglis, *common dead nettle or nettle hemp.*

Hibernis,

Inveni cum priore frequenter. VII.

galeob'dolon.

galeob'dolon. 3. GALEOP'SIS verticillis ſexfloris involucro tetraphyllo. *Lin. Sp. Pl. ed.* 3. 810. *Fl. Scot.* 310. *Galeob'dolon luteum. Fl Ang. ed.* 2. 258. *Wither. Arrang. ed.* 2. 610. *Galeob'dolon Galeop'ſis. Fl. Lond. N.* 42. *Ic.* 248.

Anglis, *yellow archangel, yellow dead-nettle.*

Hibernis,

Inveni in ſylva *Luttrel's-town*, et ad ſepes inter *Ballibogil-Bridge* et *Aſh-Town*, et juxta *Cardiff's-Bridge*, auſtrali parte. V.

---

155. *S T A' C H Y S.*

ſylvat'ica. 1. STA'CHYS verticillis ſexfloris, foliis cordatis petiolatis. *Lin. Sp. Pl. ed.* 3. 811. *Fl. Ang. ed.* 2. 259. *Fl. Scot.* 312. *Wither. Arrang. ed.* 2. 612. *Fl. Lond. N.* 31. *Ic.* 184.

Anglis, *hedge nettle.*

Hibernis,

Inveni in ſylvis et ſepibus frequenter. VI.

paluſtris. 2. STA'CHYS verticillis ſexfloris, foliis lineari-lanceolatis ſemiamplexicaulibus. *Lin. Sp. Pl. ed.* 3. 811. *Fl. Ang. ed.* 2. 259. *Fl. Scot.* 313. *Wither. Arrang. ed.* 2. 613. *Fl. Lond. N.* 35. *Ic.* 207.

Anglis, *clown's all-heal, clown's wound-wort.*

Hibernis,

Inveni ad fluvios et in locis aquoſis nonnunquam, præſertim inter *Milltown* et *Rathmines*, prope *Mueden* juxta *Swords*, inter *Knockmaroon* et *Lucan*, et alibi. VII.

156. *BALLO'TA.*

156. *BALLO'TA.*

nigra. 1. BALLO'TA foliis cordatis indiviſis ſerratis, calycibus acuminatis. *Lin. Sp. Pl. ed.* 3. 814. *Fl. Ang. ed.* 2. 260. *Fl. Scot.* 314. *With. Arrang. ed.* 2. 615. *Engliſh Botany N.* 16. *Ic.* 46.

Anglis, *ſtinking horehound.*

Hibernis, Grafan.

Inveni in ruderatis et ad ſepes, præſertim apud *Howth* prope cænobium vetuſtum, juxta *Kilgobbin*, *Rathmines*, *Bullock*, et alibi. VII.

al'ba. 2. BALLO'TA foliis cordatis indiviſis ſerratis, calycibus ſubtruncatis. *Lin. Sp. Pl. ed.* 3. 814. *B. nigra var.* β. *Fl. Ang. ed.* 2. 260.

Anglis, *white ſtinking horehound.*

Hibernis,

Inveni in ruderatis nonnunquam cum priore. VII.

157. *ORIG'ANUM.*

vulgáre. 1. ORIG'ANUM ſpicis ſubrotundis, paniculis conglomeratis, bracteis calyce longioribus ovatis. *Lin. Sp. Pl. ed.* 3. 824. *Fl. Ang. ed.* 2. 262. *Fl. Scot.* 317. *Wither. Arrang. ed.* 2. 621. *Fl. Lond. N.* 57. *Ic.* 341. *Med. Bot. p.* 451. *Ic.* 164.

Anglis, *wild marjoram.*

Hibernis,

Inveni in ſepibus copioſiſſime circa *Roebuck*, ſuper monte *Knockmaroon*, et alibi. VIII.

---

158. *THY'MUS.*

ſerpyl'lum. 1. THY'MUS floribus capitatis, caulibus decumbentibus, foliis planis obtuſis. *Lin. Sp. Pl. ed.* 3. 825. *Fl. Ang. ed.* 2. 262. *Fl. Scot.* 318. *Wither. Arrang. ed.* 2. 623. *Flora Lond. N.* 13. *Ic.* 74. *Med. Bot. p.* 301. *Ic.* 110.

Anglis

Anglis, *wild thyme, mother of thyme.*

Hibernis,

Inveni in montoſis, paſcuis ſiccioribus, ericetis, et in formicarum tumulis ubique. VI.

---

159. *PRUNEL'LA.*

vulgáris. 1. PRUNEL'LA foliis omnibus ovato-oblongis petiolatis. *Lin. Sp. Pl. ed.* 3. 837. *Fl. Ang. ed.* 2. 264. *Fl. Scot.* 321. *Wither. Arrang. ed.* 2. 631. *Fl. Lond. N.* 38. *Ic.* 226.

Anglis, *common ſelf-heal.*

Hibernis, Ceannabhan beag, Dubhan Ceanncboſach, Dubhamuith.

Inveni in pratis, paſcuis, et ad vias ubique. VI.

160. *MELIS'SA.*

160. *MELIS'SA.*

calamin'tha. 1. MELIS'SA pedunculis axillaribus dichotomis longitudine foliorum. *Lin. Sp. Pl. ed.* 3. 827. *Fl. Ang. ed.* 2. 263. *Wither. Arrang. ed.* 2. 626.

Anglis, *mountain calamint.*

Hibernis,

Inveni in aggeribus ſepium prope *Luttrel's-town*, et in ruderoſis ad ſepes viaſque copioſe circa radices montis *Knockmaroon.* VIII.

DIDYNAMIA.

ANGIOSPERMIA.

---

161. *EUPHRA'SIA.*

odontítes. 1. EUPHRA'SIA foliis linearibus omnibus ſerratis. *Lin. Sp. Pl. ed.* 3. 841. *Fl. Scot.* 324. *Wither. Arrang. ed.*

ed. 2. 636. *Fl. Lond. N.* 11. *Ic.* 64. *Bart'ſia odontites. Fl. Ang. ed.* 2. 268. *Fl. Ruſt. N.* 14. *Ic.* 42.

Anglis, *red eye-bright.*

Hibernis,

Inveni in pratis et paſcuis humidis juxta *Sandymount, Kilgobbin, Swords*, et alibi abundanter. VII.

officinális. 2. EUPHRA'SIA foliis ovatis lineatis argute dentatis. *Lin. Sp. Pl. ed.* 3. 841. *Fl. Ang. ed.* 2. 269. *Fl. Scot.* 323. *Wither. Arrang. ed.* 2. 635. *Fl. Lond. N.* 57. *Ic.* 338.

Anglis, *common eye-bright.*

Hibernis, Raidhircin, Racimin Raidhrc, Ruiſnin Raidhrc Lin Raidhrc, Glan ruiſc.

Inveni in pratis et paſcuis ſiccioribus, præſertim apud *Phœnix-Park, Killbarrick, Howth*, ſuper *Dublin-Mountains* et prope eorundem radices, at alibi abundanter. VII.

162. *RHINAN'THUS.*

criſ'ta-galli. 1. RHINAN'THUS corollarum labio ſuperiore compreſſo breviore. *Lin. Sp. Pl. ed.* 3. 840. *Fl. Ang. ed* 2. 268. *Fl. Scot.* 322. *Wither Arrang. ed.* 2. 634. *Fl. Lond. N.* 55. *Ic.* 326.

Anglis, *yellow rattle*, *penny-graſs*, *coxcomb*, *cockſcomb.*

Hibernis, Bodanae Chloigin.

Inveni in pratis et paſcuis ſterilioribus abundanter. V.

---

163. *MELAMPY'RUM.*

ſylvaticum. 1. MELAMPY'RUM floribus ſecundis lateralibus, conjugationibus remotis, corollis hiantibus. *Lin. Sp. Pl. ed.* 3. 843. *Fl. Ang. ed.* 2. 270. *Fl. Scot.* 325. *Wither. Arrang. ed.* 2. 641.

Anglis,

Anglis, *yellow cow-wheat.*

Hibernis,

Inveni ſuper montes Dublinenſes copioſe, et in ſylvis *Luttrel's-town*, *Santry*, et *Phœnix-Park*. VI.

---

164. *PEDICULA'RIS.*

paluſ'tris. 1. PEDICULA'RIS caule ramoſo, calycibus calloſo-punctatis, corollis labio obliquis. *Lin. Sp. Pl. ed.* 3. 845. *Fl. Ang. ed.* 2. 270. *Fl. Scot.* 326. *Wither. Arrang. ed.* 2. 643.

Anglis, *marſh louſe-wort.*

Hibernis,

Inveni in paludoſis udiſque pratis, ſuper montes Dublinenſes, et alibi copioſe. VI.

ſylvat'ica. 2. PEDICULA'RIS caule ramoſo, calycibus oblongis angulatis lævibus, corollis labio cordato. *Lin. Sp. Pl. ed.* 3. 845. *Fl. Ang. ed.* 2. 271. *Fl. Scot.* 327. *With. Arrang. ed.* 2. 644.

Anglis, *common louſe-wort.*

Hibernis, Maothlan mona, Luſ ri-abhach, Lus an giolla, Riab-haigh, Milſhan Monah.

Inveni cum priore frequenter. IV.

---

165. *ANTIRRHI'NUM.*

linária. 1. ANTIRRHI'NUM foliis lanceolato-linearibus confertis, caule erecto, ſpicis terminalibus ſeſſilibus, floribus imbricatis. *Lin. Sp. Pl. ed.* 3. 858. *Fl. Ang. ed.* 2. 273. *Fl. Scot.* 328. *Wither. Arrang. ed.* 2. 648. *Fl. Lond. N.* 5. *Ic.* 25.

Anglis, *common toad-flax.*

Hibernis,

Inveni ad viam publicam inter *Rathmines* et *Milltown*, juxta flumen *Dodder* boream verſus, et in ſterilioribus arenoſis apud *Liſſon-hall* adverſus *Malahide.* VII.

május.

május. 2. ANTIRRHI'NUM corollis ecaudatis, floribus ſpicatis, capſulis rotundatis. *Lin Sp. Pl. ed.* 3. 859. *Fl. Ang. ed.* 2. 274. *Wither. Arrang. ed.* 2. 650. *Engliſh Botany N.* 34. *Ic.* 129.

Anglis, *ſnapdragon.*

Hibernis, Sriumb na Laogh.

Inveni in muros antiquos hortis vicinos frequenter; ortum vero, ut ſuſpicor, ſeminibus hortenſibus trahens. VI.

---

166. *SCROPHULA'RIA.*

nodóſa. 1. SCROPHULA'RIA foliis cordatis trinervatis, caule obtuſangulo. *Lin. Sp. Pl. ed.* 3. 863. *Fl. Ang. ed.* 2. 274. *Fl. Scot.* 329. *With. Arrang. ed.* 2. 651.

Anglis, *great fig-wort, kernel-wort.*

Hibernis, Fothrum, Dun Lus, Faſach dubh, Lus na Ccnapan.

Inveni in ſylvis, dumetis, et ſepibus paſſim. VI.

aquatica. 2. SCROPHULA'RIA foliis cordatis petiolatis decurrentibus obtuſis, caule membranis angulato, racemis terminalibus. *Lin. Sp. Pl. ed.* 3. 864. *Fl. Ang. ed.* 2. 275. *Fl. Scot.* 329. *Wither. Arrang. ed.* 2. 652. *Fl. Lond. N.* 49. *Ic.* 290.

Anglis, *water betony*.

Hibernis,

Inveni ad ripas fluviorum et in ipſis aquis in *Long-Meadows*, inter *Cardiff's-Bridge* et *Aſh-Town*, et alibi, copioſe. VI.

---

167. *DIGITA'LIS.*

purpúrea. 1. DIGITA'LIS calycinis foliolis ovatis acutis, corollis obtuſis, labio ſuperiore integro. *Lin. Sp. Pl. ed.* 3. 866. *Fl. Ang. ed.* 2. 275. *Fl. Scot.* 330. *Wither. Arrang. ed.* 2. 654. *Fl. Lond. N.* 11. *Ic.* 65. *Med. Bot. p.* 71. *Ic.* 24.

Anglis,

Anglis, *purple foxglove.*

Hibernis, Mearacan, Siothan Mearacan na mna Sighe.

Inveni ad vias et ſepes inter *Killgobbin Scalp* et *Glancullen* copioſe, apud collem *Grange* ad radices montium Dublinenſium, et apud collem *Tallaght* juxta viam ad *Bleſſingtown* ducentem. VI.

TETRADYNAMIA.

SILICULOSA.

168. *DRA'BA.*

ver'na. 1. DRA'BA ſcapis nudis, foliis lanceolatis ſubinciſis. *Lin. Sp. Pl. ed.* 3. 896. *Fl. Ang. ed.* 2. 278. *Fl. Scot.* 337. *Wither. Arrang. ed.* 2. 668. *Fl. Lond. N.* 2. *Ic.* 7.

Anglis, *common whitlow-graſs.*

Hibernis,

Hibernis,

Inveni ſuper muros antiquos in auſtralo-occidentali parte, *Phœnix-Park*, inter *Sarah's-Bridge* et *Chapelizod* abundanter, in aggeribus ſiccioribus *North Wall* copioſe, et alibi. III.

---

169. *THLAS'PI.*

campeſtre. 1. THLAS'PI ſiliculis ſubrotundis, foliis ſagittatis dentatis incanis. *Lin. Sp. Pl. ed.* 3. 903. *Fl. Ang. ed.* 2. 281. *Fl. Scot.* 341. *Wither. Arrang. ed.* 2. 674. *Fl. Lond. N.* 51. *Ic.* 304.

Anglis, *baſtard creſs*, *mithridate muſtard.*

Hibernis, Garbh raitheach.

Inveni in locis apricis, ſolo arenoſo gaudens apud *Howth*, *Dublin Mountains*, inter *Killgobbin* et *Glancullen*, et alibi. VI.

arvenſe. 2. THLAS'PI ſiliculis orbiculatis, foliis oblongis dentatis glabris. *Lin. Sp.*

Pl.

Pl. ed. 3. 901. *Fl. Ang. ed.* 2. 281. *Fl. Scot.* 340. *Wither. Arrang. ed.* 2. 673. *Fl. Lond. N.* 62. *Ic.* 367

Anglis, *treacle muſtard, penny creſs, baſtard creſs or muſtard.*

Hibernis, Praiſeach Fiadh, Praiſeach na Ceaoragh.

Inveni in agris requietis copioſe *Bray*, et alibi. VI.

burſa paſtóris. 3. THLASPI ſiliculis obcordatis, foliis radicalibus pinnatifidis. *Lin. Sp. Pl. ed.* 3. 905. *Fl. Scot.* 342. *Fl. Ang. ed.* 2. 283. *Wither. Arrang. ed.* 2. 679. *Fl. Lond. N.* 9. *Ic.* 52.

Anglis, *ſheperd's purſe, ſheperd's pouch.*

Hibernis, Sraidin, Luſs a ſparain, Lus na ſoia.

Inveni ſecus vias, in locis deſertis et incultis, ſuper muris antiquis, inque ruderibus ubique. II. XI.

170. *COCHLEA'RIA.*

officinális. 1. COCHLEA'RIA foliis radicalibus ſubrotundis, caulinis oblongis ſubſinuatis. *Lin. Sp. Pl. ed.* 3. 903. *Fl. Ang. ed.* 2. 283. *Fl. Scot.* 342. *With. Arrang. ed.* 2. 677. *Med. Bot. p.* 86. *Ic.* 29.

Anglis, *ſcurvy graſs*, *ſcrooby graſs.*

Hibernis, Biolar Tragha.

Inveni ad litus maris variis in locis, præſertim apud *Black Rock*, *Dunleary*, *Bullock*, *Dalkey*, *Howth*, &c. ubi e ſcopulorum fiſſubus exit. IV.

Groenlan'dica. 2. COCHLEA'RIA foliis reniformibus carnoſis integerrimis. *Lin. Sp. Pl. ed.* 3. 904. *Fl. Ang. ed.* 2. 383. *var.* γ. *Fl. Scot.* 344. *With. Arrang. ed.* 2. 678, 679.

Anglis, *Greenland ſcurvy graſs.*

Hibernis,

Inveni cum priore paſſim. IV.

Dánica.

Dánica. 3. COCHLEA'RIA foliis haſtatis angulatis. *Lin. Sp. Pl. ed.* 3. 903. *Fl. Ang. ed.* 2. 284. *Fl. Scot.* 343. *With. Arrang. ed.* 2. 679.

Anglis, *Daniſh ſcurvy graſs.*

Hibernis,

Inveni cum cochlearia officinali interdum, in littoribus maritimis ſolo lutoſo gaudentem abundanter, inter *Beggar's-buſh* et *Iriſh-town* prope pontem *Ring's-end.* V.

corónopus. 4. COCHLEA'RIA foliis pinnatifidis. *Lin. Sp. Pl. ed.* 3. 904. *Fl. Ang. ed.* 2. 284. *Fl. Scot.* 345. *Wither. Arrang. ed.* 2. 680.

Anglis, *ſwine's creſſes or ſcurvy graſs.*

Hibernis,

Inveni in locis uliginoſis, et ad vias paſſim, præſertim viam ad *Rathfarnham* ducentem. VII.

TETRADYNAMIA.

SILIQUOSA.

---

171. *ERYS'IMUM.*

officinále. 1. ERYS'IMUM ſiliquis ſpicæ adpreſſis, foliis runcinatis. *Lin. Sp. Pl. ed.* 3. 922. *Fl. Ang ed.* 2. 286. *Fl. Scot.* 354. *Wither. Arrang. ed.* 2. 695. *Fl. Lond. N.* 55. *Ic.* 328.

Anglis, *common hedge-muſtard, bank creſſes, ſcrambling rocket.*

Hibernis, **Mael Iſa Garb raith-eath.**

Inveni ad ſepes et muros, inque locis ruderatis ubique. IV.

barbárea. 2. ERYS'IMUM foliis lyratis, extimo ſubrotundo. *Lin. Sp. Pl. ed.* 3. 922. *Fl. Ang. ed.* 2. 286. *Fl. Scot.* 355. *Wither. Arrang. ed.* 2. 696.

Anglis,

Anglis, *winter creſſes, winter rocket.*

Hibernis, Trabach.

Inveni in muros, aggeres juxta rivulos ubique, non raro etiam in campeſtribus cultis IV.

alliária. 3. ERYS'IMUM foliis cordatis. *Lin. Sp. Pl. ed.* 3. 922. *Fl Ang. ed.* 2. 286. *Fl. Scot.* 356. *With. Arrang. ed* 2. 696. *Fl. Lond. N.* 24. *Ic.* 140.

Anglis, *ſtinking hedge-muſtard, Jack-by-the-hedge, ſauce-alone.*

Hibernis, Ba Cuineall, Garb Raitheach, Gairealach Collain.

Inveni in ſepibus, umbroſis, et ruderoſis paſſim. IV.

---

172. *CHEIRAN'THUS.*

cheiri. 1. CHEIRAN'THUS foliis lanceolatis acutis glabris, ramis angulatis. *Lin. Sp. Pl. ed.* 3. 924. *Fl Ang. ed.* 2. 287. *Fl. Scot.* 357. *Wither. Arrang. ed.* 2. 699.

 Anglis,

Anglis, *common wall-flower.*

Hibernis,

Inveni ſuper muros vetuſtos juxta pontem *Milltown* copioſe, et alibi. IV.

---

173. *RAPH'ANUS.*

raphaniſ'trum. 1. RAPH'ANUS ſiliquis teretibus articulatis lævibus unilocularibus. *Lin. Sp. Pl. ed.* 3. 935. *Fl. Ang. ed.* 2. 289. *Fl. Scot.* 362. *With. Arrang. ed.* 2. 715. *Fl. Lond. N.* 45. *Ic.* 270. *Fl. Ruſtica N.* 24. *Ic.* 71.

Anglis, *corn radiſh*, *charlock.*

Hibernis, Praiſeach.

Inveni inter ſegetes frequenter. VI.

174. *BRAS'SICA.*

174. *BRAS'SICA.*

nápus. 1. BRAS'SICA radice cauleſcente fuſiforme. *Lin. Sp. Pl. ed.* 3. 931. *Fl. Ang. ed.* 2. 290. *Fl. Scot.* 359. *Wither. Arrang. ed.* 2. 707.

Anglis, *wild cabbage*, *rape*, *nape*, *navew.*

Hibernis, Praiſeach buidhe.

Inveni in aggeribus foſſarum ubique. IV.

---

175. *CARDAM'INE.*

praten'ſis. 1. CARDAM'INE foliis pinnatis, foliolis radicalibus ſubrotundis, caulinis lanceolatis. *Lin. Sp. Pl. ed.* 3. 915. *Fl. Ang. ed.* 2. 294. *Fl. Scot.* 349. *Wither. Arrang. ed.* 2. 688. *Fl. Lond. N.* 30, *Ic.* 178. *Med. Bot. p.* 89. *Ic.* 30.

Anglis, *common lady's ſmock*, *cuckow-flower.*

Hibernis,

Hibernis, Gleoran, Billar Gria-gain.

Inveni in pratis, locis humidis, et ad rivulos ubique. IV.

hirſuta. 2. CARDAM'INE foliis pinnatis, floribus tetrandis. *Lin. Sp. Pl. ed.* 3. 915. *Fl. Ang. ed.* 2. 295. *Fl. Scot.* 348. *Wither. Arrang. ed.* 2. 688. *Fl. Lond. N.* 47. *Ic.* 277.

Anglis, *hairy leaved lady's ſmock.*

Hibernis, Gleoran.

Inveni ſuper muros antiquos, in pratis et paſcuis, inque locis umbroſis humidis ubique. III.

---

176. *SISYM'BRIUM.*

naſtur'tium aquaticum. 1. SISYM'BRIUM ſiliquis declinatis, foliis pinnatis, foliolis ſubrotundis. *Lin. Sp. Pl. ed.* 3. 916. *Fl. Scot.* 350. *Fl. Ang. ed.* 2. 296. *Wither. Arrang. ed.* 2. 690. *Fl. Lond. N.* 61. *Ic.* 366. *Med. Botany p.* 134. *Ic.* 48.

Anglis,

Anglis, *common water creſs.*

Hibernis, Biolar.

Inveni in vadis, et prope rivulos ubique. V.

ſóphia. 2. SISYM'BRIUM petalis calyce minoribus, foliis decompoſito-pinnatis. *Lin. Sp. Pl. ed.* 3. 920. *Fl. Ang. ed.* 2. 297. *Fl. Scot.* 354. *Wither. Arrang. ed.* 2. 693. *Flora Ruſtica N.* 19. *Ic.* 57.

Anglis, *flix weed.*

Hibernis, Fineal Muire.

Inveni in ruderatis locis, lapidoſis et arenoſis, et ſuper vetuſtas macerias frequenter. VI.

---

177. *SINA'PIS.*

arven'ſis. 1. SINA'PIS ſiliquis multangulis toroſo-turgidis roſtro longioribus. *Lin. Sp. Pl. ed.* 3. 933. *Fl. Ang. ed.* 2. 298. *Fl. Scot.* 360. *Wither. Arrang. ed.* 2. 712. *Fl. Lond. N.* 54. *Ic.* 322.

Anglis,

Anglis, *wild muſtard, charlock, chadlock, corn cale.*

Hibernis, Praiſſeagh Garuh, Gaſ na Cconnachta, Garabhog, Garbh Raitheach.

Inveni in locis ruderoſis ubique. IV.

---

178. *B U' N I A S.*

cákile. 1. BU'NIAS ſiliquis ovatis lævibus ancipitibus. *Lin. Sp. Pl. ed.* 3. 936. *Fl. Ang. ed.* 2. 298. *Fl. Scot.* 363. *Wither. Arrang. ed.* 2. 716.

Anglis, *ſea rocket.*

Hibernis,

Inveni in arenoſis littoribus inter *Sandymount* et *Merrion*, apud *Sheds-of-Clontarf* et *Howth*, et apud *Killeny-Bay*. VI.

179. *C R A M' B E.*

179. *CRAM'BE.*

marit'ima. 1. CRAM'BE foliis cauleque glabris. *Lin. Sp. Pl. ed.* 3. 937. *Foliis ſub-rotundo-ovatis undulatis carnoſis. Fl. Ang. ed.* 2. 299. *Fl. Scot.* 364. *Wither. Arrang. ed.* 2. 718.

Anglis, *ſea colewort.*

Hibernis, Raitheach Tragha, Praiſ-each tragha.

Inveni in arenoſis littoribus apud *Merrion*, *Dunleary*, et juxta *Warren-Houſe* via ad *Howth* ducente. V.

MONADELPHIA.

DECANDRIA.

180. *GERA'NIUM.*

cicutárium. 1. GERA'NIUM pedunculis multifloris, floribus pentandris, foliis pinnatis inciſis obtuſis. *Lin. Sp. Pl. ed.* 3. 951. *Fl. Ang. ed.* 2. 300. *Fl. Scot.* 366. *Wither. Arrang. ed.* 2. 722. *Fl. Lond. N.* 9. *Ic.* 53.

Anglis, *hemlock crane's bill.*

Hibernis,

Inveni in pratis et aggeribus arenoſis, prope littus inter *Sheds-of-Clontarf* et *Howth* copioſiſſime, et alibi. IV.

moſchátum. 2. GERA'NIUM pedunculis multifloris, floribus pentandris, foliis pinnatis inciſis, cotyledonibus pinnatifidis. *Lin. Sp. Pl. ed.* 3. 951. *Fl. Ang. ed.* 2. 300. *Wither. Arrang. ed.* 2. 725.

Anglis,

Anglis, *muſked crane's bill.*

Hibernis,

Inveni ad radices muri hortenſis domini *Donnellan*, ſecus viam publicam *Artane*, et prope *Dunleary*; in muros antiquos cum draba verna, inter *Sarah's-Bridge* et *Chapelizod*; apud paſtus communes *Bray*, et juxta *Warren-Houſe*. IV.

mol'le. 3. GERA'NIUM pedunculis bifloris, foliiſque floralibus alternis, caule ramoſo erectiuſculo, calycibus muticis. *Lin. Sp. Pl. ed.* 3. 955. *Fl. Ang. ed.* 2. 303. *Fl. Scot.* 370. *Wither. Arrang. ed.* 2. 731. *Fl. Lond. N.* 24. *Ic.* 144. *et N.* 64. *Ic.* 381.

Anglis, *common dove's foot crane's bill.*

Hibernis,

Inveni ad ſepes et ſemitas, inque locis ſabuloſis paſſim. IV.

Columbinum. 4. GERA'NIUM pedunculis bifloris, folio longioribus, foliis quinquepartito-multifidis, laciniis acutis, ariliis glabris, calycibus ariſtatis. *Lin. Sp.*

Pl. ed. 3. 956. *Fl. Ang. ed.* 2. 304. *Fl. Scot.* 371. *Wither. Arrang. ed.* 2. 731.

Anglis, *long-ſtalked dove's foot crane's bill.*

Hibernis, Creachtach dhearg.

Inveni in paſcuis, arvis, et ad ſepes paſſim. V.

diſſec'tum. 5. GERA'NIUM pedunculis bifloris, foliis quinquepartito-trifidis, petalis emarginatis longitudine calycis, arillis villoſis. *Lin. Sp. Pl. ed.* 3. 956. *Fl. Ang. ed.* 2. 304. *Wither. Arrang. ed.* 2. 732. *Fl. Lond. N.* 65. *Ic.* 387.

Anglis, *jagged-leaved dove's foot crane's bill.*

Hibernis,

Inveni in paſcuis ſterilioribus, locis glareoſis, et ad ſepes paſſim, nec non in arvis requietis præſertim inter *Knockmaroon* et *Luttrel's-town.* VI.

Robertiánum. 6. GERA'NIUM pedunculis bifloris, calycibus piloſis decemangularibus. *Lin. Sp. Pl. ed.* 3. 955. *Fl. Ang. ed.*

ed. 2. 305. *Fl. Scot.* 369. *Wither. Arrang. ed.* 2. 729. *Fl. Lond. N.* 10. *Ic.* 57.

Anglis, *ſtinking crane's bill, herb Robert, ſtock-bill.*

Hibernis, Earbal Righ, Rial Cuil, Rian Righ, Creachtach.

Inveni ad ſepes ubique, ſuper ſaxoſos muros, et in locis ruderatis. IV.

ſanguineum. 7. GERA'NIUM pedunculis unifloris, ſoliis quinquepartitis trifidis orbiculatis. *Lin. Sp. Pl. ed.* 3. 958. *Fl. Ang. ed.* 2. 305. *Fl. Scot.* 372. *With. Arrang. ed.* 2. 734.

Anglis, *bloody crane's bill.*

Hibernis, Creachtach dhearg.

Inveni in dumetis, præſertim montoſis adjacente ſolo arenoſo, ad littus in *Howth* prope lavacrum, et in *Killeny-Bay* copioſe. VII.

MONADEL-

MONADELPHIA.

POLYANDRIA.

181. *MAL'VA.*

ſylveſtris. 1. MAL'VA caule erecto herbaceo, foliis ſeptemlobatis acutis, pedunculis petioliſque piloſis. *Lin. Sp. Pl. ed.* 3. 969. *Fl. Ang. ed.* 2. 307. *Fl. Scot.* 375. *Wither. Arrang. ed.* 2. 738. *Fl. Lond. N.* 15. *Ic.* 89 *Med. Bot. p.* 148. *Ic.* 54.

Anglis, *common mallow.*

Hibernis, **Ucas Fiðain, Lus na miol Mor.**

Inveni ad ſepes et ſemitas, inque locis ruderatis ubique. VI.

rotundifólia. 2. MAL'VA caule proſtrato foliis cordato-orbiculatis obſolete quinquelobis, pedunculis fructiferis declinatis. *Lin. Sp. Pl. ed.* 3. 969. *Fl. Ang. ed.* 2. 307. *Fl. Scot.* 374. *Wither. Arrang.*

Arrang ed. 2. 737. *Fl. Lond. N.* 27. *Ic.* 159.

Anglis, *dwarf mallow.*

Hibernis, Ucas Francach.

Inveni cum priore frequenter, ſed præcipue circa *Warren Houſe, North-Wall, Raheny, Howth,* et alibi. VI.

DIADELPHIA.

HEXANDRIA.

182. *FUMA'RIA.*

officinális. 1. FUMA'RIA pericarpiis monoſpermis racemoſis, caule diffuſo. *Lin. Sp. Pl. ed.* 3. 984. *Fl. Ang. ed.* 2. 309. *Fl. Scot.* 379. *Wither. Arrang. ed.* 2. 751. *Fl. Lond. N.* 19. *Ic.* 112. *Fl. Ruſtica N.* 23. *Ic.* 68. *Med. Bot. p.* 241 *Ic.* 88.

Anglis, *officinal fumitory.*

Hibernis, Caman Scarraigh, Dearg talnhan, Mantatach, Fuaim a tſiorraigh.

Inveni in ſepibus, aggeribus, terrenis hortis, et ad muros frequenter. IV.

DIADEL-

DIADELPHIA.

OCTANDRIA.

183. *POLYG'ALA.*

vulgáris. 1. POLYG'ALA floribus criſtatis racemoſis, caulibus herbaceis ſimplicibus procumbentibus, foliis lineari-lanceolatis. *Lin. Sp. Pl. ed.* 3. 986. *Fl. Ang. ed.* 2. 310. *Fl. Scot.* 381. *Wither. Arrang. ed.* 2. 744. *Engliſh Botany N.* 25. *Ic.* 76.

Anglis, *milk-wort.*

Hibernis, **Lus Baine, Lus an Chaine.**

Inveni in paſcuis ſiccioribus et montoſis ubique. IV.

DIADELPHIA.

DECANDRIA.

184. *SPARTIUM.*

ſcopárium. 1. SPARTIUM foliis ternatis ſolitariisque, ramis inermibus angulatis. *Lin. Sp. Pl. ed.* 3 996. *Fl. Ang. ed.* 2. 310 *Fl Scot.* 382. *Wither. Arrang. ed.* 2. 756. *Fl. Lond. N.* 60. *Ic.* 356 *Med. Bot. p.* 243. *Ic.* 89.

Anglis, *common broom.*

Hibernis, Giolcach, Giolcach Shleibhe.

Inveni circa *Simmon's-court* inter *Ball's-bridge* et *Merrion* copioſe, et alibi. V.

185. U'LEX.

Europæ'us. 1. U'LEX foliis villoſis acutis, ſpinis ſparſis. *Lin. Sp. Pl. ed.* 3. 1045. *Fl. Ang. ed.* 2. 312. *Fl. Scot.* 385. *With. Arrang. ed.* 2. 760.

Anglis, *common furze, whin, gorſe.*

Hibernis, Aiteann.

Inveni in locis ſabuloſis ſterilioribus, in ericetis et paſcuis ubique. II. XI.

---

186. ONO'NIS.

ſpinóſa. 1. ONO'NIS floribus racemoſis geminis, foliis ternatis ſuperioribus ſolitariis, ramis *inermibus*, ſubvilloſis. *Lin. Sp. Pl. ed.* 3. 1006. *var.* α. *O. inermis. Fl. Ang. ed.* 2. 312. *var.* α. *O. arven'ſis. Fl. Scot.* 386. *Wither. Arrang. ed.* 2. 763.

Anglis, *reſt-harrow, cammock.*

Hibernis,

Hibernis, Sreann bo, Sreann tearran, Criantaran.

Inveni in agrorum marginibus, in arvis et paſcuis ſterilioribus, inque littoribus maritimis arenoſis ubique fere. VI.

---

187. *ANTHYL'LIS.*

vulneraria. 1. ANTHYL'LIS herbacea, foliis pinnatis inæqualibus, capitulo duplicato. *Lin. Sp. Pl. ed.* 3. 1012. *Fl. Ang. ed.* 2. 312. *Fl. Scot.* 387. *Wither. Arrang. ed.* 2. 765. *Engliſh Botany N.* 30. *Ic.* 104.

Anglis, *kidney-vetch*, *ladies-finger.*

Hibernis,

Inveni in arvis arenoſis apud *North* et *South Walls*, juxta *Finglaſs* pontem, ſuper collem *Knockmaroon*, et alibi copioſe. VI.

 188. *OR'OBUS.*

188. *O R' O B U S.*

tuberóſus. 1. OR'OBUS foliis pinnatis lanceolatis, ſtipulis ſemiſagittatis, caule ſimplici. *Lin. Sp. Pl. ed.* 3. 1028. *Fl Ang. ed* 2. 314. *Fl. Scot.* 388. *Wither. Arrang. ed.* 2 761. *Fl. Lond. N.* 4. *Ic.* 22.

Anglis, *wood peaſe, heath peaſe.*

Hibernis,

Inveni in dumetis, præſertim montoſis, juxta *Wood-town* et *Stag's-town Dublin Mountains.* V.

---

189. *L A T H' Y R U S.*

praten'ſis. 1. LATH'YRUS pedunculis multifloris, cirrhis diphyllis ſimpliciſſimis; foliis lanceolatis. *Lin. Sp. Pl. ed.* 3. 1033. *Fl. Ang. ed.* 2. 317 *Fl. Scot.* 391. *Wither. Arrang. ed.* 2. 771. *Fl. Lond. N.* 29. *Ic.* 173. *Fl. Ruſtica N.* 18. *Ic.* 52.

Anglis,

Anglis, *tare everlaſting, common yellow vetchling.*

Hibernis, Pis bhuidhe.

Inveni in dumetis et ſepibus, haud raro etiam in pratis et paſcuis. VII.

---

190. *V I C I A.*

cracca. 1. VICIA pedunculis multifloris, floribus imbricatis, foliolis lanceolatis pubeſcentibus, ſtipulis integris. *Lin. Sp. Pl. ed.* 3. 1035. *Fl. Ang. ed.* 2. 317. *Fl. Scot.* 394. *Wither. Arrang. ed.* 2. 775. *Fl. Lond. N.* 54. *Ic.* 319.

Anglis, *tufted vetch.*

Hibernis,

Inveni inter ſegetes, in dumetis et ſepibus, etiamque in pratis frequenter. VI.

ſylvatica. 2. VICIA pedunculis multifloris, foliolis ovalibus, ſtipulis denticulatis. *Lin. Sp. Pl. ed.* 3. 1035. *Fl. Ang. ed.*

2.

2. 318. *Fl. Scot.* 393. *Wither. Arrang. ed.* 2. 774. *Engliſh Botany N.* 26. *Ic.* 79.

Anglis, *tufted wood vetch.*

Hibernis,

Inveni in dumetis, præſertim montoſis inter *Dalkey* et obeliſcum *Malpas.* VII.

ſativa. 3. VICIA leguminibus ſeſſilibus erectis, foliis retuſis, ſtipulis notatis. *Lin. Sp Pl. ed.* 3. 1037. *Fl Ang. ed* 2. 318. *Fl. Scot.* 395. *With. Arrang. ed.* 2. 776.

Anglis, *vetch, fetch, tare.*

Hibernis, Pís capuil, Pís duḃ, Pís Ṗreachain.

Inveni in dumetis, agris, pratis ſicciori-bus, ſepibus, et inter ſegetes paſſim, ſed præſertim ſecus flumen *Dodder* copioſe. IV.

lathyroides.

lathyroídes. 4. VIC'IA leguminibus ſeſſilibus ſolitariis erectis glabris, foliolis ſenis, inferioribus obcordatis. *Lin. Sp. Pl. ed.* 3. 1037. *an Ervum ſolonienſe* 1040? *Fl. Ang. ed* 2. 318. *var.* γ. *Fl. Scot.* 396. *Wither. Arrang. ed.* 2. 777. *Engliſh Botany N.* 10. *Ic.* 30.

Anglis, *ſpring vetch.*

Hibernis,

Inveni cum priore nonnunquam. V.

---

191. *E R' V U M.*

hirſútum. 1. ER'VUM pedunculis multifloris, ſeminibus globoſis binis. *Lin. Sp. Pl. ed.* 3. 1039. *Fl. Ang. ed.* 2. 321. *Fl. Scot.* 398. *With. Arrang. ed.* 2. 781. *Fl Lond. N.* 8. *Ic.* 48.

Anglis, *wild tare, fine tare, hairy tare.*

Hibernis,

Inveni inter ſegetes, et in pratis et arvis arenoſis nonnunquam. VI.

192. *O R N I'-*

192 *ORNI'THOPUS.*

perpuſil'lus. 1. ORNI'THOPUS foliis pinnatis leguminibus incurvis *Lin Sp. Pl. ed.* 3. 1049. *Fl. Ang. ed.* 2. 321 *Fl. Scot* 399 *Wither. Arrang. ed.* 2. 728. *Fl. Lond. N* 64 *Ic.* 380.

Anglis, *common bird's foot.*

Hibernis,

Inveni in locis arenoſis et glareoſis nonnunquam. VII.

---

193. *TRIFO'LIUM.*

melilótus. 1. TRIFO'LIUM leguminibus racemoſis nudis diſpermis rugoſis acutis, caule erecto. *Lin. Sp. Pl. ed.* 3. 1078. *Fl. Ang. ed.* 2. 323. *Fl. Scot.* 40[illegible]. *With. Arrang. ed.* 2. 790. *Flora Ruſtica N.* 24. *Ic.* 72.
officinális.

Anglis, *common melilot, king's claver, hart's claver.*

Hibernis, Plucin Seangan.

Inveni

Inveni in arvis circa lapicidinam prope pontem *Finglaſs* copioſe, in aggeribus arenoſis et dumoſis apud *Killeny Bay*, circa pontem *Mayne* appellatam juxta *Balldoyle* abunde, et alibi. IV.

M. ornithopodioídes. 2. TRIFO'LIUM leguminibus nudis octoſpermis ſubternis, calyce duplo longioribus, caulibus declinatis. *Lin. Sp. Pl. ed.* 3. 1078. *Fl. Ang. ed.* 2. 324. *Fl. Scot.* 403. *Wither. Arrang. ed.* 2. 791. *Fl. Lond. N.* 21. *Ic.* 125.

Anglis, *bird's foot.*

Hibernis, Crob eain.

Inveni in arenoſis prope murum borealem dictum, cum arenaria rubra. VI.

répens. 3. TRIFO'LIUM capitulis umbellaribus, leguminibus tetraſpermis, caule repente. *Lin. Sp. Pl. ed.* 3. 1080. *Fl. Scot.* 404. *Fl. Ang. ed.* 2. 324. *With. Arrang. ed.* 2. 792. *Fl. Lond. N.* 33. *Ic.* 193. *Flora Ruſtica N.* 12. *Ic.* 34.

Anglis, *creeping white trefoil, Dutch trefoil, white honey ſuckle.*

Hibernis, Seamair bhan, Seamrog.

Inveni in pratis et paſcuis ubique. V.

praten'ſe. 4. TRIFO'LIUM ſpicis globoſis villoſis, cinctis ſtipulis oppoſitis membranaceis, corollis monopetalis. *Lin. Sp. Pl. ed.* 3. 1082. *Fl. Ang. ed.* 2. 325 *Fl. Scot.* 404. *With. Arrang. ed.* 2. 794. *Flora Ruſtica N.* 1. *Ic.* 3.

Anglis, *purple trefoil, broad clover.*

Hibernis, Seamair Capuil.

Inveni in pratis et paſcuis. V.

alpeſ'tre. 5. TRIFO'LIUM ſpicis ſubgloboſis villoſis terminalibus ſeſſilibus, caule erecto, foliis lanceolatis ſerrulatis. *Lin. Sp. Pl. ed.* 3 1082. *Fl Ang. ed.* 2. 326. *Fl. Scot.* 406. *Wither. Arrang. ed.* 2. 796. *Fl. Ruſtica N.* 1. *Ic.* 1.

Anglis, *mountain clover, marle graſs, perennial trefoil.*

Hibernis,

Hibernis, Plurin Seangan.

Inveni in pratis ſuper montes Dublinenſes, et prope eorundem radices. VI.

fragif'erum. 6. TRIFO'LIUM capítulis ſubrotundis, calycibus inflatis bidentatis reflexis, caulibus repentibus. *Lin Sp. Pl. ed.* 3. 1086 *Fl. Ang. ed.* 2. 328. *Wither. Arrang. ed.* 2. 801. *Fl. Lond. N.* 16. *Ic.* 93.

Anglis, *ſtrawberry trefoil.*

Hibernis,

Inveni in locis humidis nonnunquam. VI.

agrárium. 7. TRIFO'LIUM ſpicis ovalibus imbricatis, vexillis deflexis perſiſtentibus, calycibus nudis, caule erecto. *Lin. Sp. Pl. ed.* 3. 1087. *Fl Ang. ed.* 2. 328. *Fl. Scot.* 409 *Wither. Arrang. ed.* 2. 801. *Fl. Lond. N.* 27. *Ic.* 161.

Anglis, *hop trefoil.*

Hibernis,

Inveni inter ſegetes, et in agris arenoſis ubique. V.

procum'bens. 8. TRIFO'LIUM ſpicis ovalibus imbricatis, vexillis deflexis perſiſtentibus caulibus procumbentibus. *Lin. Sp. Pl. ed.* 3. 1088 *Fl. Ang. ed.* 2. 328 *Fl Scot.* 409. *Wither. Arrang. ed.* 2. 802. *Fl. Lond. N.* 52. *Ic.* 311.

Anglis, *leſſer hop trefoil, procumbent trefoil.*

Hibernis,

Inveni cum priore nonnunquam. VI.

---

194. *L O' T U S.*

corniculátus. 1. LO'TUS capitulis depreſſis, caulibus decumbentibus, leguminibus cylindricis patentibus *Lin. Sp. Pl. ed.* 3. 1092 *Fl. Scot.* 411. *Fl. Ang. ed.* 2. 329. *Wither. Arrang. ed.* 2. 804.

804. *Fl. Lond. N.* 18. *Ic.* 108. *Fl. Ruſt. N.* 18. *Ic.* 53.

Anglis, *bird's foot trefoil.*

Hibernis,

Inveni in paſcuis ubique. V.

---

195. *MEDICA'GO.*

lupulina. 1. MEDICA'GO ſpicis ovalibus, leguminibus reniformibus monoſpermis, caule procumbente. *Lin. Sp. Pl. ed.* 3. 1097. *Fl. Ang. ed.* 2. 330. *Fl. Scot.* 412. *Wither. Arrang. ed.* 2. 807. *Fl. Lond. N.* 20. *Ic.* 116.

Anglis, *melilot trefoil, black medick, none ſuch.*

Hibernis,

Inveni in agris arenoſis montanis frequenter. V.

POLYADELPHIA.

POLYANDRIA.

---

196. *HYPER'ICUM.*

Androſæ'mum. 1. HYPER'ICUM floribus trigynis, fructibus baccatis, caule fruticoſo ancipiti. *Lin. Sp. Pl. ed.* 3 1102. *Fl. Ang. ed.* 2. 332. *Fl. Scot.* 416. *With. Arrang. ed.* 2. 812. *Fl. Lond. N.* 35. *Ic.* 208.

Anglis, *tutſan, park-leaves.*

Hibernis, Meaſtorc keeil, Meaſtorc caoil, Meaſtorc alta.

Inveni ad ſepes inter *Santry* et *Clanſab*, circa *Kilgobbin*, et alibi; in ſylvis *Luttrel's-town*, *Santry*, et *Phœnix-Park.* VI.

humifúſum. 2. HYPER'ICUM floribus trigynis axillaribus ſolitariis, caulibus ancipitibus proſtratis filiformibus, foliis glabris. *Lin. Sp. Pl. ed.* 3. 1105. *Fl. Ang. ed.*

ed. 2. 332. *Fl. Scot.* 418. *Wither. Arrang. ed.* 2. 814. *Fl. Lond. N.* 28. *Ic.* 167

Anglis, *trailing Saint John's wort.*

Hibernis,

Inveni in paſcuis arenoſis, et ſterilioribus agris apud *Killeny*, præcipue dextrorſum viæ ad fornacem calcariam ducentis. VII.

pul'chrum. 3. HYPER'ICUM floribus trigynis, calycibus ſerrato-glanduloſis, caule tereti, foliis perfoliatis cordatis glabris. *Lin. Sp. Pl. ed.* 3. 1106. *Fl. Ang. ed.* 2. 333. *Fl. Scot.* 420. *Wither. Arrang. ed.* 2. 817. *Fl. Lond. N.* 1. *Ic.* 1.

Anglis, *upright Saint John's wort.*

Hibernis,

Inveni cum priore, et in ericetis et dumetis ad radices montium Dublinenſium, apud *Howth*, juxta *Bullock*, et alibi VII.

perforátum. 4. HYPER'ICUM floribus trigynis, caule ancipiti, foliis obtuſis pellucido punctatis.

tatis. *Lin. Sp. Pl. ed.* 3. 1105. *Fl. Ang. ed.* 2. 333. *Fl. Scot* 416. *Wither. Arrang. ed* 2. 813 *Fl. Lond. N.* 2. *Ic.* 10 *Med. Botany p.* 29. *Ic.* 10.

Anglis, *officinal Saint John's wort.*

Hibernis, Allas Muire, Beahnoba Taed Coluim Kille, Beahnua Bicinionn, Beadhnuad Firionn.

Inveni in ſepibus frequenter. VI.

montánum. 5. HYPER'ICUM floribus trigynis, calycibus ſerraturis glanduloſis, caule tereti erecto glabro, foliis ovatis. *Lin. Sp. Pl. ed.* 3. 1105. *Fl. Ang. ed.* 2. 333. *Fl. Scot.* 418. *Wither. Arrang. ed.* 2. 815.

Anglis, *mountain Saint John's wort.*

Hibernis,

Inveni in dumetis montoſis apud *Howth*, ſuper montes Dublinenſes, et alibi. VI

quadrangúlum. 6. HYPER'ICUM floribus trigynis, caule quadrato herbaceo. *Lin. Sp. Pl. ed.* 3. 1104. *Fl. Ang. ed.* 2. 334.

334. *Fl. Scot.* 416. *With. Arrang. ed.* 2. 813. *Fl. Lond. N.* 38. *Ic.* 224.

Anglis, *Saint Peter's wort.*

Hibernis,

Inveni in ſepibus humidis apud *Kilgobbin*, et alibi. VII.

elódes, 7. HYPER'ICUM floribus trigynis, caule tereti repente foliiſque villoſis ſubrotundis. *Lin. Sp. Pl. ed.* 3. 1106. *Fl. Ang. ed.* 2. 334. *Fl. Scot.* 419. *Wither. Arrang. ed.* 2. 815. *Engliſh Botany N.* 31. *Ic.* 109.

Anglis, *marſh Saint John's wort, marſh hoary Saint Peter's wort.*

Hibernis,

Inveni in paluſtribus cum parnaſſia vulgari circa radicem montis *Killgobbin* copioſe occidentem verſus. VII.

SYNGENESIA.

POLYGAMIA ÆQUALIS.

197. *TRAGOPO'GON.*

praten'ſe. 1. TRAGOPO'GON calycibus corollæ radium æquantibus, foliis integris ſtrictis. *Lin. Sp. Pl. ed.* 3. 1109. *Fl. Ang. ed.* 2. 335. *Fl. Scot.* 426. *With. Arrang. ed.* 2. 827.

Anglis, *yellow goat's beard, go-to-bed-at-noon.*

Hibernis,

Inveni in pratis et paſcuis paſſim. VI.

198. *SON'CHUS.*

oleráceus. 1. SON'CHUS pedunculis tomentoſis, calycibus glabris. *Lin. Sp. Pl. ed.* 3. 1116. *Fl. Ang. ed.* 2. 336. *Fl. Scot.* 428. *Wither. Arrang. ed.* 2. 832. *Fl. Lond. N.* 21. *Ic.* 126.

Anglis,

Anglis, *common ſow-thiſtle.*

Hibernis, Bainemuc, Blioght Fhoc-hadan, Fhoſannan, Foſannan min.

Inveni varietates omnes in cultis, hortis, locis ruderatis, arvis, &c. præſertim lætiori ſolo ubique fere. VII.

arven'ſis. 2. SON'CHUS pedunculis calycibuſque hiſpidis ſubumbellatis, foliis runcinatis baſi cordatis. *Lin. Sp. Pl. ed.* 3. 1116. *Fl. Ang. ed.* 2. 337. *Fl. Scot.* 427. *With. Arrang. ed.* 2. 832. *Fl. Lond. N* 45. *Ic.* 266.

Anglis, *corn ſow-thiſtle, tree ſow-thiſtle.*

Hibernis,

Inveni inter ſegetes paſſim. VII.

199. *LEON'TODON.*

tarax'acum. 1. LEON'TODON calyce ſquamis inferne reflexis, foliis runcinatis denticulatis lævibus. *Lin. Sp. Pl. ed.* 3. 1122. *Fl. Ang. ed.* 2. 339. *Fl. Scot.* 432. *Wither. Arrang. ed.* 2. 838. *Fl. Lond. N.* 3. *Ic.* 14. *Med. Bot. p.* 7. *Ic.* 3.

Anglis, *common dandelion, piſs-a-bed.*

Hibernis, Cas tſearbhan, Bearnan Bearnach.

Inveni varietates omnes in pratis, paſcuis, hortis, locis umbroſis humidis, areis, &c. III.

hiſ'pidum. 2. LEON'TODON calyce toto erecto hiſpido, foliis dentatis integerrimis hiſpidis, ſetis furcatis. *Lin. Sp. Pl. ed.* 3. 1124. *Fl. Scot.* 433. *Wither. Arrang. ed.* 2. 842. *Fl. Lond. N.* 53. *Ic.* 314. *Hedypnois hiſpidum. Fl. Ang. ed.* 2. 340.

Anglis, *rough dandelion.*

Hibernis,

Hibernis,

Inveni in pratis nonnunquam, ſed præſertim apud *Blue-Bell.* VI.

---

200. *HIERA'CIUM.*

piloſel'la. 1. HIERA'CIUM foliis integerrimis ovatis, ſubtus tomentoſis, caule repente, ſcapo unifloro. *Lin. Sp. Pl. ed.* 3. 1125. *Fl. Ang. ed.* 2. 343. *Fl. Scot.* 436. *Wither. Arrang. ed.* 2. 845. *Fl. Lond. N.* 47. *Ic.* 278.

Anglis, *creeping mouſe-ear hawkweed.*

Hibernis, **Cluas Liath, Cluas Luch.**

Inveni in paſcuis ſiccioribus et ſterilioribus frequenter. V.

paludóſum. 2. HIERA'CIUM caule paniculato, foliis amplexicaulibus dentatis glabris, calycibus hiſpidis. *Lin. Sp. Pl. ed.* 3. 1129. *Fl. Ang. ed.* 2. 345. *Fl. Scot.* 438. *Wither. Arrang. ed.* 2. 849.

Anglis,

Anglis, *marſh hawkweed.*

Hibernis,

Inveni in paludoſis, et juxta rivulos ſuper montem *Killmaſhoge.* VI.

---

201. *C R E' P I S.*

tectórum. 1. CRE'PIS foliis lanceolato-runcinatis, ſeſſilibus lævibus; inferioribus dentatis caule glabro. *Lin. Sp. Pl. ed.* 3. 1135. *Fl. Scot.* 440. *Wither. Arrang. ed.* 2. 853. *Fl. Lond N.* 55. *Ic.* 325. *Fl. Ang. ed.* 2. 341. *Hedyp'nois tectórum.*

Anglis, *ſmooth ſuccory hawkweed.*

Hibernis,

Inveni in pratis, paſcuis, et ſuper muros vetuſtos ubique fere. V.

bien'nis. 2. CRE'PIS foliis runcinato-pinnatifidis ſcabris baſi ſuperne dentatis, calycibus muricatis. *Lin. Sp. Pl. ed.* 3. 1136. *Wither. Arrang. ed.* 2. 855.

Engliſh

Engliſh Botany N. 37. *Ic.* 149. *Fl. Ang. ed.* 2. 342. *Hedyp'nois biennis.*

Anglis, *rough ſuccory hawkweed.*

Hibernis,

Inveni in agrorum marginibus juxta *Balldoyle*, *Knockmaroon-Hill*, et alibi. VI.

---

202. *P I' C R I S.*

echioides. 1. PI'CRIS perianthiis exterioribus pentaphyllis, interiore ariſtato majoribus. *Lin. Sp. Pl. ed.* 3. 1114. *Fl. Ang. ed.* 2. 342. *Wither. Arrang. ed.* 2. 829. *Fl. Lond. N.* 25. *Ic.* 149.

Anglis, *rough picris*, *lang de boeuf.*

Hibernis,

Inveni ad agrorum margines, præcipuè inter *Beggar's-buſh* et *Sandymount*, non raro et in ſylvis cæduis, ac ſepium aggeribus. VI.

203. *HYPOCHÆ'RIS.*

radicáta. 1. HYPOCHÆ'RIS foliis runcinatis obtuſis ſcabris, caule ramoſo nudo lævi, pedunculis ſquamoſis. *Lin. Sp. Pl. ed.* 3. 1140. *Fl. Ang. ed.* 2. 347. *Fl. Scot.* 443. *Wither. Arrang. ed.* 2. 860. *Fl. Lond. N.* 26. *Ic.* 152.

Anglis, *loug rooted hawkweed.*

Hibernis,

. Inveni in pratis, paſcuis, ericetis, et ſuper tumulos aridiores. V.

---

204. *L A P' S A N A.*

commúnis. 1. LAP'SANA calycibus fructus angulatis, pedunculis tenuibus ramoſiſſimis. *Lin. Sp. Pl. ed.* 3. 1141. *Fl. Ang. ed.* 2. 347. *Fl. Scot.* 444. *With. Arrang. ed.* 2. 861. *Fl. Lond. N.* 10. *Ic.* 59.

Anglis, *nipple wort, dock creſſes.*

Hibernis,

Hibernis, Son Duilleog, Duilleog Bride, Duilleog mhaith, Duilleog mhin.

Inveni in hortis, cultis, ſylvis, ruderatis, et ſepibus ubique. VI.

---

205. *ARC'TIUM.*

lap'pa. 1. ARC'TIUM foliis cordatis inermibus petiolatis. *Lin. Sp. Pl. ed.* 3. 1143. *Fl. Ang. ed.* 2. 348. *Fl. Scot.* 445. *Wither. Arrang. ed.* 2. 863. *Fl. Lond. N.* 40. *Ic.* 239. *Med. Bot. p.* 41. *Ic.* 15.

Anglis, *burdock*, *burr*, *clottbur*, *hurr-burr.*

Hibernis, Copog thnaithil, Cocoil.

Inveni ad vias ſepeſque, inque locis ruderatis frequenter. VI.

 206. *CICHO'-*

206. *CICHO'RIUM.*

in'tybus. 1. CICHO'RIUM floribus geminis ſeſſilibus, foliis runcinatis. *Lin. Sp. Pl. ed.* 3. 1142. *Fl. Ang. ed.* 2. 348. *Wither. Arrang. ed.* 2. 862. *Fl. Lond. N.* 41. *Ic.* 241.

Anglis, *wild ſuccory, cichory.*

Hibernis,

Inveni in incultis locis juxta carcerem novum apud *Kilmainham*, boream verſus. VII.

---

207. *SERRA'TULA.*

arven'ſis. 1. SERRA'TULA foliis dentatis ſpinoſis. *Lin. Sp. Pl. ed.* 3. 1149. *Fl. Ang. ed.* 2. 349. *Fl. Scot.* 449. *Wither. Arrang. ed.* 2. 867. *Carduus arvenſis. Fl. Lond. N.* 63. *Ic.* 374.

Anglis,

Anglis, *common way; thiſtle, corn thiſtle.*

Hibernis, **Feochadan, Fothanan.**

Inveni in arvis, et inter ſegetes nimis frequenter, nec minus in paſcuis, et ad vias. VI.

---

208. *CAR'DUUS.*

paluſ'tris. 1. CAR'DUUS foliis decurrentibus dentatis; margine ſpinoſis, floribus racemoſis erectis, pedunculis inermibus. *Lin. Sp. Pl. ed.* 3. 1151. *Fl. Ang. ed.* 2. 352. *Fl. Scot.* 453. *Wither. Arrang. ed.* 2. 873. *Fl. Lond. N.* 62. *Ic.* 369.

Anglis, *marſh thiſtle.*

Hibernis,

Inveni in locis paluſtribus nemoroſis, et in pratis humidis frequenter. VI.

lanceolátus. 2. CAR'DUUS foliis decurrentibus pinnatifidis hiſpidis, laciniis divaricatis, calycibus ovatis ſpinoſis villoſis, caule

 piloſo.

piloſo. *Lin. Sp. Pl. ed.* 3. 1149. *Fl. Ang. ed.* 2. 350. *Fl. Scot.* 450. *Wither. Arrang. ed.* 2. 868. *Engliſh Botany N.* 30. *Ic.* 107.

Anglis, *ſpear thiſtle.*

Hibernis,

Inveni in locis cultis, ad ſepes, et ad vias publicas ubique fere. VII.

criſpus. 3. CAR'DUUS foliis decurrentibus ſinuatis, margine ſpinoſis; floribus aggregatis terminalibus, ſquamis inermibus ſubariſtatis patulis. *Lin. Sp. Pl. ed.* 3. 1150. *Fl. Scot.* 452. *Wither. Arrang. ed.* 2. 870, 871. *Fl. Lond. N.* 67. *Ic.* 399. et 400. *Fl. Ang. ed.* 2. 351. *C. acanthoides ?*

Anglis, *thiſtle upon thiſtle.*

Hibernis,

Inveni in aggeribus foſſarum, ad ſepes et vias. VI.

Mariánus. 4. CAR'DUUS foliis amplexicaulibus haſtato-pinnatifidis ſpinoſis, calycibus aphyllis, ſpinis canaliculatis duplicato-

cato-ſpinoſis. *Lin. Sp. Pl. ed.* 3. 1152. *Fl. Ang. ed.* 2. 353. *Fl. Scot.* 454. *Wither. Arrang. ed.* 2. 874. *Fl. Lond. N.* 25. *Ic.* 145.

Anglis, *milk thiſtle, lady's thiſtle.*

Hibernis,

Inveni ad agrorum margines, in aggeribus foſſarum et in ruderatis nonnunquam, præſertim circa *Warren-houſe* via ad *Howth* ducente. VII.

---

209. *C A R L I' N A.*

vulgáris. 1. CARLI'NA caule multifloro corymboſo, floribus terminalibus, calycibus radio albis. *Lin. Sp. Pl. ed.* 3. 1161. *Fl. Ang. ed.* 2. 355. *Fl. Scot.* 460. *Wither. Arrang. ed.* 2. 880.

Anglis, *common carline thiſtle.*

Hibernis,

Inveni

Inveni in paſcuis et pratis ſiccioribus montoſis et ſterilioribus frequenter, præſertim ſuper collem *Knockmaroon* inter *Chapelizod* et *Luttrel's-town*, et apud *Burrow-of-Portmarnock* juxta *Baldoyle*. VI.

---

210. *B I' D E N S.*

tripartíta. 1. BI'DENS foliis trifidis, calycibus ſubfolioſis, ſeminibus erectis *Lin. Sp. Pl. ed.* 3. 1165. *Fl. Ang. ed.* 2. 355. *Fl. Scot.* 461. *Wither. Arrang. ed.* 2. 882. *Fl. Lond. N.* 40. *Ic.* 235.

Anglis, *trifid water hemp, bidens, water agrimony.*

Hibernis, **Scaḃoġ Ṁuire.**

Inveni cum eupatorio cannabino ad ripas fluviorum inter *Knockmaroon* et *Lucan*. VII.

cer'nua. 2. BI'DENS foliis lanceolatis amplexicaulibus, floribus cernuis, ſeminibus erectis. *Lin. Sp. Pl. ed.* 3. 1165. *Fl. Ang. ed.* 2. 356. *Fl.*

Scot.

Scot. 462. *Wither. Arrang. ed.* 2. 883. *Fl. Lond. N.* 32. *Ic.* 191.

Anglis, *nodding bidens, water hemp agrimony, bur-marygold.*

Hibernis, **Sgeachog muire, Marbhe dhroighean.**

Inveni cum priore nonnunquam. VII.

---

211. *EUPATO'RIUM.*

cannabinum. 1. EUPATO'RIUM foliis digitatis. *Lin. Sp. Pl. ed.* 3. 1173. *Fl. Ang. ed.* 2. 356. *Fl. Scot.* 464. *Wither. Arrang. ed.* 2. 885.

Anglis, *water agrimony, hemp agrimony, Dutch agrimony, water hemp, common eupatorium.*

Hibernis, **Sgeachog Muire.**

Inveni ad fluminum et rivulorum ripas, ſcrobium et ſtagnantium aquarum margines, præcipue apud *Long Meadows, Cardiff's-bridge, Aſhtown,* circa lavacrum in *Howth,* et alibi. VI.

SYNGENESIA.

SYNGENESIA.

POLYGAMIA SUPERFLUA.

212. *TANACE'TUM.*

vulgáre. 1. TANACE'TUM foliis bipinnatis inciſis ſerratis. *Lin. Sp. Pl. ed.* 3. 1183. *Fl. Ang. ed.* 2. 357. *Fl. Scot.* 465. *Wither. Arrang. ed.* 2. 887. *Med. Botany p.* 314. *Ic.* 115.

Anglis, *common tanſey.*

Hibernis, **Lus na Ffranc, Bean-ſcadh.**

Inveni in pratis montanis apud *Kilmaſhoge*, ſecus vias et in agrorum marginibus copioſe inter *Baldoyle* et *Portmarnock*, apud *Killeny*, juxta delubrum vetuſtum in *Howth*, et alibi. VII.

213. *ARTEMIS'IA.*

213. *ARTEMIS'IA.*

vulgáris. 1. ARTEMIS'IA foliis pinnatifidis planis inciſis ſubtus tomentoſis, racemis ſimplicibus recurvatis, floribus ovatis, radio quinquefloro. *Lin. Sp. Pl. ed.* 3. 1188. *Fl. Ang. ed.* 2. 359. *Fl. Scot.* 468. *With. Arrang. ed.* 2. 891. *Med. Botany p.* 331. *Ic.* 121.

Anglis, *mugwort.*

Hibernis, **Boſulan Ban, Boſulan Liath, Liath lus, Mongach Meaſga, Buachalan, Buaſanan.**

Inveni ad ſepes, agrorum margines, ſuper muros vetuſtos, et in ruderatis frequenter; ſed abundanter circa munimentum vetuſtum apud *Caſtleknock.* VII.

 214. *GNAPHAL'-*

214. *GNAPHAL'IUM.*

uliginóſum. 1. GNAPHAL'IUM caule ramoſo herbaceo diffuſo, floribus confertis terminalibus. *Lin. Sp. Pl. ed.* 3. 1200. *Fl. Ang. ed.* 2. 361. *Fl. Scot.* 473. *Wither. Arrang. ed.* 2. 896.

Anglis, *marſh cudweed.*

Hibernis,

Inveni in ſcrobibus paludoſis juxta mare, inter *Baldoyle* et *Portmarnock.* VII.

---

215. *ERIG'ERON.*

ácre. 1. ERIG'ERON pedunculis alternis unifloris. *Lin. Sp. Pl. ed.* 3. 1211. *Fl. Ang. ed.* 2. 363. *Fl. Scot.* 474. *Wither. Arrang. ed.* 2. 903. *Fl. Lond. N.* 5. *Ic.* 26.

Anglis, *blue erigeron, blue flea-bane.*

Hibernis,

Hibernis,

Inveni ſuper muros vetuſtos apud murum borealem, non procul a ponte novo *Anneſley* dicto; ad ripas foſſarum aridas juxta *Rathfarnham*, et inter *Sandymount* et *Merrion*. V.

---

216. *TUSSILA'GO.*

far'fara. 1. TUSSILA'GO ſcapo imbricato unifloro, foliis ſubcordatis angulatis dentatis. *Lin. Sp. Pl. ed.* 3. 1214. *Fl. Ang. ed.* 2. 364. *Fl. Scot.* 475. *Wither. Arrang. ed.* 2. 904. *Fl. Lond. N.* 13. *Ic.* 78. *Med. Bot. p.* 37. *Ic.* 13.

Anglis, *colt's-foot.*

Hibernis, Fathan, Duilliur Spunc, Fothannan, Athan, Luibh an aghaidh Toſachtarche.

Inveni in paſcuis, locis humidis, ruderatis calcariis, et ubi aquæ ſubſunt, ſolo lutoſo præſertim. III.

petaſi'tes. 2. TUSSILA'GO thyrſo ovato, floſculis omnibus hermaphroditis. *Lin. Sp. Pl. ed.* 3. 1214. *Fl. Ang. ed.* 2. 364. *Fl. Scot.* 477. *With Arrang. ed.* 2. 906. *Fl. Lond. N.* 23. *Ic.* 138.

Anglis, *butter-bur*, *peſtilent-wort.*

Hibernis, **Piobol, Gallan.**

Inveni in pratis et paſcuis humidis, et prope fluminum et lacuum ripas frequenter. III.

---

217. *S E N E' C I O.*

vulgáris. 1. SENE'CIO corollis nudis, foliis pinnato-ſinuatis amplexicaulibus, floribus ſparſis. *Lin. Sp. Pl. ed.* 3. 1217. *Fl. Ang. ed.* 2. 365. *Fl. Scot.* 478. *Wither. Arrang. ed.* 2. 908. *Fl. Lond. N.* 8. *Ic.* 43.

Anglis, *groundſel*, *ſimſon.*

Hibernis,

Hibernis, **Crannlus, Boglus, Bu-achalan na heaſgaran.**

Inveni in locis tum ruderatis tum cultis, hortis, areis, et arvis. III.

viſcóſus. 2. SENE'CIO corollis revolutis, foliis pinnatifidis viſcidis, ſquamis calycinis laxis longitudine perianthii. *Lin. Sp. Pl. ed.* 3. 1217. *Fl. Ang. ed.* 2. 365. *Fl. Scot.* 479. *Wither. Arrang. ed.* 2. 909. *Engliſh Botany N.* 11. *Ic.* 32.

Anglis, *clammy groundſel.*

Hibernis,

Inveni in arenoſis maritimis, præſertim inter *Clontarf* et *Howth.* VII.

ſylvat'icus. 3 SENE'CIO corollis revolutis, foliis pinnatifidis denticulatis, caule corymboſo erecto. *Lin. Sp Pl. ed.* 3. 1217. *Fl. Scot.* 480. *With. Arrang. ed.* 2. 910. *Fl. Ang. ed.* 2. 365. *S. viſcóſus var.* β.

Anglis, *ſtinking ſmall-flowered groundſel.*

Hibernis,

Hibernis,

Inveni cum priore, in ſepibus, et ſuper muros vetuſtos. VII.

Jacobæ'a. 4. SENE'CIO corollis radiantibus, foliis pinnato-lyratis, laciniis lacinulatis, caule erecto. *Lin. Sp. Pl. ed.* 3. 1219. *Fl. Ang. ed.* 2. 365. *Fl. Scot.* 480. *Wither. Arrang. ed.* 2. 911. *Fl. Ruſt. N.* 29. *Ic.* 85.

Anglis, *ragwort, ragweed, ſeggrum, Saint James's wort.*

Hibernis, Buidhe Bhailſcean, Buachalan na bcaſcaran.

Inveni in paſcuis, præſertim humidioribus, inque incultis, ad vias, &c. copioſe, et moleſte fere ubique. VII.

erucifol'ius. 5. SENE'CIO corollis radiantibus, foliis pinnatifidis dentatis ſubhirtis, caule erecto. *Lin. Sp. Pl. ed.* 3. 1218. *Fl. Ang. ed.* 2. 366. *Wither. Arrang. ed.* 2. 910. *Fl. Lond. N.* 50. *Ic.* 298.

Anglis,

Anglis, *boary groundſel.*

Hibernis,

Inveni in paſcuis ſterilioribus frequenter. VII.

paludóſus. 6. SENE'CIO corollis radiantibus foliis enſiformibus acute ſerratis, ſubtus ſubvilloſis, caule ſtricto. *Lin. Sp. Pl. ed.* 3. 1220. *Fl. Ang. ed.* 2. 366. *With. Arrang. ed.* 2. 913.

Anglis, *bird's tongue.*

Hibernis, Boglus.

Inveni in paluſtribus apud *Howth*, et alibi copioſe. VII.

---

218. SOLIDA'GO.

virgaúrea. 1. SOLIDA'GO caule ſubflexuoſo angulato, racemis paniculatis erectis confertis. *Lin. Sp. Pl. ed.* 3. 1235. *Fl. Ang. ed.* 2. 367. *Fl. Scot.* 482. *With. Arrang. ed.* 2. 917.

Anglis,

Anglis, *common golden-rod.*

Hibernis,

Inveni in ericetis montoſis apud *Howth*, copioſe. VIII.

---

219. *A S' T E R.*

tripólium. 1. AS'TER foliis lanceolatis integerrimis carnoſis glabris, ramis inæquatis, floribus corymboſis. *Lin. Sp. Pl. ed.* 3. 1226. *Fl. Ang. ed.* 2. 368. *Fl. Scot.* 482. *Wither. Arrang. ed.* 2. 915. *Engliſh Botany N.* 27. *Ic.* 87.

Anglis, *ſea ſtarwort.*

Hibernis,

Inveni in ſalſis maritimis paludoſis juxta *Ringſend* copioſe, in littoribus maritimis inter *Black-Rock* et *Dunleary*, apud ſinum *Killeny* et in *Howth* auſtrali parte. VI.

220. *I N' U L A.*

220. *I N' U L A.*

dyſenter'ica. 1. IN'ULA foliis amplexicaulibus cordato-oblongis ſubtomentoſis, caule villoſo paniculato, ſquamis calycinis ſetaceis. *Lin. Sp. Pl. ed.* 3. 1237. *Fl. Ang. ed.* 2. 368. *Wither. Arrang. ed.* 2. 923. *Fl. Lond. N.* 28. *Ic.* 165.

Anglis, *middle fleabane.*

Hibernis,

Inveni in locis aquoſis, et ad rivos fere ubique, præcipue inter *Ball's-Bridge* et *Merrion* abundanter. VII.

crithmoides. 2. IN'ULA foliis linearibus carnoſis tricuſpidatis. *Lin. Sp. Pl. ed.* 3. 1240. *Fl. Ang. ed.* 2. 369. *With. Arrang. ed.* 2. 924. *Engliſh Botany N.* 23. *Ic.* 68.

Anglis, *golden ſamphire.*

Hibernis,

Inveni in rimis petrarum humidis infra pharos apud *Howth.* VII.

221. *B E L' L I S.*

peren'nis. 1. BEL'LIS ſcapo nudo. *Lin. Sp. Pl. ed.* 3. 1248. *Fl. Ang. ed.* 2. 370. *Fl. Scot.* 487. *Wither. Arrang. ed.* 2. 926. *Fl. Lond. N.* 3. *Ic.* 13.

Anglis, *daiſy.*

Hibernis, Noinin.

Inveni in pratis, paſcuis, &c. abundanter ubique. III.

---

222. *C H R Y S A N' T H E M U M.*

ſegétum. 1. CHRYSAN'THEMUM foliis amplexicaulibus, ſuperne laciniatis, inferne dentato-ſerratis. *Lin. Sp. Pl. ed.* 3. 1254. *Fl. Ang. ed.* 2. 371. *Fl. Scot.* 489. *Wither. Arrang. ed.* 2. 930. *Fl. Lond. N.* 63. *Ic.* 377.

Anglis, *corn marigold, goulans, goldins.*

Hibernis, Buachalan buidhe, Liathan.

Inveni

Inveni inter ſegetes ſolo arenoſo frequenter. VI.

leucan'themum. 2. CHRYSAN'THEMUM foliis amplexicaulibus oblongis: ſuperne ſerratis, inferne dentatis. *Lin. Sp. Pl. ed.* 3. 1251. *Fl. Ang. ed.* 2. 371. *Fl. Scot.* 488. *Wither. Arrang. ed.* 2. 928. *Fl. Lond. N.* 59 *Ic.* 350.

Anglis, *greater daiſy, ox eye.*

Hibernis, Caſpag beain, Moinin mor.

Inveni in pratis, arvis, et paſcuis ſiccis ubique, non raro et inter ſegetes. V.

---

223. *MATRICA'RIA.*

parthénium. 1. MATRICA'RIA foliis compoſitis planis, foliolis ovatis inciſis, pedunculis ramoſis. *Lin. Sp. Pl. ed.* 3. 1255. *Fl. Ang. ed.* 2. 371. *Fl. Scot.* 490. *Wither. Arrang. ed.* 2. 931.

Anglis,

Anglis, *feverfew.*

Hibernis, Meadh duach.

Inveni ad ſepes et in locis ruderatis paſſim. VI.

ſuavéolens. 2. MATRICA'RIA receptaculis conicis, raddiis deflexis, ſeminibus nudis, ſquamis calycinis margine æqualibus. *Lin. Sp. Pl. ed.* 3. 1256. *Fl. Ang. ed.* 2. 372. *M. Chamomil'la var.* β. *Fl. Scot.* 493. *Wither. Arrang, ed.* 2. 933.

Anglis, *ſweet-ſcented feverfew.*

Hibernis,

Inveni in arvis et ad vias juxta *Balldoyle*, verſus *Portmarnock.* VII.

---

224. *ANTHEMIS.*

arven'ſis. 1. AN'THEMIS receptaculis conicis, paleis ſetaceis, ſeminibus coronato-marginatis. *Lin. Sp. Pl. ed.* 3. 1261. *Fl. Ang. ed.* 2. 373. foliis *villoſiuſculis.*

culis. Fl. Scot. 494. *With Arrang. ed.* 2. 937. *Flora Ruſtica N.* 25 *Ic.* 73.

Anglis, *corn chamomile.*

Hibernis, Coman mionla.

Inveni in arvis paſſim. VI.

marit'ima. 2. ANTHEMIS foliis pinnatis denticulatis carnoſis nudiſpunctatis, caule proſtrato, calycibus ſubtomentoſis. *Lin. Sp. Pl ed.* 3. 1259 *Fl. Ang. ed.* 2. 374. *Wither. Arrang. ed.* 2. 935.

Anglis, *ſea chamomile.*

Hibernis,

Inveni in paſcuis, pratis, et locis arenoſis maritimis frequenter. VII.

---

225. *ACHILLE'A.*

millefólium. 1. ACHILLE'A foliis bipinnatis nudis; laciniis linearibus dentatis, caulibus ſulcatis. *Lin. Sp. Pl. ed.* 3. 1267. *Fl.*

Fl. Ang. ed. 2. 374. *Fl. Scot.* 496. *Wither. Arrang. ed.* 2. 941. *Fl. Lond. N.* 63. *Ic.* 373. *Med. Botany p.* 179. *Ic.* 64.

Anglis, *yarrow*, *milfoil.*

Hibernis, Athair talmhuin.

Inveni ubique fere. VI.

SYNGENESIA.

POLYGAMIA FRUSTRANEA.

226. *CENTAURE'A.*

nigra. 1. CENTAURE'A calycibus ciliatis, ſquamula ovata, ciliis capillaribus erectis, foliis lyrato-angulatis, floribus floſculoſis. *Lin. Sp. Pl. ed.* 3. 1288. *Fl. Ang. ed.* 2. 375. *Fl. Scot.* 498. *With. Arrang. ed.* 2. 943.

Anglis, *knap-weed*, *knop-weed*, *horſe-knops*, *matfellon.*

Hibernis,

Hibernis, Mianſgoth, Mianſcoich, Mulach dubh, Mulaighe Dubha.

Inveni in pratis, paſcuis, &c. nimis frequenter. VII.

cy'anus. 2. CENTAURE'A calycibus ſerratis, foliis linearibus integerrimis infimis dentatis. *Lin. Sp Pl. ed.* 3. 1289. *Fl. Ang. ed.* 2. 375. *Fl. Scot.* 498. *With. Arrang. ed.* 2. 944.

Anglis, *blue bottles, corn-flower, hurt-ſickle.*

Hibernis, Gorman.

Inveni inter ſegetes paſſim, ſed præſertim in arvis arenoſis lutoſis juxta mare apud *Malahide* abunde. VII.

ſcabióſa. 3. CENTAURE'A calycibus ciliatis, foliis pinnatifidis, pinnis lanceolatis. *Lin. Sp. Pl. ed.* 3. 1291. *Fl. Ang. ed.* 2. 376. *Fl. Scot.* 500. *Wither. Arrang. ed.* 2. 945. *Engliſh Botany N.* 45. *Ic.* 56.

Anglis, *great knap-weed.*

Hibernis,

Inveni ad margines agrorum nonnunquam, præcipue inter *Chapelizod* et *Lucan*, et juxta pontem *Glaſſnevin.* VII.

SYNGENESIA.

SYNGENESIA.

POLYGAMIA NECESSARIA.

227. *FILA'GO.*

German'ica. 1. FILA'GO panicula dichotoma, floribus rotundatis axillaribus hirſutis, foliis acutis. *Lin. Sp. Pl. ed.* 3. 1311. *Fl. Scot.* 501. *Gnaphal'ium german'icum. Fl. Ang ed.* 2. 362. *Wither. Arrang. ed.* 2. 898, 948.

Anglis, *common cudweed, chafeweed, childing cudweed.*

Hibernis, Liath Lus roid.

Inveni in locis ſiccioribus, ſterilioribus, et viis publicis, præcipue inter *Clontarf* et *Howth*, *Burrow-of-Portmarnock* juxta *Baldoyle*, juxta mare apud *Killeny*, ſuper montes Dublinenſes et alibi. VI.

SYNGENESIA.

MONOGAMIA.

228. *IASIO'NE.*

montána. 1. IASIO'NE. *Lin. Sp. Pl. ed.* 3. 1316. *Fl. Ang. ed.* 2. 377. *Fl. Scot.* 504. *Wither. Arrang. ed.* 2. 949. *Fl. Lond. N.* 41. *Ic.* 244.

Anglis, *hairy ſheep's ſcabious, ſcabious rampion.*

Hibernis,

Inveni in ericetis arenoſis, et ſterilioribus requietis agris paſſim, præſertim juxta *Bullock, Dunleary,* apud *Howth,* et ſuper montes Dublinenſes. VI.

229. *V I' O L A.*

odoráta. 1. VI'OLA acaulis, foliis cordatis, ſtolonibus reptantibus. *Lin. Sp. Pl. ed.* 3. 1324. *Fl. Ang. ed.* 2. 378. *Fl. Scot.* 507. *Wither. Arrang. ed.* 2. 954. *Fl. Lond. N.* 9. *Ic.* 54. *Med. Bot. p.* 225. *Ic.* 81.

Anglis, *ſweet violet.*

Hibernis, **Sail Chuach.**

Inveni *var.* β. cum flore albo in aggeribus foſſarum copioſe apud *Gooſe-Green* juxta *Richmond.* III.

hir'ta. 2. VI'OLA acaulis, foliis cordatis piloſo-hiſpidis. *Lin. Sp. Pl. ed.* 3. 1324. *Fl. Ang. ed.* 2. 379. *Wither. Arrang. ed.* 2. 952. *Fl. Lond. N.* 10. *Ic.* 56.

Anglis, *hairy violet.*

Hibernis,

Inveni in paſcuis montoſis et dumoſis, ſolo arenoſo prope littus *Raheny.* III.

canina.

canína. 3. VI'OLA caule adultiore adſcendente, foliis oblongo-cordatis. *Lin. Sp. Pl. ed.* 3. 1324. *Fl. Ang. ed.* 2 379. *Fl. Scot.* 508. *Wither. Arrang. ed.* 2. 955. *Fl. Lond N.* 18. *Ic.* 104

Anglis, *dog's violet.*

Hibernis, Fanaigſe naigſe, biodh a leithid, Sail chuach.

Inveni ad ſepes, et in nemoroſis ericetis et dumetis abundanter fere ubique, ſed præcipue inter *Killeſter* et *Raheny*, *Artane* et *Glanſah* cum primula. III.

tricólor. 4. VI'OLA caule triquetro diffuſo, foliis oblongis inciſis, ſtipulis pinnatifidis. *Lin. Sp. Pl. ed* 3. 1326. *Fl Ang. ed.* 2. 380. *Fl. Scot.* 509. *Wither. Arrang. ed.* 2. 957. *Fl. Lond. N.* 6. *Ic.* 35.

Anglis, *panſies*, *heart's-eaſe*, *three-faces-under-a-hood*, *love-in-idleneſs*, *kiſs-at-the-garden-gate*, *call-me-to-you*, *herb trinity.*

Hibernis, **Gorman-ſearaigh**, **Sail chuach**.

Inveni in aggeribus arenoſis abundanter, ſecus totam viam inter *Raheny* et *Howth*, prope littus, et alibi. IV.

GYNANDRIA.

DIANDRIA.

230. *OR'CHIS.*

bifólia. 1. OR'CHIS bulbis indiviſis, nectarii labio lanceolato integerrimo, cornu longiſſimo, petalis patentibus. *Lin. Sp. Pl. ed.* 3. 1331. *Fl. Ang. ed.* 2. 382. *Fl. Scot.* 512. *Wither. Arrang. ed.* 2. 967. *Engliſh Botany N.* 8. *Ic.* 22.

Anglis, *butterfly orchis.*

Hibernis,

Inveni

Inveni in paſcuis altioribus, non ita copioſe in regione occidentale *Stag's-town*, inter *Lug-more* et *Kilty-loones* juxta montem *Tallaght* dictum. VII.

pyramidális. 2. OR'CHIS bulbis indiviſis, nectarii labio bicorni trifido æquali integerrimo, cornu longo, petalis ſublanceolatis. *Lin. Sp. Pl. ed.* 3. 1332. *Fl. Ang. ed.* 2. 382. *Fl. Scot.* 513. *Wither. Arrang. ed.* 2. 969. *Engliſh Botany N.* 31. *Ic.* 110.

Anglis, *late-flowering purple pyramidal orchis.*

Hibernis,

Inveni in pratis et paſcuis frequenter, præcipue in agris *Scribleſtown*, paſcuis ſiccioribus circa fontem cui nomen *Nannikin Raheny-Strand*, inter *Sandymount* et *Merrion* copioſe, *Dunleary* et *Bullock.* VII.

maſ'cula. 3. OR'CHIS bulbis indiviſis, nectarii labio quadrilobo crenulato, cornu obtuſo, petalis dorſalibus reflexis. *Lin. Sp. Pl. ed.* 3. 1333. *Fl. Ang. ed.*

ed. 2. 383. *Fl. Scot.* 515. *Wither. Arrang. ed.* 2. 971. *Fl. Lond. N.* 21. *Ic.* 122. *Med. Botany p.* 246. *Ic.* 90.

Anglis, *early male fool's ſtones.*

Hibernis, Magarlin meadhrach.

Inveni in paſcuis, pratis, et inter vepres inter *Black-rock* et *Cabinteely*, in ſylvis *Luttrel's-town*, *Santry*, et *Bracken's-town*, in agris *Scrible's-town*, juxta *Cardiff's-bridge* et alibi. IV.

mório. 4. OR'CHIS bulbis indiviſis, nectarii labio quadrifido crenulato, cornu obtuſo adſcendente, petalis obtuſis conniventibus. *Lin. Sp. Pl. ed.* 3. 1333. *Fl. Ang. ed.* 2. 383. *Fl. Scot.* 514. *With. Arrang. ed.* 2. 970. *Fl. Lond. N.* 30. *Ic.* 175.

Anglis, *female fool's ſtones.*

Hibernis,

Inveni cum priore. VII.

uſtuláta. 5. OR'CHIS bulbis indiviſis, nectarii labio quadrifido punctis ſcabro, cornu obtuſo, petalis diſtinctis. *Lin. Sp. Pl.*

Pl. ed. 3. 1333. *Fl. Ang. ed.* 2. 384. *Wither. Arrang. ed.* 2. 973. *Engliſh Botany N.* 6. *Ic.* 18.

Anglis, *dwarf orchis.*

Hibernis,

Inveni in collibus ſiccioribus et ſterilioribus inter *Sandymount* et *Merrion.* V.

maculáta. 6. OR'CHIS bulbis palmatis patentibus, nectarii cornu germinibus breviore, labio plano, petalis dorſalibus patulis. *Lin. Sp. Pl. ed.* 3. 1335. *Fl. Ang. ed.* 2. 385. *Fl. Scot.* 517. *With. Arrang. ed.* 2. 976.

Anglis, *female handed orchis, ſpotted orchis.*

Hibernis,

Inveni in pratis humidis fere ubique. VII.

conop'ſea. 7. OR'CHIS bulbis palmatis, nectarii cornu ſetaceo germinibus longiore, labio trifido, petalis duobus patentiſſimis. *Lin. Sp. Pl. ed.* 3. 1335. *Fl. Ang. ed.* 2. 385. *Fl. Scot.* 518. *Wither.*

Wither. Arrang. ed. 2. 976. *Engliſh Botany N.* 4. *Ic.* 10.

Anglis, *long-ſpur'd ſweet handed orchis.*

Hibernis,

Inveni circa lavacrum apud *Howth* cum geranio ſanguineo; in pratis et paſcuis humidis *Scrible's-town*; in paluſtribus juxta *Templeoge*, ultra *Dunleary* inter viam publicam et mare. VI.

---

231. *O'PHRYS.*

ováta. 1. O'PHRYS bulbo fibroſo, caule bifolio, foliis ovatis, nectarii labio bifido. *Lin. Sp. Pl. ed.* 3. 1340. *Fl. Ang. ed.* 2. 388. *Fl. Scot.* 523. *Wither. Arrang. ed.* 2. 986. *Fl. Lond. N.* 30. *Ic.* 180.

Anglis, *great twayblade.*

Hibernis,

Inveni

Inveni in pratis uliginoſis in agris *Scrib-leſtown* copioſe, et in locis turfoſis juxta *Killmaſhouge* orientem verſus. VI.

inſecti'fera. 2. O'PHRYS bulbis ſubrotundis, ſcapo folioſo, nectarii labio ſubquinque-lobo. *Lin. Sp Pl ed.* 3. 1343. *var.* ι. *O. apif'era. Fl. Ang ed.* 2. 391. *With Arrang. ed.* 2. 993 *Fl. Lond N* 3. *Ic.* 15.

Anglis, *bee orchis*, *bee flower.*

Hibernis,

Inveni in paſcuis ſiccioribus, ſed parce, pone ſcholam Reverendi domini *Dowling*, *Black-rock.* VII.

GYNANDRIA.

POLYANDRIA.

232. *A'RUM.*

maculátum. 1. A'RUM acaule foliis haſtatis integerrimis, ſpadice clavato. *Lin. Sp. Pl. ed.* 3. 1370. *Fl. Ang. ed.* 2. 395. *Fl. Scot.* 528. *Wither. Arrang. ed.* 2. 1012. *Fl. Lond. N.* 19. *Ic.* 111. *Med. Botany p.* 74. *Ic.* 25.

Anglis, *wake-robin, cuckow pint, lords and ladies.*

Hibernis, **Cluas chaicin, Geathur, Gaoicin cuithigh.**

Inveni ad ſepes, et in locis umbroſis fere ubique, ſed præcipue apud *Phænix-Park* abundanter. V.

MONOECIA.

DIANDRIA.

233. *LEM'NA.*

min'or. 1. LEM'NA foliis ſeſſilibus utrinque planiuſculis, radicibus ſolitariis. *Lin. Sp. Pl. ed.* 3. 1376. *Fl. Ang. ed* 2 399. *Fl. Scot.* 537. *Wither. Arrang. ed.* 2. 1020.

Anglis, *leaſt duck-meat.*

Hibernis, **Gran Lachan, Abhran donog Mac gan Athair, Ros Lachan.**

Inveni aquarum ſtagnantium ſuperficei innatantem, et perſæpe eas totas operientem. VIII.

MONOECIA.

TRIANDRIA.

234. *TY'PHA.*

latifólia. 1. TY'PHA foliis ſubenſiformibus, ſpica maſcula feminæque approximatis. *Lin. Sp. Pl. ed.* 3. 1377. *Fl. Ang. ed.* 2. 400. *Fl. Scot.* 538. *With. Arrang. ed.* 2. 1021. *Fl. Lond. N.* 29. *Ic.* 171. *T. major.*

Anglis, *great cat's tail or reed mace.*

Hibernis, **Bodan Dubh, Toigeal na mban Sighe.**

Inveni in ſtagnis et piſcinis majoribus apud *Santry*, et alibi. VII.

anguſtifólia. 2. TY'PHA foliis ſubcylindricis, ſpica maſcula feminæque remotis. *Lin. Sp. Pl. ed.* 3. 1377. *Wither. Arrang. ed.* 2. 1022. *Fl. Lond. N.* 29. *Ic.* 172. *T. minor.*

Anglis,

Anglis, *ſmall cat's tail or reed mace.*

Hibernis, Bodan.

Inveni in ſtagnis inter *Sandymount* et *Merrion* abundanter, et alibi. VII.

---

235. *SPARGA'NIUM.*

erec'tum. 1. SPARGA'NIUM foliis erectis triquetris. *Lin. Sp. Pl. ed.* 3. 1378. *Fl. Scot.* 539. *Wither. Arrang. ed.* 2. 1023. *S. ramoſum Fl. Ang. ed.* 2. 401. *Fl. Lond. N.* 58. *Ic.* 345.

Anglis, *upright or greater burr-reed.*

Hibernis, Seiſg Madradh, Righ Seiſg.

Inveni in aquis ad fluviorum ripas, inque paluſtribus paſſim, præſertim apud *Phœnix-Park.* VII.

MONOECIA.

TETRANDRIA.

236. *BETULA.*

al'ba. 1. BET'ULA foliis ovatis acuminatis ſerratis. *Lin. Sp. Pl. ed.* 3. 1393 *Fl. Ang. ed.* 2. 416. *Fl. Scot.* 572. *Wither. Arrang. ed.* 2. 1065. *Hunter's Ev. Sylv. ed.* 2. *V.* 1. *p.* 218.

Anglis, *birch tree, birk.*

Hibernis, Beith, Beithe.

Inveni in ſylvis humidis, et ſepibus frequenter. VI.

al'nus. 2. BET'ULA pedunculis ramoſis. *Lin. Sp. Pl. ed.* 3. 1394. *Fl. Ang. ed.* 2. 416. *Fl. Scot.* 576. *With. Arrang. ed.* 2. 1067. *Hunter's Ev. Sylv. ed.* 2. *V.* 1. *p.* 220, 233.

Anglis, *common alder tree.*

Hibernis,

Hibernis, Fearna Fiarnog.

Inveni in aquoſis inter *Luttrel's-town* et *Lucan*, et alibi. VII.

---

237. *URTI'CA.*

urens. 1. URTI'CA foliis oppoſitis ovalibus. *Lin. Sp Pl. ed.* 3. 1396. *Fl. Ang. ed.* 2. 417. *Fl. Scot.* 578. *Wither. Arrang. ed.* 2. 1070. *Fl. Lond. N.* 64. *Ic.* 384.

Anglis, *leſs ſtinging nettle.*

Hibernis, Caoil fhail, Neanta Neantog.

Inveni ad ſepes, in locis ruderatis et cultis fere ubique. VII.

dioíca. 2. URTI'CA foliis oppoſitis cordatis, racemis geminis. *Lin. Sp. Pl. ed.* 3. 1396. *Fl. Ang. ed.* 2. 417. *Fl. Scot.* 578. *Wither. Arrang. ed.* 2. 1071. *Fl. Lond. N.* 64. *Ic.* 383. *Med. Bot. p.* 396. *Ic.* 146.

Anglis,

Anglis, *common ſtinging nettle.*

Hibernis, Neantog Leiſneach.

Inveni cum priore. VII.

MONOECIA.

POLYANDRIA.

238. *MYRIOPHYL'LUM.*

ſpicátum. 1. MYRIOPHYL'LUM floribus maſculis interrupte ſpicatis. *Lin. Sp. Pl. ed.* 3. 1409. *Fl. Ang. ed.* 2. 419. *Fl. Scot.* 581 *Wither. Arrang. ed.* 2. 1077. *Engliſh Botany N.* 26. *Ic.* 83.

Anglis, *ſpiked water milfoil.*

Hibernis,

Inveni ad margines ſtagnorum et in ſtagnis ipſis *Phœnix-Park.* VII.

239. *POTE'RIUM.*

239. *POTE'RIUM.*

ſanguiſor'ba. 1. POTE'RIUM inerme, caulibus ſubanguloſis. *Lin. Sp. Pl. ed* 3. 1411. *Fl. Ang. ed.* 2. 421. *Wither. Arrang. ed.* 2. 1081. *Fl. Lond. N.* 15. *Ic.* 88. *Fl. Ruſt. N.* 33. *Ic.* 69.

Anglis, *burnet.*

Hibernis,

Inveni in montoſis pratis et paſcuis, præſertim ſolo arenoſo, frequenter, ſed præcipue in clivis umbroſis copioſe juxta flumen *Dodder* auſtrali parte, inter *Rathmines* et januam comitis *Ely*, ſuper collem *Knockmaroon*, et alibi. V.

---

240. *QUER'CUS.*

róbur. *1. QUER'CUS foliis deciduis oblongis ſuperne latioribus, ſinubus acutioribus, angulis obtuſis. *Lin. Sp. Pl. ed.* 3. 1414. *Fl. Ang. ed.* 2. 421. *Fl. Scot.*

581.

581. *Hunter's Ev Syl. ed.* 2. *V.* 1. *p.* 67. *Flora Ruſtica N.* 4. *Ic.* 10, 11, 12. *Med. Botany p.* 344. *Ic.* 126

Anglis, *common oak.*

Hibernis, **Dair Crann Darrach, Farcan, Furran.**

Inveni in ſylvis et ſepibus frequenter. V.

---

241. *F A' G U S.*

ſylvat'ica. 1. FA'GUS foliis ovatis obſolete ſerratis. *Lin. Sp. Pl. ed.* 3. 1416. *Fl. Ang. ed.* 2. 422. *Fl. Scot.* 484 *Wither. Arrang. ed.* 2. 1087. *Hunter's Ev. Syl. ed.* 2. *V.* 1. *p.* 131.

Anglis, *beech tree.*

Hibernis, **Beith na meas.**

Inveni cum priore frequenter. V.

242. *CAR'PINUS.*

242. *CAR'PINUS.*

bet'ulus. 1. CAR'PINUS ſquamis ſtrobilorum planis. *Lin. Sp. Pl. ed.* 3. 1416. *Fl. Ang. ed.* 2. 422. *Fl. Scot.* 585. *With. Arrang. ed.* 2. 1089. *Hunter's Ev. Sylv. ed.* 2. *V.* 1. *p.* 138.

Anglis, *horn-beam tree, hard-beam tree, horſe or horn-beech tree.*

Hibernis, **Crann Sleamhain, Leamhan bog.**

Inveni cum fago ſylvatica frequenter. V.

---

243. *COR'YLUS.*

avellána. 1. COR'YLUS ſtipulis ovatis obtuſis. *Lin. Sp. Pl. ed.* 3. 1417. *Fl. Ang. ed.* 2. 423. *Fl. Scot.* 586. *Wither. Arrang. ed.* 2. 1090. *Hunter's Ev. Sylv. ed.* 2. *V.* 1. *p.* 213.

 Anglis,

Anglis, *haſel-nut tree.*

Hibernis, Coll.

Inveni in ſylvis et ſepibus frequenter. III.

DIOECIA.

DIANDRIA.

244. *SA'LIX.*

trian'dria. 1. SA'LIX foliis ſerratis glabris, floribus triandris. *Lin. Sp. Pl. ed.* 3. 1442. *Fl. Ang. ed.* 2. 425. *Wither. Arrang. ed.* 2. 1100. *Fl. Lond. N.* 62. *Ic.* 373.

Anglis, *ſmooth willow.*

Hibernis,

Inveni in ſalicetis et ſepibus humidis nonnunquam. V.

pentan'dria.

pentan'dria. 2. SA'LIX foliis ſerratis glabris, floſculis pentandris. *Lin. Sp. Pl. ed.* 3. 1442. *Fl. Ang. ed.* 2. 426. *Fl. Scot.* 595. *With. Arrang. ed.* 2. 1101.

Anglis, *ſweet willow, bay-leaved willow.*

Hibernis,

Inveni in ſylvis *Luttrel's-town*, et *Santry*, in ſepibus humidis circa *Chapelizod*, et alibi. V.

amygdalína. 3. SA'LIX foliis ſerratis glabris lanceolatis petiolatis, ſtipulis trapeziformibus. *Lin. Sp. Pl. ed.* 3. 1443. *Fl. Ang. ed.* 2. 426. *Fl. Scot.* 596 *With. Arrang. ed* 2. 1102.

Anglis, *almond-leaved willow.*

Hibernis,

Inveni cum priore, et ad ripas fluviorum. V.

frag'ilis. 4. SA'LIX foliis ſerratis glabris ovato-lanceolatis, petiolis dentato-glanduloſis. *Lin. Sp. Pl. ed* 3. 1443. *Fl. Ang. ed.* 2. 426. *Fl. Scot.* 597. *Wither. Arrang. ed.* 2. 1102. *Hunter's Ev.*

Sylv.

Sylv. ed. 2. *V.* 1. *p.* 238, 240. *Med. Bot. p.* 542. *Ic.* 198.

Anglis, *crack willow.*

Hibernis,

Inveni in aquoſis et ſalicetis paſſim, præſertim circa *Chapelizod.* V.

purpúrea. 5. SA'LIX foliis ſerratis glabris lanceolatis, inferioribus oppoſitis. *Lin. Sp. Pl. ed.* 3. 1444. *Fl Ang. ed.* 2. 427. *Fl. Scot.* 598. *Wither. Arrang. ed.* 2. 1102.

Anglis, *purple willow.*

Hibernis,

Inveni in ſalicetis paſſim. V.

reticuláta. 6. SA'LIX foliis integerrimis glabris ovatis obtuſis. *Lin. Sp. Pl. ed.* 3. 1446. *Fl. Ang. ed.* 2. 428. *Fl. Scot.* 601. *Wither. Arrang. ed.* 2. 1103.

Anglis, *wrinkled willow.*

Hibernis,

Inveni ſuper montes Dublinenſes nonnunquam. V.

arenária.

arenária. 7. SA'LIX foliis integris ovatis acutis, ſupra ſubvilloſis, ſubtus tamentoſis. *Lin. Sp. Pl. ed.* 3. 1447. *Fl. Scot.* 604. *With. Arrang. ed.* 2. 1104.

Anglis, *ſand willow.*

Hibernis,

Inveni in arena apud *Burrow-of-Port-marnock*, adverſus *Baldoyle.* IV.

fuſc'a. 8. SA'LIX foliis integerrimis ovatis, ſubtus villoſis nitidis. *Lin. Sp. Pl. ed.* 3. 1447. *Fl. Ang. ed.* 2. 429. *var.* δ. *Fl. Scot.* 606. *S. repens. Wither. Arrang. ed.* 2. 1105.

Anglis, *brown willow.*

Hibernis,

Inveni prope priorem, ſed in paludibus. IV.

cáprea. 9. SA'LIX foliis ovatis rugoſis, ſubtus tomentoſis, undatis ſuperne denticulatis. *Lin. Sp. Pl. ed.* 3 1448. *Fl. Ang. ed.* 2. 429. *Fl. Scot.* 607. *Wither. Arrang. ed.* 2. 1106.

Anglis,

Anglis, *common willow or ſallow, mountain oſier.*

Hibernis, Saileach.

Inveni in ſylvis et ſepibus paſſim, præſertim humidioribus. V.

viminális. 10. SA'LIX foliis ſubintegerrimis lanceolato-linearibus longiſſimis acutis ſubtus ſericeis, ramis virgatis. *Lin. Sp. Pl. ed.* 3. 1448. *Fl. Ang. ed.* 2. 430. *Fl. Scot.* 608. *Wither. Arrang. ed.* 2. 1107.

Anglis, *oſier.*

Hibernis, Biorraide.

Inveni in ſalicetis, aquis, et ſepibus humidis, præſertim juxta pagos. IV.

al'ba. 11. SA'LIX foliis lanceolatis acuminatis ſerratis utrinque pubeſcentibus, ſerraturis infimis glanduloſis. *Lin. Sp. Pl. ed.* 3. 1449. *Fl. Ang. ed.* 2. 430. *Fl. Scot.* 609. *Wither. Arrang. ed.* 2. 1108.

Anglis, *common white willow.*

Hibernis, Sail Soileog, Saileach.

Inveni juxta aquas paſſim, præſertim circa *Chapelizod.* IV.

DIOECIA.

OCTANDRIA.

245. *POP'ULUS.*

al'ba. 1. POP'ULUS foliis ſubrotundis dentato-angulatis, ſubtus tomentoſis. *Lin. Sp. Pl* *ed* 3 1463. *Fl. Ang. ed.* 2. 433. *Fl. Scot.* 616. *Wither. Arrang. ed.* 2. 1121. *Hunter's Evyl. Sylv. ed* 2. *Vol.* 1. *p.* 201.

Anglis, *white poplar, abele tree.*

Hibernis,

Inveni in ſylvis, ſepibus, ad fluvios et in aquoſis paſſim. III.

trémula 2. POP'ULUS foliis ſubrotundis, dentato-angulatis utrinque glabris. *Lin. Sp. Pl. ed.* 3. 1464. *Fl. Ang. ed.* 2. 434. *Fl. Scot.* 616. *Wither. Arrang. ed.* 2. 1121.

 Anglis,

Anglis, *aſp, aſpen, aſpin tree, trembling poplar.*

Hibernis, Crann crith, Crann crithir, Crann Critheach.

Inveni in ſylvis humidis, et locis uliginoſis frequenter. III.

nigra. 3. POP'ULUS foliis deltoidibus acuminatis ſerratis. *Lin. Sp. Pl. ed.* 3. 1464. *Fl. Ang. ed.* 2. 434. *Fl. Scot.* 618. *Wither. Arrang. ed.* 2. 1122.

Anglis, *black poplar.*

Hibernis,

Inveni in iiſdem locis cum *P. alba.* III.

DIOECIA.

ENNEANDRIA.

246. *MERCURIA'LIS.*

peren'nis. 1. MERCURIA'LIS caule ſimpliciſſimo, foliis ſcabris. *Lin. Sp. Pl. ed.* 3. 1465. *Fl. Ang. ed.* 2. 435. *Fl. Scot.* 620. *Wither. Arrang. ed.* 2. 1125. *Fl. Lond. N.* 14. *Ic.* 84.

Anglis, *dog's mercury.*

Hibernis,

Inveni ad ſepes juxta *Finglaſs.* V.

an'nua. 2. MERCURIA'LIS caule brachiato, foliis glabris, floribus ſpicatis. *Lin. Sp. Pl. ed.* 3. 1465. *Fl. Ang. ed.* 2. 435. *Fl. Scot.* 620. *With. Arrang. ed.* 2. 1126. *Fl. Lond. N.* 57. *Ic.* 342.

Anglis, *French mercury.*

Hibernis,

Inveni in locis ruderatis et cultis copioſe. VII.

POLYGAMIA.

MONOECIA.

247. *HOL'CUS.*

lanâtus. 1. HOL'CUS glumis bifloris villoſis, hermaphrodito mutico, maſculo ariſta recurva. *Lin. Sp. Pl. ed.* 3. 1485. *Fl. Ang. ed.* 2. 440. *Fl. Scot.* 631. *With Arrang. ed.* 2. 1138. *Fl. Lond. N.* 38. *Ic.* 225.

Anglis, *meadow ſoft graſs.*

Hibernis,

Inveni in pratis et paſcuis, et locis umbroſis humidiſque frequenter. VII.

mol'lis 2. HOL'CUS glumis bifloris nudiuſculis, floſculo hermaphrodito mutico, maſculo ariſta geniculata. *Lin. Sp. Pl. ed.* 3. 1485. *Fl. Ang. ed.* 2. 440. *Fl. Scot.* 631. *Wither. Arrang.*

Arrang. ed. 2. 1137. *Fl. Lond. N.* 54. *Ic.* 320.

Anglis, *corn ſoft graſs, creeping ſoft graſs.*

Hibernis,

Inveni in pratis, inter ſegetes, et ad ſepes. VII.

---

248. *P A R I E T A' R I A.*

officinális. 1. PARIETA'RIA foliis lanceolato-ovatis, pedunculis dichotomis, calycibus diphyllis. *Lin. Sp. Pl. ed.* 3. 1492. *Fl. Ang. ed.* 2. 442. *Fl. Scot.* 634. *Wither. Arrang. ed.* 2. 1141. *Fl. Lond. N.* 39. *Ic.* 234. *Med. Botany p.* 384. *Ic.* 142.

Anglis, *pellitory of the wall.*

Hibernis, Miontas Chaiſil.

Inveni in muros antiquos ubique fere; præcipue autem apud delubrum ve-

tuſtum

tuſtum in promontorio *Howth*, ſuper pontes quoque *Glaſſnevin*, *Finglaſs* et *Clonſkeagh*, in turrim rotundam *Clondalkin*, et alibi. VII.

---

249. *A'TRIPLEX.*

haſtáta. 1. A'TRIPLEX caule herbaceo, calycis valvulis femineis magnis deltoidibus ſinuatis. *Lin. Sp. Pl. ed.* 3. 1494. *Fl. Ang. ed.* 2. 443. *Fl. Scot.* 636. *Wither. Arrang. ed.* 2. 1144. *Fl. Lond. N.* 20. *Ic.* 118.

Anglis, *wild orache, fat hen, lamb's quarters.*

Hibernis, Ceathramha Luain Griollog, Praiſcach mhin, Ceathramha chaorach.

Inveni in hortis oleraceis, litoribus maritimis, inque ruderibus et fimetis. VIII.

pat'ula. 2. A'TRIPLEX caule herbaceo patulo, foliis ſubdeltoideo-lanceolatis, calycibus feminum diſco-dentatis. *Lin.*

Sp.

Sp. Pl. Pl. ed. 3. 1494. *Fl. Ang. ed.* 2. 443. *Fl. Scot.* 637. *With. Arrang. ed.* 2. 1145.

Anglis, *ſpreading ſpear orache.*

Hibernis,

Inveni in ruderatis paſſim. VIII.

portulacoides. 3. A'TRIPLEX caule fructicoſo, foliis ovatiis. *Lin. Sp. Pl. ed.* 3. 1493. *Fl. Ang. ed.* 2. 442. *Fl. Scot.* 635. *Wither. Arrang. ed.* 2. 1143.

Anglis, *ſea purſlane.*

Hibernis,

Inveni in paluſtribus putridis et maritimis paſſim, etiamque in aggeribus vetuſtis juxta *South Cumberland-ſtreet*; in civitate *Dublin.* VII.

---

250. *A' C E R.*

pſeudoplatánus 1. A'CER foliis quinquelobis inæqualiter ſerratis, floribus racemoſis. *Lin.*

Lin. Sp. Pl. ed. 3. 1495. *Fl. Ang. ed.* 2. 445. *Fl. Scot.* 639. *Wither. Arrang. ed.* 2. 1147. *Hunter's Ev. Syl. ed.* 2. *V.* 1. 193.

Anglis, *ſycamore tree.*

Hibernis, Crann bann, Cran ſionn, ſir-chrann.

Inveni in coemeteriis, circa ædes, et in ſepibus paſſim. V.

campeſtre. 2. A'CER foliis lobatis obtuſis emarginatis. *Lin. Sp. Pl. ed.* 3. 1497. *Fl. Ang. ed.* 2. 445. *Fl. Scot.* 640. *Wither. Arrang. ed.* 2. 1148. *Hunter's Ev. Sylv. ed.* 2. *Vol.* 1. 183.

Anglis, *common maple.*

Hibernis, Crann.

Inveni cum priore, ſed præcipue in ſepibus. V.

POLYGAMIA.

POLYGAMIA.

DIOECIA.

251. *FRAX'INUS.*

excel'ſior. 1. FRAX'INUS foliis ſerratis, floribus apetalis. *Lin. Sp. Pl. ed.* 3. 1509. *Fl. Ang. ed.* 2. 446. *Fl. Scot.* 641. *Wither. Arrang. ed.* 2. 1149. *Hunter's Ev. Sylv. ed.* 2. *Vol.* 1. 145.

Anglis, *common aſh tree.*

Hibernis, **Fuinſe, Fuinſeog, Crann Fuinſean, Crann Fuinnſeoige.**

Inveni in ſylvis *Luttrel's-town, Phænix-Park,* et alibi frequenter. III.

 APPENDIX.

APPENDIX.

CICHO'RIUM in'tybus, pag. 218, copioſe in agris *Scribleſtown.*

Convol'vulus ſe'pium, pag. 59, *Fl. Ruſt. N.* 30. *Ic.* 88.

Dau'cus caro'ta, pag. 76, *Fl. Ruſtica N.* 28. *Ic.* 82.

Hyacin'thus non ſcrip'tus, pag. 97, copioſe in agris inter *Drumcondra* et *Santry*; et in ſylvis *Bracken's-town*, et *Rathfarnham-park.*

Parnaſ'ſia paluſ'tris, pag. 90, copioſe in agris comitis *Bective* apud *Scribleſtown*, præcipue in prato uliginoſo juxta pomarium et aditum, et pone Uranoſcopium cum pinguicula vulgari.

Paſtina'ca ſati'va, pag. 85, *Fl. Ruſtica N.* 28. *Ic.* 83.

Pri'mula ve'ris officina'lis, pag. 55, *Fl. Lond. N.* 67. *Ic* 402.

Sal'via verbena'ca, pag. 9, *Engliſh Botany N.* 38. *Ic.* 154.

Scan'dix anthriſ'cus, pag. 84, abundanter inter *Foſter's-avenue* et *Stillorgan*, et inter *Merrion* et *Booter's-town*, juxta murum ſecus viam publicam.

Valeria'na officina'lis, pag. 11, *Fl. Lond. N.* 67. *Ic.* 401.

INDEX
NOMINUM
LATINORUM.

A.

ACER campeſtre 272
——— pſeudo-platanus 271
Achillea millefolium 237
Adonis autumnalis 147
Æthuſa cynapium 82
Agrimonia eupatoria 128
Agroſtemma githago 123
Agroſtis canina 18
——— capillaris 18
——— ſtolonifera 19
Aira aquatica 20
—— cœrulea 20
—— cœſpitoſa 21
Ajuga reptans 155
Alchemilla vulgaris 45
Aliſma plantago 105
——— ranunculoides 105
Allium vineale 95
Alopecurus geniculatus 17
——— pratenſis 17
Alſine media 90

A

Anagallis arvenſis 58
——— tenella 57
Anchuſa ſempervirens 50
Anemone nemorum 147
Anethum fœniculum 86
Angelica ſylveſtris 97
Anthemis arvenſis 236
——— maritima 237
Anthericum oſſifragum 97
Anthoxanthum odoratum 10
Anthyllis vulneraria 195
Antirrhinum linaria 170
——— majus 171
Apium graveolens 88
Aquilegia vulgaris 146
Arctium lappa 217
Arenaria peploides 118
——— rubra 119
——— ſerpyllifolia 118
Artemiſia vulgaris 225
Arum maculatum 250
Arundo arenaria 31

A.
Arundo phragmites 31
Aſperula odorata 41
Aſter tripolium 232
Atriplex haſtata 270
——— patula 270
——— portulacoides 271
Avena elatior 30
——— flaveſcens 30
B.
Ballota alba 163
——— nigra 163
Bartſia odontites 167
Bellis perennis 134
Beta maritima 72
Betula alba 254
——— alnus 254
Bidens cernua 222
——— tripartita 222
Borago officinalis 52
Braſſica napus 181
Briza media 22
Bromus giganteus 29
——— mollis 28
——— ſterilis 29
Bunias cakile 184
Bunium bulbocaſtanum 82
C.
Callitriche autumnalis 3
——— verna 2
Caltha paluſtris 153
Campanula rotundifolia 64
Cardamine hirſuta 182
——— pratenſis 181
Carduus criſpus 220
——— lanceolatus 219
——— Marianus 220
——— paluſtris 219
Carlina vulgaris 221
Carpinus betulus 259
Caucalis anthriſcus 75
——— carota 76
——— nodoſa 76
Centaurea cyanus 239
C.
Centaurea nigra 238
——— ſcabioſa 239
Ceraſtium arvenſe 125
——— vulgatum 125
Chœrophyllum ſylveſtre 85
Cheiranthus cheiri 179
Chelidonium glaucium 143
Chenopodium album 69
——— bonus Henricus 68
——— maritimum 71
——— murale 69
——— polyſpermum 70
——— rubrum 69
——— ſerotinum 70
——— urbicum 68
Chlora perfoliata 110
Chironia centaurium 66
Chryſanthemum leucanthemum 235
——— ſegetum 234
Chryſoſplenium oppoſitifolium 114
Cichoreum intybus 218
Circœa Lutetiana 9
Cochlearia coronopus 177
——— Danica 177
——— Grœnlandica 176
——— officinalis 176
Conium maculatum 77
Convolvulus arvenſis 58
——— ſepium 59, 275
——— ſoldanella 59
Corylus avellana 259
Cotyledon umbilicus Veneris [120
Crambe maritima 185
Cratœgus oxyacantha 134
Crepis biennis 214
——— tectorum 214
Crithmum maritimum 78
Cucubalus behen 116
Cynogloſſum officinale 51

Cynoſurus

C.
Cynoſurus criſtatus 34
D.
Dactylis glomerata 25
Daucus carota 76, 275
Digitalis purpurea 172
Dipſacus fullonum 36
Draba verna 173
Droſera longifolia 94
——— rotundifolia 94
E.
Echium vulgare 53
Epilobium hirſutum 106
——— montanum 107
——— paluſtre 108
——— tetragonum 107
Erica cinerea 109
——— tetralix 110
——— vulgaris 109
Erigeron acre 226
Eriophorum polyſtachion 15
Ervum hirſutum 199
Eryngium maritimum 73
Eryſimum alliaria 179
——— barbarea 178
——— officinale 178
Eupatorium cannabinum 223
Euphorbia exigua 131
——— helioſcopia 130
——— paralias 131
——— peplus 130
Euphraſia odontites 166
——— officinalis 167
F.
Fagus ſylvatica 258
Feſtuca duriuſcula 26
——— elatior 28
——— fluitans 27
——— ovina 25
——— rubra 26
——— pratenſis 27
Ficaria verna 149
Filago Germanica 240
Fragaria ſterilis 139
F.
Fragaria veſca 138
Fraxinus excelſior 273
Fumaria officinalis 191
G.
Galeobdolon luteum 161
Galeopſis galeobdolon 161
——— ladanum 160
——— tetrahit 160
Galium aparine 44
——— mollugo 43
——— montanum 42
——— paluſtre 42
——— uliginoſum 43
——— verum 44
Gentiana amarella 67
——— campeſtris 67
——— centaurium 66
Geranium cicutarium 186
——— columbinum 187
——— diſſectum 188
——— molle 187
——— moſchatum 186
——— Robertianum 188
——— ſanguineum 189
Geum rivale 142
——— urbanum 141
Glaux maritima 65
Glechoma hederacea 157
Gnaphalium uliginoſum 226
H.
Hedera helix 65
Heracleum ſphondylium 78
Hieracium paludoſum 213
——— piloſella 213
Hippuris vulgaris 1
Holcus lanatus 268
——— mollis 268
Hordeum murinum 32
Hyacinthus non ſcriptus 97, [275
Hydrocotyle vulgaris 74
Hyoſcyamus niger 61
Hypericum androſæmum 206

H.

Hypericum elodes 209
——— humifuſum 206
——— montanum 208
——— perforatum 207
——— pulchrum 207
——— quadrangulum 208
Hypochæris radicata 216

I.

Jaſſione montana 241
Ilex aquifolium 48
Inula crithmoides 233
—— dyſenterica 233
Iris pſeudacorus 12
Iuncus articulatus 101
——— biglumis 100
——— bufonius 100
——— campeſtris 101
——— conglomeratus 98
——— effuſus 98
——— inflexus 99
——— piloſus 101
——— trifidus 99

L.

Lamium album 158
——— amplexicaule 159
——— purpureum 159
Lapſana communis 216
Lathyrus pratenſis 196
Lemna minor 251
Leontodon hiſpidum 212
——— taraxacum 212
Liguſtrum vulgare 3
Linum catharticum 93
——— uſitatiſſimum 92
Lithoſpermum officinale 50
Lolium perenne 32
Lonicera periclymenum 63
Lotus corniculatus 204
Lychnis dioica 124
——— flos cuculi 124
Lycopſis arvenſis 53
Lycopus Europæus 8
Lyſimachia nemorum 56

L.

Lyſimachia nummularia 56
——— tenella 57
Lythrum ſalicaria 127

M.

Malva rotundifolia 190
—— ſylveſtris 190
Matricaria parthenium 235
——— ſuaveolens 236
Medicago lupulina 205
Melampyrum ſylvaticum 168
Melica cœrulea 20
——— nutans 21
——— uniflora 21
Meliſſa calamintha 166
Mentha aquatica 157
Menyanthes trifoliata 57
Mercurialis annua 267
——— perennis 267
Montia fontana 35
Myoſotis ſcorpioides 49
Myriophyllum ſpicatum 256

N.

Narciſſus poeticus 96
——— pſeudo-narciſſus 96
Narthecium oſſifragum 97
Nymphæa lutea 145

O.

Oenanthe crocata 81
——— pimpinelloides 81
Ononis ſpinoſa 194
Ophrys inſectifera 249
——— ovata 248
Orchis bifolia 244
——— conopſea 247
——— maculata 247
——— maſcula 245
——— morio 246
——— pyramidalis 245
——— uſtulata 246
Origanum vulgare 164
Ornithopus perpuſillus 200
Orobus tuberoſus 196
Oxalis acetoſella 122

Papaver

P.

Papaver rhœas 144
—— ſomniferum 144
Parietaria officinalis 269
Parnaſſia paluſtris 90
Paſtinaca ſativa 85, 275
Pedicularis paluſtris 169
—— ſylvatica 169
Phalaris arundinacea 16
Phleum pratenſe 16
Picris echiodes 215
Pimpinella ſaxifraga 87
Pinguicula vulgaris 8
Plantago coronopus 39
—— lanceolata 38
—— major 38
—— maritima 39
—— media 38
Poa annua 23
—— compreſſa 23
—— maritima 24
—— pratenſis 22
—— rigida 24
—— trivialis 23
Polygala vulgaris 192
Polygonum amphibium 111
—— aviculare 113
—— convolvulus ib.
—— hydropiper 112
—— perſicaria ib.
Populus alba 265
—— nigra 266
—— tremula 265
Potamogeton criſpum 47
—— lucens 46
—— natans 47
Potentilla anſerina 139
—— reptans 140
Poterium ſanguiſorba 257
Primula veris 54
—— officinalis 55, 275
Prunella vulgaris 165
Prunus ſpinoſa 133
Pyrus malus 135

Q.

Quercus robur 257

R.

Ranunculus acris 151
—— auricomus 152
—— aquatilis 153
—— bulboſus 150
—— ficaria 149
—— flammula 148
—— hederaceus 152
—— lingua 148
—— repens 150
—— ſceleratus 151
Raphanus raphaniſtrum 180
Reſeda lutea 129
—— luteola ib.
Rhinanthus criſtagalli 168
Roſa arvenſis 137
—— canina ib.
—— ſpinoſiſſima 136
Rubia peregrina 40
Rubus fruticoſus 138
Rumex acetoſa 104
—— acetoſella ib.
—— acutus 103
—— criſpus 102
—— obtuſifolius 103

S.

Sagina procumbens 46
Salicornia herbacea 2
Salix alba 264
—— amygdalina 261
—— arenaria 263
—— caprea ib.
—— fragilis 261
—— fuſca 263
—— pentandria 261
—— purpurea 262
—— reticulata ib.
—— triandria 260
—— viminalis 264
Salſola kali 71
Salvia verbenaca 9, 275
Sambucus nigra 89

Samolus

S.

Samolus valerandi 63
Sanicula Europæa 75
Saponaria officinalis 115
Saxifraga tridactylites ib.
Scabioſa arvenſis 37
——— ſuccisa 36
Scandix anthriſcus 84, 275
——— odorata 84
——— pecten Veneris 83
Schœnus nigricans 13
Scirpus cæſpitoſus 14
——— lacuſtris ib.
——— maritimus 15
——— paluſtris 13
Scrophularia aquatica 172
——— nodoſa 171
Sedum acre 121
——— Anglicum 122
——— reflexum 121
Sempervivum tectorum 132
Senecio erucifolius 230
——— Jacobæa ib.
——— paludoſus 231
——— ſylvaticus 229
——— viſcoſus ib.
——— vulgaris 228
Serratula arvenſis 218
Sherardia arvenſis 41
Sinapis arvenſis 183
Siſymbrium naſturtium aquaticum 182
——— ſophia 183
Sium anguſtifolium 80
——— nodiflorum ib.
Smyrnium oluſatrum 86
Solanum dulcamara 62
Solidago virgaurea 231
Sonchus arvenſis 211
——— oleraceus 210
Sparganium erectum 253
Spartium ſcoparium 193
Spergula arvenſis 126
——— nodoſa ib.

S.

Spiræa ulmaria 135
Stachys paluſtris 162
——— ſylvatica 161
Statice armeria 91
——— limonium 92
Stellaria graminea 117
——— holoſtea ib.
Symphytum officinale 52

T.

Tanacetum vulgare 224
Teucrium chamœdrys 154
——— ſcorodonia 155
Thlaſpi arvenſe 174
——— burſa paſtoris 175
——— campeſtre 174
Thymus ſerpyllum 164
Tragopogon pratenſe 210
Trifolium agrarium 203
——— alpeſtre 202
——— fragiferum 203
——— melilotus officinalis 200
——— melilotus ornithopodioides 201
——— pratenſe 202
——— procumbens 204
——— repens 201
Triglochin paluſtre 102
Triticum junceum 34
——— repens 33
Tordylium anthriſcus 75
——— nodoſum 76
Tormentilla erecta 141
Tuſſilago farfara 227
——— petaſites 228
Typha anguſtifolia 252
——— latifolia ib.

U.

Ulex Europæus 194
Ulmus campeſtris 73
Urtica dioica 255
——— urens ib.
Vaccinium myrtillus 108

V.

Valeriana locuſta 12
——— officinalis 11, 275
——— rubra 11
Verbaſcum thapſus 60
Verbena officinalis 156
Veronica agreſtis 7
——— anagallis 5
——— arvenſis 6
——— beccabunga 5
——— chamœdrys 6
——— hederifolia 7
——— montana 6

V.

Veronica officinalis 4
——— ſerpyllifolia ib.
Viburnum opulus 88
Vicia cracca 197
—— lathyroides 199
—— ſativa 198
—— ſylvatica 197
Vinca minor 61
Viola canina 243
—— hirta 242
—— odorata ib.
—— tricolor 243

INDEX

NOMINUM

ANGLICANORUM.

A.	Page
ABELE tree	265
Adonis flower	148
Aglet-headed ruſh	14
Agrimony, common	128
——— Dutch	223
——— hemp	ib.
——— water	222, ib.
Alder tree, common	254
Alehoof	158
Alexanders	86
Alkanet, evergreen	51
Allgood	68
Allheal, clown's	162
Allſeed	71
Anemone, wood	147
Angelica, wild	79
Archangel, perfoliate	159
——— red	ib.
——— white	158
——— yellow	161
Arrowheaded graſs	102.

A	Page
Arſmart, dead	112
——— water	ib.
Aſh tree, common	273
Aſp	265
Aſphodel, Lancaſhire	98
Aſpin tree	265
Avens, common	142
——— water	ib.
B.	
Bank creſſes	178
Barley, wall	33
Baſe rocket	130
Baſtard aſphodel	98
——— creſs	174, 175
Bay-leaved willow, ſweet	261
Bed-ſtraw, great lady's	43
——— marſh lady's	ib.
——— mountain lady's	42
——— white lady's	ib.
——— yellow lady's	44
Beech tree	258
Bee flower	249

B.	Page
Bee orchis	249
Beet, ſea	72
Bellflower, round-leaved	64
Bennet, way	33
Bentgraſs, brown	18
—— creeping	19
—— fine	ib.
Betony, Paul's	5
—— water	172
Beſom plantain, great	38
Bilberries	108
Bindweed, black	113
—— great	59
—— ſea	ib.
—— ſmall	ib.
Birch tree	254
Bird's foot	201
—— common	200
—— trefoil	205
Bird's neſt	77
—— tongue	231
Bird graſs	23
Birk	254
Bitterſweet	62
Blackberry buſh	138
Black bindweed	113
—— medick	205
—— poplar	266
—— ſaltwort	65
—— thorn	132
—— whortleberries	108
—— worts	108
Bladder campion	116
Bleaberries	108
Blinks	35
Blite, upright	71
Bluebottles	239
Bogdown	15
Bogruſh, black headed	13
Borage, common	52
Bramble, common	138
Breakſtone	46

B.	Page
Brome graſs, barren	29
—— —— field	28
—— —— ſoft	ib.
—— —— tall	29
Brooklime	5
—— long-leaved	5
Broome, common	193
Bruiſewort	116
Buckbean	55
Buck's-horn plantain	40
Buck wheat	55
Bugle, common	156
Bugloſs, ſmall wild	53
—— viper's	54
Bullruſh	14
Bumblekites	138
Burdock	217
Burnet	257
—— roſe	136
Burr	217
—— marygold	223
Burr reed, greater	253
—— upright	ib.
Butterburr	228
Buttercups	150, 151
Butterflower	ib. ib.
Butterfly orchis	244
Butterwort, common	8
C.	
Cabbage, wild	181
Calamint, mountain	166
Caltrops, great water	47
Call-me-to-you	243
Cammock	194
Campion, bladder	116
—— white corn	ib.
—— wild	124
Canary graſs, reed	16
Carline thiſtle, common	221
Carrot, wild	77
Catchweed	44
Cat's foot	158

Cat's

C.	Page
Cat's milk	130
—— tail, great	252
——— ſmall	253
——— graſs, meadow	17
Celadine, leſs	49
——— ſea	143
Centaury, leſs	66
——— yellow	110
Chadlock	184
Charlock	180, 184
Chamomile, corn	237
——— ſea	ib.
Chaſeweed	240
Cheeſe-renning	44
Chervil, common	84
——— ſmall hemlock	ib.
——— wild	85
Chickweed, common	90
——— leaſt	119
——— ſmall water	35
——— ſtar-headed water	3
Childing cudweed	240
Churn-ſtaff	131
Cicely, corn	84
—— great ſweet	ib.
—— ſweet	ib.
—— rough	85
—— wild	ib.
Cinquefoil, common	140
Clary, wild	9
Cleavers	44
Clivers	ib.
Clotburr	217
Clover, broad	202
——— mountain	ib.
Clown's allheal	162
——— woundwort	ib.
Clubruſh	14
——— dwarf	ib.
Cockle	123
Cock's comb	168
——— foot graſs, rough	25

C.	Page
Codlings and cream	106
Colewort, ſea	185
Coltsfoot	227
Columbine	146
Comfrey, common	52
Cop roſe	144
Corn cale	184
—— chamomile	237
—— cicely	83
—— flos Adonis	148
—— flower	239
—— marygold	234
—— radiſh	180
—— roſe	144
—— ſoft graſs	269
—— ſallad	12
—— ſow thiſtle	211
—— ſpeedwell	7
—— thiſtle	219
Cotton graſs, common	15
Couch graſs	33
Cow's lungwort	60
—— parſley	85
—— parſnep, common	78
—— quakes	22
Cowſlip, common	55
Cow weed	85
—— wheat, yellow	169
Coxcomb	168
Crab tree	135
Crake needle	83
Crane's bill, bloody	189
——— common dove's foot	187
——— hemlock	186
——— jagged leaved dove's foot	188
——— muſked	187
——— ſtinking	189
Crap	32
Creeping meadow graſs	23
——— mouſe ear hawk-weed	213

 Creeping

C.	Page
Creeping ſoft graſs	269
——— water parſnep	80
Creſted dog's tail graſs	34
Croſs-leaved heath	110
Crow flower	124
Crowfoot, bulbous	150
——— celery leaved	151
——— creeping	150
——— ivy-leaved	152
——— upright	151
——— water	153
——— wood	152
——— various-leaved	153
Crow garlick	93
Cuckow bread	122
——— flower	18
——— meat	122
——— pint	250
——— ſorrel	122
Cudweed, childing	240
——— common	240
——— marſh	226
Cyperus, round-rooted baſtard	15
D.	
Daffodil, common	96
——— pale	ib.
Daiſy, common	234
—— greater	235
Dandelion, common	212
——— rough	213
Darnel graſs, perennial	32
——— red	ib.
Dead arſmart	112
Dead tongue	81
Dead nettle, common	160
——— red	159, 160
——— white	158
——— yellow	161
Dee nettle	159
Deer's hair	14
Devil's bit ſcabious	37
Dill	86

D.	Page
Dock, broad-leaved	103
—— curled	ib.
—— ſharp-pointed	104
Dock creſſes	216
Dog's graſs	33
Dog's mercury	267
Dog roſe	137
—— roſe, white-flowered	ib.
Dog's tail graſs, creſted	34
Dog's violet	242
Dove's foot	187
Dropwort, hemlock water	81
——— parſley water	ib.
Duckmeat, leaſt	251
Dutch agrimony	223
——— clover	202
——— trefoil	ib.
Dwarf clubruſh	14
——— orchis	247
——— ſpurge	131
——— wild flax	93
Dyer's weed	129
E.	
Earth cheſtnut	82
——— kipper	ib.
——— nut	ib.
Elder, common	89
——— water	89
Elm, common	73
Enchanter's nightſhade	10
Endive	218
Engliſh marſh ſaxifage	127
Eryngo, ſea	73
Eyebright, common	167
——— red	167
F.	
Fairy flax	93
Fairy's milk	131
Fat hen	270
Felwort	67
Female fooiſtones	246
——— handed orchis	247
Fennel, common	86

Fennel,

F.	Page
Fennel, water	3
Fern, ſweet	84
Feſcue graſs, common flote	27
——— hard	26
——— meadow	27
——— purple	27
——— ſheep's	26
——— tall	28
Fetch	198
Feverfew	236
——— ſweet ſcented	ib.
Field brome graſs	28
—— madder	41
—— ruſh	101
—— ſcabious	37
Figwort, great	171
Fig-leaved gooſefoot	70
Fine-leaved heath	109
Finkle	85
Five-leaved graſs	140
Flag, water	13
Flax, common	93
—— dwarf wild	ib.
—— fairy	ib.
—— purging	ib.
Fleabane, blue	226
——— middle	233
Flixweed	183
Float foxtail graſs	18
Flote graſs	27
Flos Adonis, corn	148
Flower de luce	13
Fluellin	4
Fold meadow graſs	23
Fool's parſley	82
Foolſtones, early male	246
——— female	ib.
Fowl graſs	23
—— meadow graſs	ib.
Foxglove, lady's	60
——— purple	173
Foxtail graſs, float	18
——— meadow	17

F.	Page
French Mercury	267
Fumitory, officinal	191
Furze, common	194
G.	
Garlick, crow	95
Gentian, autumnal	67
——— field	ib.
Germander, common	154
——— ivy-leaved	7
——— ſpeedwell	ib.
——— wild	6
——— wood	155
Glaſswort, jointed	2
——— prickly	72
——— ſmall	71
——— white	ib.
Goat's beard, yellow	210
Gold cup	150
Golden rod, common	232
——— ſamphire	233
——— ſaxifrage, oppoſite-leaved	114
Goldilocks	152
Goldins	234
Good Henry	68
Good king Henry	ib.
Gooſefoot, common wild	70
——— fig leaved	ib.
——— red	69
——— round-leaved	71
——— ſea	ib.
——— upright	68
——— wall	69
Gooſegraſs	44, 140
Gooſe tanſey	140
Gorze	194
Go-to-bed-at-noon	210
Goulans	234
Graſs of Parnaſſus	91, 275
Graymill	50
Great baſtard madder	43
—— bindweed	59
—— burr reed	253

Great

G. Page

Great cat's tail 252
—— daiſy 235
—— figwort 171
—— hairy willowherb 106
—— henbit 159
—— knapweed 239
—— lady's bedſtraw 43
—— plantain 105
—— ſpearwort 149
—— ſweet chervil 84
—— ſtitchwort 117
—— twayblade 248
—— water caltrops 47
—— white mullein 60
Grig 109
Gromill 50
Gromwell ib.
Ground ivy, common 158
Groundſel 228
——— clammy 229
——— hoary 231
——— ſtinking ſmall-flowered 229
Guelder roſe 89

H.

Hag's taper 60
Hairgraſs, purple 20
——— turfy 21
——— water 20
Hairy-leaved lady's ſmock 182
Hairy ſheep's ſcabious 241
—— willowherb, great 106
—— woodruſh 101
—— violet 242
Hard beam tree 259
—— feſcue graſs 26
—— meadow graſs 25
—— ruſh 99
Harebells 97
Hart's clover 200
Haſel nut tree 260
Hather 109
Hawk nut 28

H. Page

Hawkweed, creeping mouſe-ear 213
—— long-rooted 216
—— marſh 214
—— rough ſuccory 215
—— ſmooth ſuccory 214
Hawthorn 134
Headwark 144
Heart's eaſe 243
Heath, common 109
——— croſs-leaved 110
——— fine-leaved 109
——— peaſe 196
Hedge muſtard, common 178
——— ſtinking 179
Hedge nettle 162
Hedge parſley 76
Helme 31
Hemlock, common 77
——— leſs 82
Hemlock water dropwort 81
Hemp agrimony 223
Hemp, trifid water 222
Hemp, water 223
Henbane, common 61
Henbit, great 159
——— ſmall 7
Heptree 137
Herb bennet 142
—— Robert 189
—— trinity 243
—— twopence 57
Herd graſs 17
High taper 60
Hogweed 78
Holly, common 48
——— ſea 73
Honeyſuckle, common 63
——— white 201
Hop trefoil 203
——— leſs 204
Horehound, black ſtinking 163
——— water 9

Horehound,

H. Page
Horehound, white ſtinking 163
Horned poppy, yellow 143
Hornbeam tree 259
Hornbeech tree ib.
Horſe beech tree ib.
Horſeknops 238
Hound's tongue 51
Houſeleek, common 132
Hurr burr 217
Hurtleberries 108
Hurtſickle 239
Hyacinth, common 97
I.
Jack-by-the-hedge 179
Jointed glaſſwort 2
——— ruſh 100
Ivy, common 65
Jur nut 82
K.
Kernel wort 171
Kidney vetch 195
Kidneywort 120
King's claver 200
Kipper nut 82
Kiſs-at-the-garden-gate 243
Knapweed 238
——— great 239
Knopweed 238
Knotgraſs, amphibious 111
——— climbing 113
——— common ib.
——— dead 112
——— ſpotted ib.
——— water ib.
Knotted parſley 76
——— ſpurrey 127
L.
Lady's bedſtraw, great 43
——— marſh ib.
——— mountain 42
——— white ib.
——— yellow 44
L. Page
Lady's finger 195
——— foxglove 60
——— hair 22
——— mantle, common 45
——— ſmock, common [181
——— hairy-leaved [182
Lady's thiſtle 221
Lakeweed 112
Lamb's lettuce 12
——— quarters 271
——— tongue 38
Lancaſhire aſphodel 98
Lang de boeuf 215
Late-flowering orchis 245
Leaſt chickweed 119
——— duckmeat 251
——— ſtitchwort 118
Leſs celandine 149
——— centaury 66
——— hemlock 82
——— periwinkle 61
——— pimpernel 87
——— ſpearwort 148
——— water plantain 106
Lily, yellow water 145
Ling 109
Little field madder 41
Long-leaved ſhining pond-weed 47
——— ſundew 95
Long-rooted hawkweed 216
Looſetrife, creeping 57
——— purple-flowered ib.
——— purple-ſpiked 128
——— yellow wood 56
Lords-and-ladies 250
Louſewort, common 170
——— marſh 169
Love-in-idleneſs 243
Lychnis cuckow-flower 124

Madder,

M.	Page
Madder, great baſtard	43
—— little field	41
—— wild	40, 43
Madnep	78
Madwort, mountain	6
Male foolſtones, early	246
—— pimpernel	56
—— ſpeedwell	4
Mallow, common	190
—— dwarf	191
Mantle, lady's	45
Maple, common	272
Mare's tail	1
Marygold, corn	234
Marjoram, wild	164
Marle graſs	202
Marram	31
Marſh cleaver	55
—— cudweed	226
—— hawkweed	214
—— lady's bedſtraw	43
—— louſe wort	169
—— marygold	153
—— pennywort	74
—— ſamphire	2
—— ſaxifrage, Engliſh	127
—— trefoil	55
—— thiſtle	219
—— willow herb	108
Matfelon	238
Matweed, ſea	31
May	134
Meadow bouts	153
—— cat's tail graſs	17
—— feſcue graſs	26
—— fox tail graſs	17
Meadow graſs, annual	24
—— common	23
—— creeping	ib.
—— flat-ſtalked	ib.
—— great	22
—— hard	25

M.	Page
Meadow graſs, rough-ſtalked	[23
—— ſea	24
—— ſmooth-ſtalked	[22
—— ſoft	268
Meadow pinks	124
Meadowſweet	136
Melick, black	205
Melic graſs, purple	20
—— wood	21
Melilot, common	200
Meliot trefoil	205
Mercury, common Engliſh	68
—— dog's	267
—— French	ib.
Milfoil	238
Milk thiſtle	221
Milkwort, common	192
Milkwort, ſea	65
Mill mountain	93
Mint, water	157
Mithridate muſtard	174
Moneywort	57
Moor graſs	15, 94
Moſs crops	15
Mother-of-thyme	165
Mouſe-ear chickweed, common	125
Mouſe-ear chickweed, corn	126
—— ſcorpion graſs	49
Mountain calamint	166
—— clover	202
—— epilobium	107
—— lady's bedſtraw	42
—— oſier	264
—— ſpeedwell	6
Mugwort	225
Mullein, great white	60
Muſk craneſbill	186
Muſtard, baſtard	175
—— common hedge	174

M. Page

Muſtard, mithridate 174
——— ſtinking hedge 179
——— treacle 175
——— wild 184

N.

Nape 181
Narrow-leaved water parſnep 80
——— leaved willow herb 107
Narciſſus, common 96
——— pale ib.
Navelwort, common 120
Navew 181
Nettle, common ſtinging 256
——— leſs ſtinging 255
Nettle hemp 160
Nightſhade, enchanters 10
——— woody 62
Nipplewort 216
Noneſuch 205

O.

Oak, common 258
Oat graſs, tall 30
——— yellow ib.
Orchard graſs 25
Orache 70
Orache, ſpreading ſpear 271
——— wild 270
Orchis, butterfly 244
——— dwarf 247
——— female handed ib.
——— late-flowering purple pyramidal 245
——— long-ſpur'd ſweet-handed 248
——— ſpotted 247
Oſier 264
Oſier, mountain ib.
Oxeye 235

P.

Paddowpipe 1
Pagils 55
Paigles ib.

P. Page

Panſies 243
Parkleaves 206
Parnaſſus, graſs of 91, 275
Parſley, fool's 82
——— hedge 76
——— knotted ib.
——— water-dropwort 81
Parſnep, common 85
——— cow ib.
——— creeping water 80
——— narrow-leaved water 80
Paul's betony 5
Peaſe, heath 196
——— wood ib.
Pearlwort, procumbent 46
Pellitory of the wall 269
Penny creſs 175
——— graſs 168
——— wort, wall 120
Perennial darnel graſs 32
Periwinkle, leſs 61
Peſtilentwort 228
Petty maguet 44
——— ſpurge 130
Pheaſant's eye 148
Picris, rough 215
Pignut 82
Pilewort, common 149
Pimpernel 56
Pimpernel, leſs 87
——— male 58
Pimpernel roſe 136
Pimpernel, round-leaved water 63
——— water 5
Pinks, meadow 124
Piſs-a-bed 212
Plaintain, buck's horn 40
——— great beſom 38
——— greater water 105
——— hoary 38
——— leſs 106
——— ribwort 39

P. Page

Plaintain, ſea narrow-leaved 39
Poa, common dwarf 24
—— common meadow 23
—— great meadow 22
—— hard meadow 25
—— flat-ſtalked meadow 23
—— ſea meadow 24
Pondweed, curled 47
———— broad-leaved ib.
———— long-leaved ib.
Poplar, black 266
——— trembling ib.
——— white 265
Poppy, red 144
——— ſpatling 116
——— white 144
——— yellow-horned 143
Prickly glaſswort 72
——— ſaltwort ib.
Prick-madam 121
Primroſe, common 54
Privet 4
Procumbent pearlwort 46
——— trefoil 204
Purging flax 93
Purple fefcue graſs 27
——— flowered moneywort 57
——— foxglove 173
——— hair graſs 20
——— melic graſs ib.
——— ſandwort 119
——— ſea ſpurry ib.
——— ſpiked looſeſtrife 128
———— willowherb ib.
——— ſpurrey 119
——— trefoil 202
Purſlane 35
Purſlane, ſea 271

Q.

Quaking graſs 22
Queen of the meadows 136
Quick graſs 33

R. Page

Ragged Robin 124
Ragweed 230
Ragwort 230
Rape 181
Rattle, yellow 168
Raygraſs 32
Red eye bright 167
—— darnel graſs 32
—— deadnettle 159, 160
—— gooſefoot 69
—— maithes 148
—— Morocco ib.
—— poppy 144
—— rot 94
Reed graſs, common 31
———— ſea ib.
Reedmace 252, 253
Reſtharrow 194
Ribgraſs 39
Ribwort plantain ib.
Rocket, baſe 130
——— ſea 184
Roſa ſolis 94
Roſe, burnet 136
—— dog 137
—— pimpernel 136
—— white-flowered dog 137
Rot, white 75
Rough chervil 84
——— Cicely ib.
——— cock's-foot graſs 25
Rough-ſtalked meadow graſs [23
——— ſuccory hawkweed 215
——— black-headed bog ruſh 13
——— headed common ruſh [98
——— rooted baſtard cyprus [13
Round-leaved bell flower 64
———— water gooſefoot [71

Round-

R.	Page
Round-leaved water pimpernel	163
——— ſundew	94
Rue-leaved whitlow graſs	115
Ruſh, common round-headed	98
—— field	101
—— hairywood	ib.
—— hard	99
—— jointed	100
—— ſoft	99
—— toad	100
—— trifid	99
—— two-flowered	100
Ryegraſs	32, 33
Ryegraſs, wild	33

S.	Page
Sallow, common	264
Saltwort	2
——— black	65
——— prickly	72
Samphire	78
Samphire, golden	233
——— marſh	2
Sandwort, purple	119
——— ſea	118
——— thyme-leaved	119
Sanicle, common	75
——— Yorkſhire	8
Saucealone	179
Saxifrage, Engliſh marſh	127
——— oppoſite-leaved golden	114
——— rue-leaved	115
Scabious, corn	37
——— devil's-bit	ib.
——— field	ib.
——— hairy ſheep's	241
——— rampion	ib.
Scorpiongraſs, mouſe-ear	49
Scottiſh ſcurvy graſs	59
Scrambling rocket	178
Scrooby graſs	176
Scrogs	133
Scurvygraſs	176
Scurvygraſs, Daniſh	177
——— Greenland	176
Sea beet	72
— bindweed	59
— celandine	143
— colewort	185
— cuſhion	91
— eryngo	73
— gilliflower	91
— gooſefoot	71
— graſs	2
— lavender	92
— holly	73
— matweed	31
— meadowgraſs	24
— milkwort	65
— narrow-leaved plantain	39
— purſlane	271
— reedgraſs	31
— rocket	184
— ſandwort	118
— ſtarwort	232
— ſpurge	131
— thrift	92
— wheatgraſs	34
Seaves	99
Seggrum	230
Self-heal, common	165
Septfoil	141
Sheep's feſcue graſs	26
——— ſcabious	241
——— ſorrel	104
Shepherds needle	83
——— pouch	175
——— purſe	ib.
Silverweed	140
Simpler's joy	156
Simſon	228
Sloetree	133
Smallage	88
Small bindweed	59

S. Page

Small burnet ſaxifrage 87
—— cat's tail 253
—— glaſſwort 71
—— hemlock chervil with rough ſeeds 84
—— water purſlane 35
——— chickweed ib.
—— white glaſs wort 71
—— wild bugloſs 53
Snapdragon 171
Soapwort, common 116
Softgraſs, corn 269
——— creeping 269
——— meadow 268
Softruſh 99
Sorrel, common 104
——— cuckow's 122
——— ſheep's 104
——— wood 122
Sowthiſtle, common 211
——— corn ib.
——— tree ib.
Spattling poppy 116
Spearwort, greater 149
——— leſs 148
Spear thiſtle 220
Speedwell 6
Speedwell, corn 7
——— germander 7
——— ivy-leaved 7
——— male 4
——— mountain 6
——— ſmooth 5
——— wall 7
——— water 5
Spiked-water milfoil 256
Spotted arſmart 112
——— orchis 247
Spreading ſpear orache 271
Springgraſs 10
Spurge, petty 130
——— ſea 131

S: Page

Spurge, ſun ib.
Spurrey, corn 126
——— knotted 127
Squitch graſs 33
Star-headed water chickweed 3
Star of the earth 40
Starwort 3
Starwort, autumnal ib.
Starwort, ſea 232
St. James's wort 230
St. John's wort, officinal 208
——— marſh hoary 209
——— mountain 208
——— quadrangular 209
——— trailing 207
——— upright ib.
Stinking groundſel 229
——— horehound 163
Stitchwort, greater 117
——— leſs 118
Stock bill 189
Stone crop 121
Stone crop, Engliſh 122
——— yellow 121
St. Peter's wort 209
St.Peter's wort, marſh hoary ib.
Strawberry, barren 139
——— common 138
——— trefoil 203
Stubwort 122
Succory hawkweed 214, 215
Succory, wild 218, 275
Suffolkgraſs 24
Sundew, long-leaved 95
——— round-leaved 94
Sunſpurge 131
Sweet ſmelling vernal graſs 10
Sweet Cicely 84
—— fern 84
—— woodroof 41

Sweet

T.	Page
Sweet violet	242
Swine's creſſes	177
Sycamore tree	272
Tall bromegraſs	29
—— feſcuegraſs	28
—— oatgraſs	30
Tanſey, common	224
—— gooſe	140
—— wild	ib.
Tare	198
—— everlaſting	197
Tare, fine	199
Tare, hairy	ib.
Tare, wild	ib.
Teaſel, wild	36
Thiſtle, common carline	221
—— common way	219
—— corn	ib.
—— lady's	221
—— marſh	219
—— milk	221
—— ſpear	220
—— upon thiſtle	ib.
Three-faces-under-a-hood	243
Thrift	91
Thyme-leaved ſandwort	119
Thyme, wild	165
Timothygraſs	17
Toadflax, common	170
—— graſs	100
—— ruſh	ib.
Tormentil, common	141
Treacle muſtard	175
Trefoil, bird's foot	205
—— creeping-white	201
—— Dutch	ib.
—— hop	203
—— leſs hop	204
—— marſh	55
—— melilot	205
—— perennial	202
—— procumbent	204
—— purple	202

T.	Page
Trefoil, four	122
—— ſtrawberry	203
Trembling graſs	22
—— poplar	266
Trifidruſh	99
—— water hemp	222
Tufted vetch	197
—— wood vetch	198
Tunhoof	158
Turfy hairgraſs	21
Tutian	206
Twayblade, great	248
Two-flowered ruſh	100
U.	
Upright blite	71
—— burrreed	253
—— gooſe foot	68
V.	
Valerian, corn	12
—— red	11
—— wild officinal	11
Venus comb	83
Vernal graſs, ſweet-ſmelling	10
Vervain, common	156
Vetch	198
Vetch, ſpring	199
Vetch, tufted	197
Vetch, tufted wood	198
Vetching, common yellow	197
Viburnum, water	89
Violet, dog's	243
—— hairy	242
—— ſweet	ib.
Viper's bugloſs, common	54
W.	
Wagwanton	22
Wake-Robin	250
Wall barley	33
—— flower, common	180
—— gooſefoot	69
—— pennywort	120

W. Page
Wall pepper 121
—— ſpeedwell 7
Wart wort 131
Water agrimony 222, 223
—— arſmart 112
—— avens 142
—— betony 172
—— caltrops, greater 47
—— chickweed, ſmall 35
—— creſs, common 183
—— crow foot, various-leaved 153
—— dropwort, hemlock 81
—— dropwort, parſley ib.
—— elder 89
—— fennel 3
—— flag 13
—— graſs, ſpiked 18
—— hair graſs 20
—— hemp 222, 223
—— horehound 9
—— knot graſs 112
—— millifoil, ſpiked 256
—— mint 157
—— parſnep, creeping 80
—— —— narrow-leaved [ib.
—— pepper 112
—— pimpernel, round-leaved 63
—— plantain, greater 105
—— —— leſs 106
—— ſpeedwell 5
—— ſtar wort 3
—— trefoil 55
—— viburnum 89
Waybennett 33
—— bread 38
—— thiſtle, common 219
Whortleberries, black 108
Wheatgraſs, common 33
—— —— ſea 34
Whins 194

W. Page
White archangel 158
—— bottle 116
—— corncampion ib.
—— deadnettle 158
—— dog's roſe 137
—— glaſs wort, ſmall 71
—— honeyſuckle 201
—— lady's bedſtraw 42
—— mullein, great 60
—— poplar 265
—— rot 74
—— thorn 134
—— trefoil 201
Whitlow graſs, common 173
—— —— rue-leaved [115
Wild Angelica 79
—— briar 137
—— bugloſs, ſmall 53
—— cabbage 181
—— campion 124
—— carline thiſtle 221
—— carrot 77
—— chervil 85
—— Cicely ib.
—— cichory 218, 275
—— clary 9
—— germander 6
—— gooſefoot, common 70
—— madder 40, 43
—— marjoram 164
—— muſtard 184
—— orache 270
—— poppy 144
—— rye 33
—— ſpinage 68
—— ſuccory 218
—— tanſey 140
—— tare 199
—— teaſel 36
—— thyme 165
—— valerian, officinal 11
—— Williams 124

W. Page

Wild woad 129
Wilding 135
Willow herb, purple-ſpiked [128
Willow, almond-leaved 261
——— bay-leaved ib.
——— brown 263
——— common 264
——— common white ib.
——— crack 262
——— purple ib.
——— ſand 263
——— ſmooth 260
——— ſweet 261
——— wrinkled 262
Willow herb, great hairy 106
——— marſh 108
——— narrow-leaved 107
——— ſmooth-leaved ib.
Wind berries 108
Winter creſſes 179
——— rockett ib.
Woad, wild 129
Wood anemone 147
——— peaſe 196
Woodbine 63
Woodlooſeſtrife, yellow 56
Woodmelic graſs 21
Woodroofe 41

W. Page

Woodrow 41
Woodruffe ib.
Woodrowell ib.
Wood ruſh 101
——— ſage 155
——— ſorrel 122
——— vetch 198
Woody nightſhade 62
Worts, black 108

Y.

Yarrow 238
Yellow, archangel 161
——— centaury 110
——— cowwheat 169
——— deadnettle 161
——— goat's-beard 210
——— horned poppy 143
——— lady's bedſtraw 44
——— oatgraſs 30
——— pimpernel 56
——— rattle 168
——— ſtonecrop 121
——— water lilly 145
——— weed 129
——— wood looſeſtrife 56
——— wort 110
——— vetchling, common 197
Youthwort 94

INDEX

NOMINUM

HIBERNICORUM.

A.	Page
ABHALE fiadhain	135
Abran donog	251
Ahair talmhun	238
Ailmeog leamh, leamhan	73
Ailm no crannailme	73
Airgiod luachra	130
Airmeirigh	44
Airneog	133
Aiteann	194
Allas muire	208
An luibh biatas	72
An ulach	6
Athair lus	158
Athan	227
B.	
Baine bo bleacht	54
Baine bo buidhe	ib.
Baine muc	211
Bairgin	150
Balath gnis	44
Barraiſte	52

B.	Page
Beachnua bicinionn	108
Beadhnuad firionn	208
Beahnoba caed coluim kille	ib.
Bearnan bealtaine	54
—— bearnach	212
Beith	254
Beithe	ib.
Beith na meas	258
Be[illegible]edin	141
Billar griag in	182
Biodh a leithid	243
Biolar	183
Biolar muire	5
—— tragha	176
—— uiſge	5
Biorrach lachan	31
Biorraide	264
Blaith na mbodagh	144
Brioght fhochadan	211
Bo cuineall	179
Bodan	253
Bodan dubh	252

INDEX NOMINUM HIBERNICORUM.

B.	Page
Bodan meaſgan	8
Bodanœ chloigin	168
Bofulan ban	225
——— liath	255
Boglus	53, 229, 230
Bog glaſs	53
Bog ſheimhin	14
Bonain capuil	ib.
Bonun leana	79
Braim fhear	33
Breallan	32
Breallan leana	128
Brios clan	140
Brogh braighe	98, 99
Brovh	15
Bruimſean	33
Buachalan	225
Buachalan na keaſgaran	229, 230
——— buidhe	234
Buafanan	225
Buidhe bhailſcean	230
Buidheacan bo bleacht	54
Buidhe mor	129
Buigiun	14
Buine	75
Butha muck	97
C.	
Caba deſain	37
Cabhan abhan	145
Cabrois	126
Caman ſcarraigh	191
Caoch na cceare	62
Caoil fhail	255
Capog ſhraide	104
Capuil	55
Carthan curaigh	11
Carnan caiſil	120
Cartloinn	157
Cas fa chrann	64
Cas tſearbhan	212
Cauleach dhearg	144
Ceanabhan mona	16
Ceanach na mona	16

C.	Page
Ceannaban beag	165
Ceatramha luain griollog	270
——— chaorach	ib.
Ceolagh	93
Clabras	114
Cluan lin	126
Cluas liath	213
—— luch	ib.
—— chaicin	250
Cocoil	217
Cogal	123
Coigeal na mban ſighe	252
Coirearan coilleach	125
Coirearain mhuc	82
Coirearan	ib.
Coll	260
Collaidin	144
Coman mionla	237
Copog thnaithil	217
Cor chopog	105
Corran lin	126
Crann crither	266
—— critheach	ib.
Crann paochain	108
Crann	272
—— bann	ib.
—— fuinſean	273
—— fionn	272
—— crith	266
—— fuinnſeoige	273
Crannlus	229
Crann ſleamhain	259
Creachtach dhearg	188, 189
Creatach	189
Crob eain	202
Cruach phadruig	38
Cruagh luachair	14
Crub leoin	45
Cruba leoin	156
—— leſin	146
Cruiſgiornah	31
Cuchullon	44
Cuigheag	140
Cuighnear muirre	ib.

Cuilen

C. Page
Cuilin 48
Cuil cann tragha 74
Cuineal muire 60
Cuinnog mighe 79
Cuiridin ban 84
Cunlan 82
D.
Dair crann darrach 258
Deagha buidhe 110
Dearna mhuire 45
Derag talnhan 19
Draineog 133
Dreimire buidhe 110
Dreimire muire 67
Dreſeog 138
Drios ib.
Drumire gorm 62
Dubhan ceanneboſach 165
Dubhamuith ib.
Duileaſgna habhan 47
Duilleog bhaite 145
Duilleog bride 217
——— mhaith ib.
Duilleogh mhin ib.
Duiliiur ſpunc 227
Dun lus 171
Duracdin mona 94
E.
Eadhadnan 65
Eadhan ib.
Earbal righ 189
F.
Failing mhuire 45
Fa caire fiodhain 58
——— fuar ib.
Fanaigſhe naigſe 243
Farach dubh 171
Farcan 258
Fathan 227
Fearban 150
Fearna ſiarnog 255
Feathlead 64
Feathog fa chrann ib.

F. Page
Feinne gabhla 132
Feleaſtar 13
Feleaſtrum 13
Feochadan 219
Feoran curraigh 9
Fineal cubhra 87
Fineal muire 183
Finne cainn 132
Fiothran 33
Firchrann 272
Fleann uiſge 153
Flioch 90
Fliuch ib.
Fofannan min 211
Fora dhrios 137
Fothrum 171
Fothanan 219, 227
Fraoch 109
Fraochan 108
Fraochog ib.
Fuaim a tſiorraigh 191
Fualachtar 5, 80
Fuath ghoram 62
Fuinſe 273
Fuinſeach 10
Fuinſeog 273
Fuinſesgach 10
Furran 258
G.
Gaerealach collain 179
Gaffan 62
Gairleog muire 95
Gairteog 135
Galcah anolurach 6
Gallan 228
Galluran 79
Gaoicin cuithigh 250
Garabhog 184
Garabh luſs 44
Garbh raitheoch 174
Garb raitheach 179, 184
Gas na cconnachta 184
Gaſpag beain 235

INDEX NOMINUM HIBERNICORUM.

G.	Page
Gealdruigh	94
Gear neimh	130
Geathur	250
Geirgin	78
Giolcach	193
Giolcach ſhleibhe	ib.
Glan ruiſc	167
Glaſſar heile	156
Gleoran	79, 182
Glunach bheag	113
Glunach dhearg	112
Glunneagh mor	ib.
Gorman	239
Gorman ſearaigh	244
Goroin	8
Gotharach	49
Grafan	163
Grafan na cclock	121
Grain aigain	149
Gran lachan	251
Greim a diabhail	37
Grenuig	78
Grioloigin	ib.
Groman	89
Grom crann grommain	ib.
H.	
Heanſeadh	224
I.	
Ionaigh	148
K.	
Kran airneadh	133
L.	
Lamhan cait leacan	120
Laſſair leana	148
Leadan	36
Leamhan bog	259
Leamhnacht	141
Leananach ſnaithe baite	153
Leathach buidhe	45
Liach briada	47
Liach loghar	145
Liath lus	225
Liath lus roid	240

L.	Page
Liathan	234
Liach roda	47
Lin	93
Lin raidhrc	167
Lion ha mban ſighe	93
Lochall	5
Lionan abhan	153
Lochall mothair	5
Luachair	14
Luibh an aghaidh coſachtarche	[227
Lus a ſparain	175
Lus an chaine	192
Lus an giolla	170
Lus baine	192
Lus buih bealtaine	154
Lus choluim chille	56
Lus na ffranc	224
Lus cre	4
Lus na ccnapan	171
Lus na canabh briſde	52
Luſſaranan gran duh	86
Lus na ccainle ccarach	97
Lus na fola	175
Lus garabh	44
Lus na laogh	114
Lus mide	49
Lus mila	49
Lus na miol mor	190
Lus na pingine	74
Lus riabhach	170
M.	
Macgan athair	251
Machall	142
Mada fraeigh	44
Madra fraeigh	44
Magarlin meadhrach	246
Mantatach	191
Mael iſa garb raitheath	178
Maithine	31
Maothlan mona	170
Marabh dhroighean	128
Marbhe dhroighean	223

Meacan

M.	Page
Meacan Righ	84
Meadh duach	236
Meahain	31
Meanaidin	141
Meangach	140
Mearacan	173
Meaſtorc alta	206
Meaſtorc caoil	206
Meaſtorc keeil	206
Milſhan monah	170
Miogbuidhe	62
Mithaghuiſge	62
Minmhear	77
Miodhlucan	77
Mioibogan	77
Miontas chaiſil	269
Mioſach	93
Mongach meaſga	225
Mugoman	77
Muiruinach	31
Muirneach	31
Mulach dubh	239
Mulaighe dubha	ib.
N.	
Nead cailleach	147
Neal uiſge	153
Neanta neantog	255
Neantog leiſneach	256
Neantog chaech	158, 159
Neantog mharabh	ib. ib.
Nianſgoth	239
Nianſcoich	ib.
No draighean	133
Noinin	234
Noinin mor	235
P.	
Pacharan	55
Paipin	144
Piobol	228
Pis bhuidhe	197
Pis capuil	198
Pis duh	ib.
Pis phreachain	ib.

P.	Page
Plubairſin	154
Plurin ſeangan	203
Poipin	144
Ponra curraigh	55
Praiſeach	180
——— brathar	68
——— buidhe	181
——— fiadh	175
——— garuh	184
——— na ccaoragh	175
——— mhin	270
——— tragha	185
R.	
Raeimin raidhrc	167
Raitheach tragha	185
Raidhircin	167
Raidhleadh	32
Reagam	75
Reaga maighe	ib.
Rema	ib.
Riahhaigh	170
Rial cuil	189
Righ ſeiſg	253
Rian righ	189
Ros lachan	251
Ruinn ruiſe	58
Ruiſnin raidhrc	167
S.	
Sail chuach	242, 243, 244
Sail ſoileog	264
Saileach	ib.
Samha bo ſealgan	104
Samha cairach	ib.
Samha fearna	123
Scahog muire	222, 223
Seamar cre	4
——— muire	56
Seamair bhan	201
——— capuil	202
Seamrog	201
Seamſog	123
Seichearalan	54
Seichgheirgin	ib.

Seimhim

S.	Page
Seimhin	13
Seiſg madradh	253
Sgathoga fiona	16
Sgcachog muire	223
Sgeach	134
——— talmhan	138
Sgeagh	134
Sgeach gheal	ib.
——— mhadra	137
Sibhne	13
Sifin	ib.
Sioda mona	16
Siothan mearacan na mna fighe	173
Slan Lus	39
Slat gorom	62
Son duilleog	217
Sraidin	175
Sreann bo	195
——— tearran	ib.
Sriumb na laogh	171
Suth talmhan	138, 139
T.	
Tathu	81
Tathu ban	ib.
Teanga con	51
Toirpin	132
Torachas biadhain	151
Trabach	179
Triantaran	195
Tuile talmhan	150
Tur ſacain	117
—— ſacainin	ib.
U.	
Uachdar	8
Uath	134
Ucas fihain	190
—— francach	191
Urachalach	37

F I N I S.